# Just Go Low Profile



Experience the world of motorhomes simply and easily - the new Just Go, based on the Ford Transit, does it perfectly.

Comprehensive equipment as well as modern interior with feelgood character, it already has everything on board as standard and at a real friendship price. Want more? The Comfort Package supplements the standard equipment with lots of added value: more safety, more comfort, more fun. Just do it!

Technical info	
Overall length, approx.	735 cm
Overall width, approx.	232 cm
Overall height, approx.	299 cm
Headroom in living area, approx.	213 cm

Maximum values partly not possible for all models or only in connection with certain options.

## Upholstery



+ Upholstery Ravello



+ Upholstery Salerno incl. driver and passenger seat cover O



+ Upholstery Calypso incl. driver and passenger seat cover O



+ Upholstery Heron (partial textileleather) incl. driver and passenger seat covers O

### Plus factors

- + Proven Dethleffs quality at an attractive, friendly price
- + Comprehensive chassis equipment with electric handbrake, 12" sat nav, rear view camera, front parking aid and many assistance systems
- + 70 cm wide habitation door
- + Interior height 2.13 m (not below pull-down bed)
- + Pleasant sleeping comfort thanks to 7-zone cold foam mattresses made of climate-regulating material and ergonomic wooden slatted frames
- + Optional pull-down bed
- + Fully equipped kitchen with 2-burner hob and Multiflex rail system
- + 137 I fridge with large freezer compartment
- + 10-year tightness guarantee!











## Wood décor



+ Wood décor Noce Nagano

O optionally available

Just Go Low Profile | 01/2026 | INT 48

## Just Go Low Profile Technical info







Just Go Low Profile		T 7055 DBL	T 7055 EB	T 7055 EBL
Standard chassis		Ford Transit Low Platform	Ford Transit Low Platform	Ford Transit Low Platform
Standard engine		2,0   TDCi Ford EcoBlue	2,0   TDCi Ford EcoBlue	2,0   TDCi Ford EcoBlue
kW (bhp)		96 (130)	96 (130)	96 (130)
Emission standards		Euro 6e-bis	Euro 6e-bis	Euro 6e-bis
Overall length, approx.	cm	735	735	735
Overall width, approx.	cm	232	232	232
Overall height, approx.	cm	299 <sup>1)</sup>	299 <sup>1)</sup>	299 <sup>1)</sup>
Headroom in living area, approx.	cm	213	213	213
Towable load braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Wheelbase, approx.	mm	3954	3954	3954
Bed dimension: Front bed, L x W, approx.	cm	200 x 140 O	200 x 140 - 115 O	200 x 140 O
Bed dimension: Central / middle bed, L X W, approx.	cm	210 x 105 - 80 O	210 x 108 - 65 O	210 x 105 - 80 O
Bed dimension: Rear bed, L x W, approx.	cm	190 x 150	2x 215 x 80 / 210 x 190 O	2x 215 x 80 / 210 x 190 O
Sleeping berths standard / max.		2/50	2/50	2/50
Mass in running order $(+/-5\%)^*$	kg	2880 (2736 to 3024)*	2880 (2736 to 3024)*	2880 (2736 to 3024)*
Manufacturer-specified mass for optional equipment*	kg	273	273	273
Technically permissible maximum laden mass*	kg	3500	3500	3500
Permitted number of seats (including driver)*		4	4	4
Refrigerator volume (thereof freezer), approx.	I	137 (15) / 137 (15) 🔿	137 (15) / 137 (15) O	137 (15) / 137 (15) O
Waste water tank, approx.	Ī	95	95	95
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	I	115 / 20	115 / 20	115 / 20
Measurement storage opening left (W x H)	cm	95 x 95 🔿	95 x 95 🔿	95 x 95 O
Measurement storage opening right (W x H)	cm	93 x 115	93 x 115	93 x 115

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm$  5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

## Standard equipment

T 7055 EB

Ford chassis			
Ford Transit Light low platform (3,500 kg), TDCi EcoBlue (2.0 l / 96 kW / 130 hp) Light Duty, 6-speed manual transmission			
Steel rims 16" (236/65 R16) with wheel trims	•	•	•
Ford chassis features			
12" multifunctional display with SYNC4			
70l fuel tank			
ABS, EBD, ESP, TCS, Hill Start Assist, Crosswind Assist, Safety Brake Assist, Rollover Protection Cab, Emergency Brake Support incl. Emergency Brake			
Light			
Cruise control	•	•	•
Driver airbag			
Driver and passenger seat Pilot Chair with double armrest, swivelling	•	•	•
Electric handbrake			
Electrical preparation for tow bar	•		•
Exterior Colour Cab Frost White			
Exterior mirrors manually adjustable	•		
Fix&Go kit (tyre repair kit)			
Fog light			
Ford 6-speed manual gear box Front Park-Pilot system			
Front-wheel drive			
Lane Assist			
Leather steering wheel			
Passenger airbag	•		•
Pre-Collision Assist, radar-based	•	•	•
Rear axle mudflaps	•	•	•
Rear view camera			
Traffic sign recognition system	•	•	•
Tyre pressure monitoring system			
Wider rear axle	•	•	•
Exterior features			
70 cm wide habitation door	•	•	•
Bedroom windows right and left with blackout & mosquito screen			
Dethleffs Exclusive rear light carrier with 3rd brake light	•		
EPS insulation			
Floor thickness: 49 mm, side wall thickness: 34mm and roof thickness: 35 mm	•		•
Flyscreen habitation door			
GRP roof	•	•	•
Habitation access with comfortable, wide, electric step			
Large rear garage: right-hand garage door with turn/tighten lock, rear lowering (150 kg surface load), anti-slip surface, heated, lashing strips, illuminated, 1x 230 V socket	•	•	•
Lifetime construction technology: Tried-and-tested reliable flooring and superstructure with excellent insulation			
Side panels and rear panel made of resistant high-gloss GRP with smooth, shiny surface	•	•	•
Skylight 40 x 40 cm above rear bed			
Skylight 40 x 40 cm above the seating lounge	_	_	_
Exterior design			
Exterior body painted in white	•	•	•
Interior design			
Upholstery Ravello	•	•	•
Wood décor Noce Nagano			
Textile equipment			
Rear beds with ergonomic wooden slatted frames and 150 mm thick 7-zone premium mattresses made of climate-regulating material	•	•	•
Furniture layouts			
Cosy lounge seating group with free-standing, rigid table base			
cosy rounge searing group with free standing, rigid table base			

Just Go Low Profile | 01/2026 | INT

Standard equipment	T 7055 DBL	T 7055 EB	T 7055 EBL
Height-adjustable double bed		_	_
High-level single beds incl. comfortable access via steps	_		
Overhead locker doors with soft-close function			
Seating area with mountable and extendible table and two integrated 3-point seatbelts	_		_
Wardrobe to the left and right of the queen-size bed	•		
Kitchen			
Floor-to-ceiling fridge with separate freezer compartment and automatic energy selection (AES) (137 l)	•	•	•
Gourmet kitchen: two-ring hob, large drawers, cutlery tray, bin and generous worktop			
MultiFlex rail system incl. hooks (further accessories via Dethleffs Original Accessories)	•		•
Bathroom			
Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder	•	•	•
Large bathroom with separate shower and toilet with locking door to the lounge			
Heating			
Gas hot air heating 6kW with hot water boiler	•	•	•
Heating in the seating unit for optimum heat distribution, built-in	•	•	•
Electrical installation			
Automatic switch-on/disconnect for starter battery, leisure battery and refrigerator	•	•	•
Awning light 12 V			
Dimmable LED lighting in the separate shower and toilet room	•		
EBL with separate FI protection switch			
LED lighting throughout the vehicle			
Leisure battery AGM, 95 Ah			
Number of sockets 1x 12V, 8x 230V, 4x USB	•		•
On-board control panel			
Spotlights in the roof lining above the habitation door	•	•	•
Water supply			
Fresh water tank in insulated and heated area	•	•	•
Submersible pump			
Gas supply			
Storage space for 2 gas bottles with a filling weight of 11 kg each	•	•	•

## PACKAGES JUST GO LOW PROFILE

Package	Comfort Package T 7055 DBL (14842)	Comfort Package T 7055 EB (14842)	Comfort Package T 7055 EBL (14842)
Alloy wheel Ford 16" , black	Х	Х	х
Air conditioning automatic incl. dust and pollen filter	х	Х	x
Glove compartment, lockable	х	Х	x
Interior package Trend Line	Х	Х	x
Side protection strips painted in car colour	х	Х	x
Front bumper painted in car colour	х	Х	x
Electrically adjustable and heated exterior mirrors	Х	Х	х
High Series headlights with static cornering light	Х	Х	х
Habitation door with window incl. blackout and central locking (incl. cab door)	Х	Х	х
Panorama skylight 70 x 50 cm in the living area	Х	Х	x
Upholstery Calypso incl. driver and passenger seat cover	Х	Х	x
Light Moments: Indirect wall surface ambient lighting	Х	Х	x
Light Moments: Indirect ambient lighting above the overhead lockers	Х	Х	X
Cab blackout blinds	х	Х	x
Opening window in T-hood	Х	Х	х
Access locker door left	х	Х	x
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts		Х	
Option to convert single bed to double bed		Х	х
Additional weight (kg)*	41.8	57.8	49.8



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Package	Active Package T 7055 DBL (15137)	Active Package T 7055 EB (15137)	Active Package T 7055 EBL (15137)
Ford Transit Light low platform (3,500 kg), TDCi EcoBlue (2.0 l / 121 kW / 165 hp) Heavy Duty, 8-speed automatic transmission	Х	х	Х
Exterior colour of cab: Agate Black Metallic	Х	Х	Х
Alloy wheel Ford 16" , black	Х	X	х
Air conditioning automatic incl. dust and pollen filter	Х	Х	Х
Electrically adjustable and heated exterior mirrors	Х	Х	Х
Opening window in T-hood	Х	Х	Х
Cab blackout blinds	Х	Х	Х
Panorama skylight 70 x 50 cm in the living area	Х	Х	Х
Access locker door left	Х	Х	Х
Light Moments: Indirect ambient lighting above the overhead lockers	Х	Х	Х
Light Moments: Indirect wall surface ambient lighting	Х	Х	Х
Double-glazed flush-fitting windows with blackout & mosquito protection	Х	X	X
Upholstery Heron (partial textile-leather) incl. driver and passenger seat covers	Х	х	Х
Active exterior design (rear light carrier with black diffuser, extended labelling)	Х	Х	Х
Option to convert single bed to double bed		Х	х
Cosy L-shaped seating group with free-standing, lowerable table base and 2 integrated 3-point belts		х	
Additional weight (kg)*	77.8	93.8	85.8

#### Assistance Package Ford (15221)

Bi-xenon headlights with static cornering lights and LED daytime running lights

Electrically adjustable, folding and heated exterior mirrors

Pre-Collision Assist, camera and radar-based

Cruise control system, adaptive

Navigation system

Traffic sign recognition system, extended

Additional weight (kg)\* 2.8

#### Winter Comfort Package hot air heating Just Go7055 (8251)

Insulated under-floor pipes

Switch for water pump

Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel

Waste water tank and pipes electrically heated

Insulated waste water tank

XPS insulation

Additional weight (kg)\* 27



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

#### Pre-wiring kit (14843)

Pre-wiring for solar

Pre-wiring for roof A/C

Pre-wiring for satellite system

Additional weight (kg)\* 5.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	T 7055 DBL	T 7055 EB	T 7055 EBL
Ford chassis						
Ford Transit Light low platform (3,500 kg), TDCi EcoBlue (2.0 l / 121 kW / 165 hp) Heavy Duty, 8-speed automatic transmission	AC-P	55	165A	0	0	0
Ford chassis features						
Tow bar (observe when operating trailers with a maximum authorised load) <sup>3)</sup>	_	51	273	0	0	0
Exterior features						
Access locker door left	AC-P, CO	8	331	0	0	0
Bike rack for 3 bikes (lowerable)	_	21.1	7482	0	0	0
Bike rack for 3 bikes (rear)	_	9.6	938	0	0	0
Double-glazed flush-fitting windows with blackout & mosquito protection	AC-P	1	415	0	0	0
Omnistor cassette awning 4.5 m (manual)		38	930	0	0	0
Interior design						
Upholstery Calypso incl. driver and passenger seat cover <sup>10)</sup>	CO	0	13491	0	0	0
Upholstery Heron (partial textile-leather) incl. driver and passenger seat covers <sup>4)</sup>	AC-P	0	13726	0	0	0
Upholstery Salerno incl. driver and passenger seat cover <sup>10)</sup>		0	12747	0	0	0
Furniture layouts						
Bed convert for seating lounge transverse		7.5	1944	_	0	_
Bed convert for seating lounge transverse	_	5.5	1944	0	-	0
Electric pull-down bed across the seating unit	_	72	680	0	_	0
Electric pull-down bed across the seating unit	_	65	680	_	0	_
ISOFIX child seat bracket for third and fourth seat facing direction of travel	-	4	8125	_	0	_
Option to convert single bed to double bed	AC-P, CO	8	1883	_	0	0
Kitchen		_				
Fridge (137 l) with integrated oven	_	12	290	0	0	0
Bathroom						
Shower grate	_	2	1657	0	0	0
Window in bathroom	_	5	372	0	0	0
Multimedia						
Automatic HD satellite system 65 Twin with 22' HD TV flat screen incl. flat screen bracket	_	16.5	15161		0	0
Flat-screen TV bracket	_	2	325	0	0	0
Heating						
Gas hot air heating 6kW with 1.8kW electric heating element and hot water boiler incl. digital control panel	WI-KO	1	330	0	0	0
Electrical installation						
Second leisure battery AGM, 95 Ah <sup>6)</sup>	_	27	830	0	0	0
Solar power system 100 watt	_	12.6	922	0	0	0
Water supply						
Insulated waste water tank	WI-KO	8.5	665	0	0	0
Switch for water pump	WI-KO	0.2	397	0	0	0
Gas supply						
Automatic gas cylinder switchover incl. crash sensor and EisEx	_	2.5	1577	0	0	0
Packages						



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for actional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment change in the model programs. This is a calculated to the contract of the selected optional equipment in the model programs. optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. footnotes.

Optional equipment*	Included in package	Additional weight (kg)*	Code	T 7055 DBL	T 7055 EB	T 7055 EBL
Active Package T 7055 DBL	_	77.8	15137	0	_	_
Active Package T 7055 EB	_	93.8	15137	_	0	_
Active Package T 7055 EBL	_	85.8	15137	_	_	0
Assistance Package Ford	_	2.8	15221	0	0	0
Comfort Package T 7055 DBL <sup>7)</sup>	_	41.8	14842	0	_	_
Comfort Package T 7055 EB <sup>7)</sup>	_	57.8	14842	_	0	_
Comfort Package T 7055 EBL <sup>7)</sup>	_	49.8	14842	_	_	0
Pre-wiring kit	_	5.6	14843	0	0	0
Winter Comfort Package hot air heating Just Go7055	_	27	8251	0	0	0
Miscellaneous						
Registration documents (CoC papers)	_	0	15152	•	•	<b>*</b>

O Optional equipment — Not possible • Standard equipment • Mandatory 🛆 Not known at the time of publication

AC-P Active Package CO Comfort Package WI-KO Winter Comfort Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

#### **LEGAL NOTES ON WEIGHT-RELATED INFORMATION**

The weight specifications and tests for **motorhomes** are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this **regulation** for you below. Our **dealers** and the Dethleffs configurator on our website offer you additional assistance in configuring your vehicle.

#### 1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

#### 2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the **standard equipment**, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications;) and an aluminium gas cylinder filled to
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the **mass in running order** can be found for each model in our sales documents. It is important to note that the value for **mass in running order** given in the sales documents is a default value determined in the **type-approval procedure** and verified by the authorities. It is legally permissible and possible for the **mass in running order** of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible **tolerance** is  $\pm$  5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the **mass in running order** occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of **mass in running order**: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Dethleffs makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. **Deviations** at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even

with all optimisations. The real weight of the vehicle and compliance with the permissible **tolerance** is therefore checked by Dethleffs by weighing each vehicle at the **end of the line**.

#### 3. Mass of the passengers

The **mass of the passengers** is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The **mass of the driver** is already included in the **mass in running order** (see no. 2 above) and is therefore not included again. In the case of a **motorhome** with four **permitted seats**, the **mass of the passengers** is therefore 3 \* 75 kg = 225 kg.

#### 4. Optional equipment and actual mass of the vehicle

**Optional equipment** (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the **standard equipment** which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the **optional equipment** that can be ordered can be found in our sales documents. **Optional equipment** in this sense does not include other **accessories** that are retrofitted by the **dealer** or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of  $\pm~5~\%$  (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

#### 5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg ≥ 10 \* (n + L)

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg  $^*$  (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass

- 2,850 kg mass in running order
 - 3\*75 kg mass of the passengers
 - 100 kg minimum pay-mass

325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

3.500 kg technically permissible maximum laden mass
- 2.907 kg real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg)
- 3\*75 kg mass of the passengers

- 325 kg optional equipment (maximum permissible value) = 43 kg actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Dethleffs further reduces the maximum permissible weight of the total **optional equipment** that can be ordered on a model-specific basis. The limitation of **optional equipment** is intended to ensure that the **minimum pay-mass**, i.e. the legally prescribed free mass for **baggage** and retrofitted **accessories**, is actually available for the **vehicle load capacity** of the vehicles delivered by Dethleffs. Since the weight of a specific vehicle can only be determined when it is weighed at the **end of the line**, in very rare cases a situation may arise in which the **minimum pay-mass** at the **end of the line** is not guaranteed, despite this limitation of **optional equipment**. In order to guarantee the **minimum pay-mass** even in these cases, Dethleffs will check together with your **trade partner** and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or **optional equipment** is removed.

## 6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running or-

**der** of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the **load capacity** is reduced from 275 kg to 218 kg:

3.500 kg technically permissible maximum laden mass

2.907 kg  $\,$  real weighed mass in running order (+ 2 % compared to the

stated value of 2,850 kg) 3\*75 kg mass of the passengers

150 kg **optional equipment** ordered for the specific vehicle

= 218 kg sactual **load capacity** 

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle. We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.