Caravans 2026Technical Information

Valid from August 1st, 2025





Dethleffs Plus Factors –

Explanation of symbols

In the Dethleffs caravans, there are a lot of smart ideas and standard features for more safety and comfort. Here we present the most important ones with the corresponding symbols which can be found on the pages of the vehicle. More detailed information can be found at: www.dethleffs.com/plus-factors.

Family benefits



Happy family: Layouts with bunk beds – ideal for families. Up to three bunk beds available as an option.



Practical refrigerator with large volume and separate freezer compartment (details see technical data)

Added comfort



Inviting: 70 cm wide XXL entrance door



SleepWell: Fixed beds with 7-zone mattresses with ergonomic wooden slatted bed frames



More room: Fold-away lower bunk bed for more storage or greater playground (dep. on model)



Practical pull-down bed for easy stowage above the seating group (depending on model)



More legroom: One-leg telescopic table with easy lowering function for converting the lounge to bed (depending on model)

Added equipment



Winter expert! Winter-proof caravans thanks to optional Winter Comfort Packages (option)



Agile travelling – with caravans that go up to 100 km/h



For a healthy room climate: Optimum ventilation of the overhead lockers avoids condensation



System Information Unit: The SIU control unit incl. the sensors for displaying the vehicle leveling and the battery voltage are installed as standard (further sensors optionally available via Dethleffs Original Accessories)

Added safety



Vehicle roof made of robust GRP – protects from unusual weather conditions



Roof, front and rear made of robust GRP



Better safe than sorry: Benefit from Safety Packages for more safety on the road (option)



Safety on the road: Brand chassis from safety experts



Safety clutch: Stabilises rolling and pitching movements



Safety on the road: Thanks to the outstanding deceleration values and automated re-adjustment

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR CARAVAN

When purchasing a caravan, it is especially important to select not only an appealing design, but also the right layout. Weight also plays an essential role here. Family, friends, optional equipment, accessories, and baggage – there should be enough space for all of this. At the same time, there are legal and technical limits for configuration and loading. Each caravan is designed for a certain weight which must not be exceeded during travel. This raises a question for caravan buyers: How should I configure my vehicle to accommodate baggage and accessories according to my needs without causing the vehicle to exceed this maximum weight? To help you make this decision, we have provided you some information below that is particularly important when selecting your vehicle from our product range:

1. The technically permissible maximum laden mass...

... is a value specified by the manufacturer which the vehicle must not exceed. Based on the layout, Dethleffs specifies an upper limit for the vehicle, which can vary from layout to layout (e.g. 1,600 kg, 1,700 kg). You will find the corresponding specification for each layout in the technical data.









	Caravans		460 EL	470 ER	470 FR	500 QSK
	Sleeping berths standard / max.		3	3	4	5/6 🔾
	Technically permissible maximum laden mass*	kg	1500	1500	1500	1500
	Manufacturer-specified mass for optional equipment*	kg	180	188	158	96
)	Mass in running order (± 5 %)*	kg	1235 (1173 to 1297)*	1225 (1164 to 1286)*	1245 (1183 to 1307)*	1295 (1130 to 1360)*

2. The mass in running order...

: - - - - - - - - - - - - - - - -

... consists – to put it simply – of the basic vehicle with standard equipment. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value specified in the sales documents. The permissible tolerance is \pm 5%. The permissible range in kilograms is stated in parentheses after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trading partner of the weighing result of your vehicle for forwarding to you. For detailed explanations of the mass in running order and the effect of tolerances on the minimum payload and the payload , please refer to the "Legal notes" section.

3. The standard sleeping berths...

... are specified by the manufacturer and shown in the sales documents. The number of sleeping berths can be increased (e.g. 3-person bunk bed) or, if required, reduced (e.g. sideboard instead of seating group) by selecting optional equipment.









	Caravans		460 EL	470 ER	470 FR	500 QSK
)	Sleeping berths standard / max.		3	3	4	5/6 🔾
	Technically permissible maximum laden mass*	kg	1500	1500	1500	1500
	Manufacturer-specified mass for optional equipment*	kg	180	188	158	96
	Mass in running order ((± 5 %)*	kg	1235 (1173 to 1297)*	1225 (1164 to 1286)*	1245 (1183 to 1307)*	1295 (1130 to 1360)*

4. The mass for optional equipment specified by the manufacturer...

... is a value set for each layout by Dethleffs for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, we will check together with your trading partner and you whether we should, for example, increase the load capacity of the vehicle or remove optional equipment before delivering the vehicle. For detailed explanations of the effects of the tolerances on the minimum payload and the payload, please refer to the "Legal notes" section.

Included in package	Price	Additional weight (kg)*	Code	460 EL	470 ER	470 FR
-	399,-	4	604	-	-	-
-	1.129,-	10	1049	-	0	0
-	999,-	3.5	1103	0	0	0
	in package - -	in package - 399, 1.129,-	in weight (kg)* - 399,- 4 - 1.129,- 10	in weight (kg)* - 399,- 4 604 - 1.129,- 10 1049	in package weight (kg)* - 399,- 4 604 - - 1.129,- 10 1049 -	in package weight (kg)* - 399,- 4 604 - 1.129,- 10 1049 - O

5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the payload. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the mass for optional equipment specified by the manufacturer.



c'joy Active

Holiday fun at a bargain price

Do you dream of unforgettable journeys? The c'joy ACTIVE is a real stroke of luck for families! Ideal for beginners and young families, it combines an attractive price with a full range of features. Its interior is cosy and brightly coloured – perfect for feeling good. And its compact size makes it ideal for small towing vehicles. Everything you need for perfect holiday happiness!

Technical info	
Overall length, approx.	625 - 714 cm
Overall width, approx.	213 cm
Overall height, approx.	265 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Timor



+ Upholstery Kapan

0

Wood décor



+ Wood décor Tindari Bora

O optionally available

Plus factors

- Save smart with the ACTIVE Package: unbeatable value for money, especially for young families and first-time buyers.
- + Easy peasy on the road: no need to worry about manoeuvring the c'joy is slim on price and compact in size. With a width of 212 cm, it fits through anywhere.
- + Easy to use: our genuine lightweight design makes getting started child's play – often all you need is a Class B driving licence and a suitable towing vehicle.
- + Your happy place: new upholstery and sophisticated furniture details create modern cosiness.
- + Protects against inclement weather: The roof, bow and stern are made of durable GRP to provide protection in all weather conditions.
- + Guaranteed watertightness for 10 years: Regular leak tests ensure that your vehicle is reliably protected in all weather conditions.













5 c´joy Active | 01/2026 | INT

c´joy Active Technical info







Standard chassis Light weight chassis, 1200 ch	c'joy Active		420 QSH	460 LE	480 QLK
Body length approx. cm 502 552 593 Overall width, approx. cm 213 213 213 Overall height, approx. cm 265 265 265 Citrumferential dimension awning approx. cm 918 968 1008 Headroom in living area, approx. cm 198 198 198 Thickness floor / side walls / roof mm 38 / 28 / 28 38 / 28 / 28 38 / 28 / 28 Tire size 185 R14C 8PR <	Standard chassis		chassis, 1100	chassis, 1200	chassis, 1300
Overall width, approx. cm 213 213 213 Overall height, approx. cm 265 265 265 Citrcumferential dimension awning approx. cm 918 968 1008 Headroom in living area, approx. cm 198 198 198 Thickness floor / side walls / roof mm 38 / 28 / 28 38 / 28 / 28 38 / 28 / 28 Tire size 185 R14C 8PR Bed dimension: Front bed, L x W, approx. cm 195 x 150 190 x 100 - 90 190 x 150 Bed dimension: Rear bed, L x W, approx. cm 170 x 90 - 80 - 190 x 120 Bed dimension: Rear bed, L x W, approx. cm - 200 x 80 / 195 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 100 / 190 x 70 / 20x 190 x 80 / 190 x 70 / 20x 190 x 80 / 190 x 100 / 190 x 100 x 70 / 20x 190 x 80 / 190 x 100 x 10	Overall length, approx.	cm	625	675	714
Overall height, approx. Cm 265 265 265 Circumferential dimension awning approx. cm 918 968 1008 Headroom in living area, approx. cm 198 198 198 Thickness floor / side walls / roof mm 38 / 28 / 28 38 / 28 / 28 38 / 28 / 28 Tire size 185 R14c 8PR 190 x 100 - 90 190 x 150 Bed dimension: Central / middle bed, L x W, approx. cm 170 x 90 - 80 — 190 x 120 Bed dimension: Rear bed, L x W, approx. cm - 200 x 80 / 195 x 80 / 200 - 190 x 70 / 2x 190 x 60 / 190 x	Body length approx.	cm	502	552	593
Circumferential dimension awning approx. cm 918 968 1008 Headroom in living area, approx. cm 198 198 198 Thickness floor / side walls / roof mm 38 / 28 / 28 38 / 28 / 28 38 / 28 / 28 Tire size 185 R14C 8PR 185 R14C 8PR 185 R14C 8PR 185 R14C 8PR Bed dimension: Front bed, L x W, approx. cm 170 x 90 - 80 — 190 x 100 Bed dimension: Rear bed, L x W, approx. cm 70 x 90 - 80 — 190 x 60 / 190 Bed dimension: Rear bed, L x W, approx. cm 70 x 90 - 80 — 190 x 60 / 190 Sleeping berths standard / max. 3 3 5 / 60 Mass in running order (+/-5%)* kg 921 (875 to 985 to 985)* 105 (999 to 1105)* Manufacturer-specified mass for optional equipment* kg 90 163 121 Technically permissible maximum laden mass* kg 100 1200 1300 Heating \$3004, 3.5 kW Gas Gas Gas \$304, 3.5 kW Gas Refrigerator volume (thereof freezer), approx. <td>Overall width, approx.</td> <td>cm</td> <td>213</td> <td>213</td> <td>213</td>	Overall width, approx.	cm	213	213	213
Headroom in living area, approx.	Overall height, approx.	cm	265	265	265
Thickness floor / side walls / roof mm 38 / 28 / 28 38 / 28 / 28 38 / 28 / 28 Tire size 185 R14C 8PR 190 x 100 - 90 190 x 150 Bed dimension: Central / middle bed, L x W, approx. cm 170 x 90 - 80 — 190 x 120 Bed dimension: Rear bed, L x W, approx. cm — 200 x 80 / 195 x 190 or 20 x 100	Circumferential dimension awning approx.	cm	918	968	1008
Tire size 185 R14C 8PR 190 x 100 190 x 100 190 x 100	Headroom in living area, approx.	cm	198	198	198
Bed dimension: Front bed, L x W, approx. cm 195 x 150 190 x 100 - 90 190 x 150 Bed dimension: Central / middle bed, L x W, approx. cm 170 x 90 - 80 — 190 x 120 Bed dimension: Rear bed, L x W, approx. cm — 200 x 80 / 195 x 80 / 200 - 190 x 70 / 2x 190 x 60 / 20 x 60 x	Thickness floor / side walls / roof	mm	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28
Bed dimension: Central / middle bed, L x W, approx. cm 170 x 90 - 80 — 190 x 120 Bed dimension: Rear bed, L x W, approx. cm — 200 x 80 / 195 x 70 / 2x 190 x 60 / 190 x 70 / 2x 190 x 60 / 190 x 70 / 2x 190 x 60 / 190 x 70 / 2x 190 x 60 / 195 x 190 Q 195 x 190 Q 60 Q / 190 x 70 / 2x 190 x 60 / 190 x 70 / 2x 190 x 60 Q / 190 x 60	Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR
Bed dimension: Rear bed, L x W, approx. Cm	Bed dimension: Front bed, L x W, approx.	cm	195 x 150	190 x 100 - 90	190 x 150
Bed dimension: Rear bed, L x W, approx. cm - 200 x 80 / 195 x 80 / 200 - 195 x 190 Q 60 Q / 190 x 70 Q 70 Q Sleeping berths standard / max. 3 3 5 / 6 Q Mass in running order (+/-5%)* kg 921 (875 to 967)* 942 (895 to 989)* 1052 (999 to 1105)* Manufacturer-specified mass for optional equipment* kg 90 163 121 Technically permissible maximum laden mass* kg 1100 1200 1300 Heating \$ 3004, 3.5 kW Gas Refrigerator volume (thereof freezer), approx. I 131,5 (15) 83 (8,2) 131,5 (15) Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 12 / 12 12 / 12 12 / 12	Bed dimension: Central / middle bed, L X W, approx.	cm	170 x 90 - 80	_	190 x 120
Mass in running order (+/-5%)* kg 921 (875 to 989)* 942 (895 to 989)* 1052 (999 to 1105)* Manufacturer-specified mass for optional equipment* kg 90 163 121 Technically permissible maximum laden mass* kg 1100 1200 1300 Heating S 3004, 3.5 kW Gas Gas Refrigerator volume (thereof freezer), approx. I 131,5 (15) 83 (8,2) 131,5 (15) Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 12 / 12 12 / 12	Bed dimension: Rear bed, L x W, approx.	cm	_	x 80 / 200 -	x 70 / 2x 190 x 60 O / 190 x
Manufacturer-specified mass for optional equipment* kg 90 163 121 Technically permissible maximum laden mass* kg 1100 1200 1300 Heating S 3004, 3.5 kW Gas Gas Gas Refrigerator volume (thereof freezer), approx. I 131,5 (15) 83 (8,2) 131,5 (15) Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 12 / 12 12 / 12	Sleeping berths standard / max.		3	3	5/60
Technically permissible maximum laden mass* kg 1100 1200 1300 Heating S 3004, 3.5 kW Gas Gas Gas Refrigerator volume (thereof freezer), approx. I 131,5 (15) 83 (8,2) 131,5 (15) Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 12 / 12 12 / 12 12 / 12	Mass in running order (+/-5%)*	kg			
Heating S 3004, 3.5 kW Gas S 300	Manufacturer-specified mass for optional equipment*	kg	90	163	121
Refrigerator volume (thereof freezer), approx. I 131,5 (15) 83 (8,2) 131,5 (15) Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 12 / 12 12 / 12 12 / 12	Technically permissible maximum laden mass*	kg	1100	1200	1300
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling I 12 / 12 12 / 12 12 / 12	Heating		,	,	,
	Refrigerator volume (thereof freezer), approx.	1	131,5 (15)	83 (8,2)	131,5 (15)
Sockets: 12 V / 230 V / USB 0 / 3 / 0 0 / 2 / 0	Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	12 / 12	12 / 12	12 / 12
	Sockets: 12 V / 230 V / USB		0/3/0	0/3/0	0/2/0

O Optional equipment — Not possible • Standard equipment • Mandatory \triangle Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

c´joy Active | 01/2026 | INT 6

Standard equipment

460 LE

Chapsis galvenised, with overrun braking system and automatic reverses inple-basic tyres on after inms 185 814 C 8 PR, up to and including 1000 kg Indipals through 1 transit name tyres, designed for a speed of 100 km/h ingh quality brand name tyres, designed for a speed of 100 km/h ingh quality brand name tyres, designed for a speed of 100 km/h ingh twelfall corner stendles staction features Teleor of the gas bettle lecker made of rot-resistant and robust corrugated aluminium front, cere and roof made of robest Geld Properties (graphite grey) with blackout and mosquito blinds storage space for 2 gas bottles with 11 kg filling weight each voe price entirance design Station feature staction feature station feature takens locker door takens locker door takens locker door takens locker door takens locker door near right side \$60ct150 mm interior design blinds by Bett Wood decer finding Bore fretile equipment **Connect cold foarm mattress snoje bed, left side, standard cold foarm double mattress **Connect cold foarm mattress snoje bed, left side, standard cold foarm mattress snoje bed, left side, standard cold foarm double mattress **Connect cold foarm mattress snoje bed, left side, standard cold foarm double mattress **Connect cold foarm mattress snoje bed, left side, standard cold foarm double mattress **Connect cold foarm mattress snoje bed, left side, standard cold foarm double mattress **Connect cold foarm mattress snoje bed, left side, standard cold foarm double mattress **Connect cold foarm mattress snoje bed, left side, standard cold foarm double mattress **Connect cold foarm mattress snoje bed, left side, standard cold foarm mattress snoje bed, left side, standard cold foarm mattress snoje bed, left side, standard cold foarm mattress snoje bed, left side, standard		42(46(48(
Simple and by pres on steel nime 188 R14 C 8 PR, up to and including 1600 kg Indiposals features Indiposals feat	Chassis			
Simple and by pres on steel nime 188 R14 C 8 PR, up to and including 1600 kg Indiposals features Indiposals feat	Chassis galvanised, with overrun braking system and automatic reverse	•	•	
sight-quality brand-name tyres, designed for a speed of 100 km/h jughtweight corner steaders **Center feature** **Froot Corner and roof made of robust GRP pening windows, insulated and double-glared (graphite grey) with blackout and mosquito blinds **Froot Corner and roof made of robust GRP pening windows, insulated and double-glared (graphite grey) with blackout and mosquito blinds **Froot Corner and roof made of robust GRP pening windows, insulated and double-glared (graphite grey) with blackout and mosquito blinds **Froot Corner and Roof Made of Robust GRP pening windows, insulated and double-glared (graphite grey) with blackout and mosquito blinds **Froot Steffor design** **Froot Steffor design** **Recess locker doors **Recess locker doors rear right side 560x1150 mm	Single-axle, tyres on steel rims 185 R14 C 8 PR, up to and including 1600 kg	•	•	
Lightweight comer steadies **Exterior feature:** Time of the ups battle locker made of rot-resistant and robust corrupted aburninium	Chassis features			
Lightweight comer steadies **Exterior feature:** Time of the ups battle locker made of rot-resistant and robust corrupted aburninium	High-quality brand-name tyres, designed for a speed of 100 km/h	•	•	
Fixeful or Centures Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium Front, test and roof made of robust GRP Opening windows, insulated and double-glazed (graphite grey) with blackout and mosquito blinds Formage space for 2 gas bottles with 11 kg filling weight earth Fixeful or Gesign Fixeful or Fixeful or Gesign Fixeful or Gesign Fixeful or Fixeful or G		•	•	•
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium Front, rear and roof made of robust GRP Popening windows, insulated and double-glazed (graphite grey) with blackout and mosquito blinds Floorage space for 2 gas bottles with 11 kg filling weight each Wore-piece entrance door Koes-piece entrance single bed, left side, standard Coes-piece entrance single bed, left side, standa				
Final, year and roof made of clobust GRP Opening windows, insulated and double glazed (graphite grey) with blackout and mosquito blinds Department of the graphite grey with blackout and mosquito blinds Two-piece entrance door Section design Section design Section design Micross locker door rear right side 560x150 mm Traction design Whool decor Tindari Bora Factlice acquigment Former could foam mattress single bed, left side, standard Former could foam mattress single bed, left side, standard Former could foam mattress single bed, left side, standard Former could foam mattress single bed, right side, standard Former could				
Opening windows, insulated and double-glazed (graphite grey) with blackout and mosquito blinds Opening windows, insulated and double-glazed (graphite grey) with blackout and mosquito blinds Opening windows, insulated and double-glazed (graphite grey) with blackout and mosquito blinds Opening windows, insulated and double-glazed (graphite grey) with blackout and mosquito blinds Opening windows, insulated and substitute of the graphite grey with blackout and mosquito blinds Opening windows, insulated and substitute graphite grap				
Storage space for 2 gas bottles with 1 kg filling weight each five piece entrance dor five piece entrance dor five piece entrance dor stacker doors **Ceces locker door Read finish, white **Ceces locker door read right side 560x150 mm		•	•	•
Sides in harmer finish, white Access locker doors Access locker doors Interior design I	Storage space for 2 gas bottles with 11 kg filling weight each	•		
Sides in hammer finish, white ***Cacces locker doors** ***Cacces locker doors** ***Cacces locker doors** ***Cacces locker door aright side \$60x1150 mm	Two-piece entrance door	•	•	•
Sides in hammer finish, white ***Cacces locker doors** ***Cacces locker doors** ***Cacces locker doors** ***Cacces locker door aright side \$60x1150 mm	Exterior design			
Access locker door rear right side \$60x1150 mm Interior design Upholostery Belu Wood décor Tindari Bora Forzines cold foarm mattress single bed, left side, standard Forzines cold foarm mattress standard Forzines cold foarm mattress cold foarmards Forzines cold foarmards Forz	Sides in hammer finish, white	•		
Access locker door rear right side \$60x1150 mm Interior design Upholostery Belu Wood décor Tindari Bora Forzines cold foarm mattress single bed, left side, standard Forzines cold foarm mattress standard Forzines cold foarm mattress cold foarmards Forzines cold foarmards Forz	Arcess locker doors		Ť	
Tuploistery Belu		_		
Upholstery Belu Wood defor Tindari Bora				
Avoid décor Tindari Bora Fextile equipment Frances cold foarm mattress single bed, left side, standard Frances cold foarm mattress Food foarm mattress single bed, left side, standard Food foarm mattress Food foarm mattress Food foarm mattress Food foarm mattress single bed, left side, standard Food foarm mattress Food foarm mattress single bed, left side, standard Food foarm mattress Food foarm mattress single bed, left side, standard Food foarm mattress Food foarmatters Food foa				
Testile equipment 7-zones cold foarn mattress single bed, left side, standard 7-zones cold foarn mattress single bed, left side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 7-zones cold foarn mattress single bed, right side, standard 8-zone cold foarn mattress single bed, right side, standard 8-zone cold foarn mattress single bed, right side, standard 9-zone cold foarn mattress single bed, right side, standard 9-zone cold foarn mattress 9-zone cold foarn mattress single bed, right side, standard 9-zone cold foarn mattress 9-zone cold foarnamattes 9-zone cold foarnamat	•	•	•	•
7-zones cold foam mattress single bed, left side, standard				
Francisc cold foam mattress single bed, right side, standard				
Cold foam double bed mattress Furniture layouts AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards Bunk bed with 2 sleeping berths, foldable		_		_
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards Bunk bed with 2 sleeping berths, foldable Bunk beds with safety net and ladder Seating lounge converts to bed Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds Kitchen Practical 3-flames cooker with manual ignition Spacious compressor refrigerator with 131.5 litres of storage space and 15 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment		_		_
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards Bunk bed with 2 sleeping berths, foldable		_	_	
Bunk bed with 2 sleeping berths, foldable Bunk beds with safety net and ladder Seating Jounge converts to bed Seating Jounge converts to bed Seating Jounge converts to bed Stitchen Practical saftated frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds Kitchen Practical 3-flames cooker with manual ignition Spacious compressor refrigerator with 131.5 litres of storage space and 15 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Shapely washbasin Shower tray Skylight with mosquito net Heating Sas heating 5 3004 with automatic ignition Lettrical installation L2 V power supply throughout vehicle Awaining light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 I Miscellaneous				
Bunk beds with safety net and ladder Seating lounge converts to bed Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds Kitchen Practical 3-flames cooker with manual ignition Spacious compressor refrigerator with 131.5 litres of storage space and 15 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 15 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor	•	•		
Seating lounge converts to bed Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds Kitchen Practical 3-flames cooker with manual ignition Spacious compressor refrigerator with 131.5 litres of storage space and 15 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Shapely washbasin Shapely washbasin Shapely washbasin Shapely washbasin Shapely washbasin Shapely with mosquito net Heating Gas heating S 3004 with automatic ignition Electrical installation 12 V power supply throughout vehicle Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 I Miscellaneous			_	•
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds Kitchen Practical 3-flames cooker with manual ignition Spacious compressor refrigerator with 131.5 litres of storage space and 15 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartm				
Kitchen Practical 3-flames cooker with manual ignition Spacious compressor refrigerator with 131.5 litres of storage space and 15 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrieator with 83 litres of storage space and 8.2 litres of freezer compartment Spac		•		
Practical 3-flames cooker with manual ignition Spacious compressor refrigerator with 131.5 litres of storage space and 15 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 8.2 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 131.5 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 23.1 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 23.1 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 23.1 litres of storage space and 18.2 litres of freezer compartment Spacious compressor refrigerator with 23.1 litres of freezer compartment Spacious compressor refried space and 18.2 litres of freezer compartment Spacious compartment Spacious compressor refried space and 18.2 litres of freezer compartment Spacious compressor refried space and 18.				
Spacious compressor refrigerator with 131.5 litres of storage space and 15 litres of freezer compartment Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Shapely washbasin Shower tray Skylight with mosquito net Heating Gas heating 5 3004 with automatic ignition Electrical installation 12 V power supply throughout vehicle Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 l Misscellaneous				
Spacious compressor refrigerator with 83 litres of storage space and 8.2 litres of freezer compartment Bathroom Shapely washbasin Shower tray Skylight with mosquito net Heating Gas heating \$ 3004 with automatic ignition Electrical installation 12 V power supply throughout vehicle Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Electric water supply Fresh water canister 12 I Miscellaneous	, and the second se	•		
Bathroom Shapely washbasin Shower tray Skylight with mosquito net Heating Gas heating \$ 3004 with automatic ignition Electrical installation 12 V power supply throughout vehicle Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Electric water supply Fresh water canister 12 I Miscellaneous		•	_	
Shapely washbasin Shower tray Skylight with mosquito net Heating Gas heating \$ 3004 with automatic ignition Electrical installation 12 V power supply throughout vehicle Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Electric water supply Fresh water canister 12 I Miscellaneous		_		
Skylight with mosquito net Heating Gas heating S 3004 with automatic ignition Electrical installation 12 V power supply throughout vehicle Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 I Miscellaneous				
Skylight with mosquito net Heating Gas heating \$ 3004 with automatic ignition Electrical installation 12 V power supply throughout vehicle Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 Miscellaneous				
Heating Gas heating \$ 3004 with automatic ignition Electrical installation 12 V power supply throughout vehicle Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 Miscellaneous		•		
Gas heating S 3004 with automatic ignition Electrical installation 12 V power supply throughout vehicle Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 Miscellaneous		•		
Electrical installation 12 V power supply throughout vehicle Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 I Miscellaneous				
Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 Miscellaneous		•	•	-
Awning light 12V CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 Miscellaneous	Electrical installation			
CEE external output socket for 230V on-board electrics Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 Miscellaneous	12 V power supply throughout vehicle	•		
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer Water supply Electric water supply Fresh water canister 12 I Miscellaneous		•	•	•
Water supply Electric water supply Fresh water canister 12 Miscellaneous			•	
Electric water supply Fresh water canister 12 Miscellaneous			_	
Fresh water canister 12 Miscellaneous	Water supply			
Miscellaneous	Electric water supply	•	•	•
	Fresh water canister 12 l	•	•	•
SIU-ready (preparation for SIU control unit)	Miscellaneous			
	SIU-ready (preparation for SIU control unit)	•	•	

Packages c'joy Active

Package	Active-Paket 420 QSH (15498)	Active package 460 LE (15499)	Active package 480 QLK (15500)
Weight upgrade to 1.360 kg (without chassis change)	X	Х	
Wheel trims for 14" tyres	Х	Х	X
Safety coupling	Х	Х	X
Shock absorbers	Х	Х	X
Front window	Х		x
Skylight 700 x 500 mm	Х	Х	x
Flyscreen door	Х	Х	X
Access locker door front right side 1000x420 mm	Х		Х
Hot air system	Х	Х	X
USB port for spotlight bar	Х	Х	X
Additional lighting through LED spotlights	Х	Х	X
Fresh water tank 44 l	Х	Х	X
Mobile 22 I waste water tank	Х	Х	Х
Hot water supply	Х	Х	X
Rear window		Х	
Kitchen window, sliding (change of window shape)		Х	
Access locker door rear right side 1000x420 mm		Х	
Single beds convert to double bed		Х	
Weight upgrade to 1.500 kg			Х
Additional weight (kg)*	30	40	30

Package	Autonomy Package I (10011)	Autonomy Package II (10012)
Battery (95 Ah)	X	X
Battery charger	X	X
Central 12V main switch	X	X
Voltage display	X	X
Fan 12V for S 3004	X	
Additional weight (kg)*	31	29

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

c'joy Active | 01/2026 | INT 8

Optional equipment*	Included in package	Additional weight (kg)*	Code	420 QSH	460 LE	480 QLK
Chassis						
17" alloy wheels in Dethleffs design (single axle)	_	1	11608	0	0	0
Tyres on alloy wheels 185 R14 C LI102, up to and including 1600 kg	_	1	836	0	0	0
Weight upgrade						
Weight upgrade to 1.200 kg (without chassis change)	_	0	134	0	_	_
Weight upgrade to 1.300 kg (without chassis change)	_	0	135	0	_	_
Weight upgrade to 1.360 kg (without chassis change)	AC-P	0	9619	0	0	0
Weight upgrade to 1.500 kg	_	24	136	_	0	_
Weight upgrade to 1.500 kg	_	20	136	0	_	_
Weight upgrade to 1.500 kg	AC-P	0	136	_	_	0
Chassis features						
Draw bar cover	_	0	13098	0	0	0
ETS Plus stabilisation system	_	0	10764	0	0	0
Safety coupling 1)	AC-P	0	13096	0	0	0
Shock absorbers ¹⁾	AC-P	0	13097	0	0	0
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	_	17	837	0	_	0
Spare tyre with alloy wheel 215/60 R17 C LI 109	_	24.1	11540	0	0	0
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	_	18	831	0	_	0
Wheel trims for 14" tyres	AC-P	0.5	276	0	0	0
Exterior features						
Flyscreen door	AC-P	3	360	0	0	0
Front window	AC-P	3	982	0	•	0
Kitchen window, sliding (change of window shape)	AC-P	3	6406	0	0	0
Opening window in bathroom	_	2	1028	0	0	0
Rear window	AC-P	4	1108	_	0	_
Skylight 700 x 500 mm	AC-P	10	11575	0	0	0
Spare wheel carrier in gas locker	_	1	432	0	0	0
Access locker doors						
Access locker door front left side 1000x420 mm	_	2	6415	0	_	0
Access locker door front right side 1000x420 mm	AC-P	2	6416	0	_	0
Access locker door rear left side 1000x420 mm	_	2	6417	_	0	_
Access locker door rear right side 1000x420 mm	AC-P	2	6418	_	0	_
Interior design						
Upholstery Kapan	_	0	13226	0	0	0
Upholstery Timor	_	0	13225	0	0	0
Furniture layouts						
Bunk bed with 3 sleeping berths, not foldable	_	21	200			0
Single beds convert to double bed	AC-P	6	685	_	0	_
Multimedia						
Multifunctional external connection, 12 V, 220 V, TV and SAT	_	1	611	0	0	
Preparation for flat screen TV (antenna cable and TV bracket)	_	2	678	0	0	0
Heating		L	0/0			
Fan 12V for S 3004	AP	2	177	0	0	0



Optional equipment*	Included in package	Additional weight (kg)*	Code	420 QSH	460 LE	480 QLK
Hot air system	AC-P	0	142	0	0	0
Ultraheat additional heating for S 3004, electric 220 V	_	2	364	0	0	0
Air Conditioning						
Pre-wiring for A/C	_	3.5	172	0	0	0
Electrical installation						
Additional lighting through LED spotlights	AC-P	0	9692	0	0	0
USB port for spotlight bar	AC-P	0.5	9989	0	0	0
Water supply						
Fresh water tank 44 l	AC-P	6	9240	0	0	0
Hot water supply	AC-P	2	123	0	0	0
Mobile 22 I waste water tank	AC-P	3	367	0	0	0
Shower equipment with shower fittings and curtain	_	3	1097	0	0	0
Packages						
Active package 460 LE	_	40	15499	_	0	_
Active package 480 QLK	_	30	15500	_	_	0
Active-Paket 420 QSH	_	30	15498	0	-	_
Autonomy Package I	_	31	10011	0	0	0
Autonomy Package II	_	29	10012	0	0	0
Miscellaneous						
Registration documents (CoC papers)	_	0	15151	•	•	•

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

AC-P Active Package AP Autonomy Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

c´joy Active | 01/2026 | INT 10

c'go & c'go up Active

Save and get started

The c'go and c'go up caravans offer comprehensive equipment at a special price with the ACTIVE package. Whether for weekend getaways or extended family holidays, the c'go adapts to all needs. You will immediately feel at home in the inviting and bright interior. Whether you are looking for a compact model for spontaneous trips or a spacious family caravan, our clever space solutions are just right for you. Families in particular will love the c'go up 525 KR – with the pull-down bed in the rear, there is more space to live despite the compact dimensions.

Technical info	
Overall length, approx.	676 - 756 cm
Overall width, approx.	233 cm
Overall height, approx.	261 - 271 cm
Headroom in living area, approx.	198 - 208 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Granada



+ Upholstery Estepona O



+ Upholstery Manilva O

Plus factors

- + Ready to go! Experience the perfect combination of comfort and affordability with the new c'go and g'go up ACTIVE.
- + Cosy interior: New upholstery and furniture details create a pleasant and modern atmosphere.
- + Clever pull-down bed: The c'go up ACTIVE impresses with a standard pull-down bed (200 x 140 cm lying surface) above the seating area.
- + Protects you from bad weather: roof, front and rear made of robust GRP
- + Guaranteed tightness for 10 years: Regular leak tests ensure your vehicle is reliably protected in all weather conditions.

























Wood décor



+ WEB Alaska White

O optionally available

c`go & c´go up Active Technical info









c`go & c´go up Active		475 EL	495 FR	495 QSK	up 525 KR
Standard chassis		Lightweight chassis, 1300 kg	Lightweight chassis, 1360 kg	Lightweight chassis, 1360 kg	Lightweight chassis, 1600 kg
Overall length, approx.	cm	676	725	714	756
Body length approx.	cm	552	588	587	623
Overall width, approx.	cm	233	233	233	233
Overall height, approx.	cm	261	261	261	271
Circumferential dimension awning approx.	cm	955	992	990	1040
Headroom in living area, approx.	cm	198	198	198	208
Thickness floor / side walls / roof	mm	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28	38 / 28 / 28
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	210 x 85 / 185 x 85 / 200 x 190 O	200 x 145 - 110	210 x 135	205 x 75 / 200 x 75 / 175 x 90 - 80
Bed dimension: Central / middle bed, L X W, approx.	cm	_	_	190 x 90	_
Bed dimension: Rear bed, L x W, approx.	cm	210 x 105	210 x 150 - 130	2x 210 x 75 / 3x 210 x 75 O	200 x 145 / 212 x 170 - 160
Sleeping berths standard / max.		3	4	5/60	7
Mass in running order (+/-5%)*	kg	1130 (1074 to 1187)*	1135 (1078 to 1192)*	1165 (1107 to 1223)*	1341 (1274 to 1408)*
$\label{eq:mass_period} \mbox{Manufacturer-specified mass for optional equipment}^*$	kg	79	118	67	117
Technically permissible maximum laden mass*	kg	1300	1360	1360	1600
Heating		S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas	S 3004, 3.5 kW Gas
Refrigerator volume (thereof freezer), approx.	- 1	78 (11)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	I	23	23	23	23
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	44 / 15	44 / 15	44 / 15	44 / 15
Sockets: 12 V / 230 V / USB		0 / 5 / 0	0/5/0	0/5/0	0/6/0

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

Standard equipment

495 FR 495 QSK

	4	4	4	
Chassis				
Single-axle, tyres on steel rims 185 R14 C 8 PR, up to and including 1600 kg	•	•	•	•
Zinc-plated chassis with inertia braking system with reversing automatic	•		•	•
Chassis features				
AAA self-adjusting brake	_		_	1
ACS stabiliser	•	•	•	•
High-quality brand-name tyres, designed for a speed of 100 km/h	•			•
Lightweight zinc-plated corner steadies	•	•	•	•
Octagon shock absorber	•		•	•
Exterior features				
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	•	•	•	•
Front, rear and roof made of robust GRP	•	•	•	
One-piece habitation door	•		•	
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	•		•	•
Skylight Mini Heki	•		•	
Spare wheel carrier in gas locker	•	•	•	
Storage space for 2 gas bottles with 11 kg filling weight each	•	•	•	
Exterior design				
Sides in hammer finish, white	•	•	•	
Access locker doors				
Access locker door front right side 1000x420 mm	•		•	-
Access locker door front right side 997x419 mm	_	_	_	
nterior design				
Jpholstery Granada				
WEB Alaska White				
Textile equipment				
7-zones cold foam mattress single bed, left side, standard				
7-zones cold foam mattress single bed, right side, standard				
Cold foam double bed mattress				
Furniture layouts				
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards				
Bunk bed with 2 sleeping berths, foldable Bunk beds with safety net and ladder				
Seating lounge converts to bed				
Spacious pull-down bed above seating lounge, with manual control				
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	_			
nterior features			Ť	
Smoke detector				
		å	i	
(itchen				
Generous drawers with soft closing for absolutely silent closing	•		•	
Large fridge with 137 liters capacity and 15 liters freezer compartment	_			
Practical 3-flames cooker with electric ignition	•			
Spacious fridge with 78 liters volume and 11 liters freezer compartment	•		_	
Bathroom				
Shapely washbasin	•			
Shower tray	•	•	•	
Skylight with mosquito net	•	•	•	(
Heating				
Gas heating S 3004 with automatic ignition	•	•	•	
Electrical installation				

13

Standard equipment	475 EL	495 FR	495 QSK	up 525 KR
12 V power supply throughout vehicle				
Additional lighting through LED spotlights	•	•		•
Awning light 12V				
CEE external output socket for 230V on-board electrics	•	•		
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer				
LED spots in front and rear seating lounges				
Water supply				
Electric water supply	•	•	•	•
Fresh water tank 44 l				
Mobile 22 I waste water tank	•			
Miscellaneous				
Dethleffs Connect - System Information Unit: SIU control unit incl. voltage and levelling display via the Dethleffs app.	•	•	•	•

Packages c`go & c´go up Active

Package	Active-Paket 475 EL (15501)	Active-Paket 495 FR (15502)	Active package 495 QSK (15503)	Active package up 525 KR (15504)
Tyres on alloy wheels 195 R14 C Ll106, 1700 kg and 1800 kg	Х	х	Х	х
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	х			
Corner steadies incl. large-area support feet	Х	х	х	x
Heki II skylight incl. illuminated roof lining	Х	х	х	x
Flyscreen door	Х	х	х	x
Kitchen window, sliding (change of window shape)	Х			x
7-zones mattress, made of heat-regulating material	Х	х	х	x
Single beds convert to double bed	Х			
Hot air system	Х	х	Х	Х
Indirect lighting	Х	х	Х	Х
USB port for spotlight bar	Х	х	Х	Х
Pre-wiring for A/C	Х	х	Х	Х
Hot water supply	х	x	х	x
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)		х		
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)			X	
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)				Х
Additional weight (kg)*	70	69	41	36

Package	Safety Package (9556)	Safety Package (9556)
ATC Trailer Control	X	X
DuoControl safety gas pressure regulator with crash sensor	Х	
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx		х
Additional weight (kg)*	4.4	4.4

Package	Autonomy Package I (10011)	Autonomy Package II (10012)
Battery (95 Ah)	Х	X
Battery charger	Х	X
Central 12V main switch	Х	X
Voltage display	Х	X
Fan 12V for S 3004	Х	
Additional weight (kg)*	31	29

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment provided by the parapheters in the added provider. This is no increased. specified by the manufacturer in the model overviews. This is an imputed

Optional equipment*	Included in package	Additional weight (kg)*	Code	475 EL	495 FR	495 QSK	up 525 KR
Chassis							
17" alloy wheels in Dethleffs design (single axle)		1	11608	0	0	0	0
Tyres on alloy wheels 185 R14 C L1102, up to and including 1600 kg	_	1	836	0	0	0	0
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	AC-P	1	838	0	0	0	0
Weight upgrade				Ť	Ť	Ť	
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	AC-P	36	278	0		_	
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C L1106)	AC-P	44	278	_	\circ	_	_
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	AC-P	16	278	_	_	0	
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C L1106)	AC-P	8	279	_	_	_	0
Weight upgrade to 1.360 kg (without chassis change)	_	0	9619	0	_	_	_
Weight upgrade to 1.400 kg	_	38	359	_	0	_	_
Weight upgrade to 1.400 kg	_	0	359	0	_	0	_
Weight upgrade to 1.500 kg	_	0	136	0	_	0	_
Weight upgrade to 1.500 kg	_	38	136	_	0	_	_
Chassis features							
ATC Trailer Control	SHP	4	748	0	0	0	0
Corner steadies incl. large-area support feet	AC-P	4	9138	0	0	0	0
Draw bar cover	_	2	434	0	0	0	0
Solid rubber support wheel with support load indicator	_	2	10063	0	0	0	0
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	_	17	837	0	0	0	0
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	_	18.8	839	0	0	0	0
Spare tyre with alloy wheel 215/60 R17 C LI 109	_	24.1	11540	0	0	0	0
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	_	18	831	0	0	0	0
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	_	20.4	833	0	0	0	0
Wheel trims for 14" tyres	_	0.5	276	0	0	0	0
Exterior features							
Flyscreen door	AC-P	3	360	0	0	0	0
Front window	_	3	982	0	0	0	_
Heki II skylight incl. illuminated roof lining	AC-P	10	274	0	0	0	0
Kitchen window, sliding (change of window shape)	AC-P	3	6406	0	0	0	0
One-piece habitation door with window	_	0	6427	_	-	-	0
Opening window in bathroom		2	1028	0	0	0	0
Exterior design							
Smooth sides white	_	17	443	0	_	_	_
Smooth sides white	-	17	443	_	0	0	0
Access locker doors							
Access locker door front left side 1000x420 mm	_	2	6415	0	-	0	_
Access locker door front right side 1675x885 mm	_	0	9430	_	_	_	0
Access locker door rear left side 749x297 mm	-	2	1077	_	_	_	0
Access locker door rear right side 749x297 mm	_	2	1078	_	_	_	0
Access locker door rear right side 750x300 mm	_	2	6422	-	0	-	_
Interior design							
Upholstery Estepona	_	0	13901	0	0	0	0
Upholstery Manilva	_	0	13902	0	0	0	0



Optional equipment*	Included in package	Additional weight (kg)*	Code	475 EL	495 FR	495 QSK	up 525 KR
Textile equipment							
7-zones mattress, made of heat-regulating material	AC-P	0	10318	0	0	0	0
Loose carpet	_	7	513	0	0	0	0
Furniture layouts							
Bunk bed with 3 sleeping berths, not foldable	_	21	200	_	_	0	_
Hanging table with rotating device	_	0	8699	_	_	0	_
Seat enlargement for opposite seating lounge (in comb. with option 8699) ²⁾	_	0	7750	_	_	0	_
Single beds convert to double bed	AC-P	6	685	0	_	_	_
Multimedia							
Multifunctional external connection, 12 V, 220 V, TV and SAT ³⁾	_	1	611	0	0	0	0
Preparation for flat screen TV (antenna cable and TV bracket)	_	2	678	0	0		0
Heating							
Electric floor heating	-	6	387	0	0	0	0
Fan 12V for \$ 3004	AP	2	177	0	0	0	0
Hot air system	AC-P	0	142	0	0	0	0
Ultraheat additional heating for S 3004, electric 220 V	_	2	364	0	0	0	0
Air Conditioning							
Pre-wiring for A/C	AC-P	3.5	172	0	0	0	0
Electrical installation							
Indirect lighting	AC-P	1	633	0	0	0	0
USB port for spotlight bar	AC-P	0.5	9989	0	0		0
Water supply							
City water connection	_	2	414				0
Hot water supply	AC-P	2	123	0	0	0	0
Shower equipment with shower fittings and curtain	_	3	1097	0	_	_	0
Gas supply							
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	SHP	0.4	784				
DuoControl safety gas pressure regulator with crash sensor	SHP	0.4	784	0	0	0	0
Gas socket (exterior) ⁴⁾	_	1	187			0	_
Packages			107				
Active package 495 QSK	_	41	15503				
Active package up 525 KR		36	15504			0	0
Active-Paket 475 EL	_	70	15501	0	_	_	_
Active-Paket 495 FR	_	69	15502	_	0	_	
Autonomy Package I	_	31	10011	0	0	0	0
Autonomy Package II	_	29	10012	0	0	0	0
Safety Package	_	4.4	9556	0	0	0	_
Safety Package	_	4.4	9556	_	_	_	0
Miscellaneous							
Registration documents (CoC papers)	-	0	15151	*	+	*	+

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

AC-P Active Package SHP Safety Package AP Autonomy Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

Camper®

The family caravan

Completely revised with a new, trendy design, the Camper® still remains true to its core values: extensive standard equipment, plenty of storage space and a large selection of bunk bed layouts and short caravans make the Camper® more than ever the ideal caravan for all families hungry for adventure.

Technical info	
Overall length, approx.	691 - 946 cm
Overall width, approx.	230 - 250 cm
Overall height, approx.	282 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Downtown



+ Upholstery Rooftop ○



+ Upholstery City Vibes ○

Plus factors

- + Modern style! Stylish, new interior design with accents in trendy green. Upholstery in three matching colour schemes is available for selection.
- + New! Convenient access with the 65 cm wide living room door incl. waste bin.
- + Extra safe: the safelock door interlock with double steel bolts
- + Kitted out for all needs: our portfolio even features short caravans less than 7 m in length
- + Now included as standard: the Dethleffs "SIU System Information Unit" with voltage and level indicator via the Dethleffs app.
- + Guaranteed tightness for 10 years: Regular leak tests ensure your vehicle is reliably protected in all weather conditions.

Wood décor



+ Wood décor Noce Nagano

O optionally available



























Camper® Technical info









Camper®		460 EL	490 EST	510 LE	520 ELT
Standard chassis		Lightweight chassis, 1500 kg	Lightweight chassis, 1500 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg
Overall length, approx.	cm	691	729	762	748
Body length approx.	cm	560	600	640	640
Overall width, approx.	cm	230	230	230	250
Overall height, approx.	cm	282	282	282	282
Circumferential dimension awning approx.	cm	948	988	1028	1028
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	195 R14C LI106
Bed dimension: Front bed, L x W, approx.	cm	200 x 85 / 190 x 85 / 190 x 210 O	200 x 85 / 190 x 85 / 190 x 210 O	210 x 135	200 x 85 / 190 x 85 / 190 x 210 〇
Bed dimension: Central / middle bed, L X W, approx.	cm	_	185 x 90	_	185 x 90
Bed dimension: Rear bed, L x W, approx.	cm	210 x 115	-	2x 200 x 85 / 200 x 210 O	-
Sleeping berths standard / max.		3	3	4	3
Mass in running order (+/-5%)*	kg	1220 (1159 to 1281)*	1300 (1235 to 1365)*	1300 (1235 to 1365)*	1455 (1382 to 1528)*
Manufacturer-specified mass for optional equipment	kg	195	110	195	150
Technically permissible maximum laden mass*	kg	1500	1500	1600	1700
Heating		S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas- Electric O	Combi 4 G/E, 4 kW Gas- Electric	S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas- Electric O	Combi 6 G/E, 6 kW Gas- Electric / Hot water heating, 6.4 kW Gas- Electric O
Refrigerator volume (thereof freezer), approx.	- 1	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	I	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	I	38 / 15	38 / 15	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0 / 6 / 1	0 / 6 / 1	0 / 7 / 1	0 / 0 / 1



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

Camper® Technical info









Camper®		530 DR	530 FSK	540 QMK	550 ESK
Standard chassis		Lightweight chassis, 1600 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg	Lightweight chassis, 1600 kg
Overall length, approx.	cm	780	788	768	806
Body length approx.	cm	660	660	660	685
Overall width, approx.	cm	230	230	250	230
Overall height, approx.	cm	282	282	282	282
Circumferential dimension awning approx.	cm	1048	1048	1048	1078
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	185 R14C 8PR	195 R14C LI106	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	205 x 150	200 x 135	200 x 140	2x 200 x 85 / 200 x 210 O
Bed dimension: Central / middle bed, L X W, approx.	cm	_	190 x 100	230 x 115	190 x 100
Bed dimension: Rear bed, L x W, approx.	cm	210 x 135	210 x 70 / 195 x 75 / 210 x 75 O / 210 x 80 O / 210 x 70 O	190 x 75 / 190 x 70 / 2x 190 x 75 O / 170 x 75 O	210 x 70 / 200 x 75 / 210 x 75 O / 210 x 80 O / 210 x 70 O
Sleeping berths standard / max.		4	5 / 6 🔿	5 / 6 🔿	5/60
Mass in running order (+/-5%)*	kg	1350 (1283 to 1418)*	1370 (1302 to 1439)*	1460 (1387 to 1533)*	1430 (1359 to 1502)*
Manufacturer-specified mass for optional equipment*	kg	145	105	115	40
Technically permissible maximum laden mass*	kg	1600	1600	1700	1600
Heating		S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric O / Hot water heating, 6.4 kW Gas-Electric O	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric O / Hot water heating, 6.4 kW Gas-Electric O	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric O / Hot water heating, 6.4 kW Gas-Electric O	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas- Electric O / Hot water heating, 6.4 kW Gas- Electric O
Refrigerator volume (thereof freezer), approx.	- 1	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	I	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	I	38 / 15	38 / 15	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0/9/1	0 / 7 / 3	0/8/3	0/8/3



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

Camper® Technical info





Camper®		560 FMK	730 FKR
Standard chassis		Lightweight chassis, 1700 kg	Lightweight chassis, 2000 kg
Overall length, approx.	cm	818	946
Body length approx.	cm	685	815
Overall width, approx.	cm	250	250
Overall height, approx.	cm	282	282
Circumferential dimension awning approx.	cm	1078	1208
Headroom in living area, approx.	cm	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34
Tire size		195 R14C LI106	185/70 R14 LI88
Bed dimension: Front bed, L x W, approx.	cm	200 x 155	200 x 155
Bed dimension: Central / middle bed, L X W, approx.	cm	230 x 115	200 x 75 / 2x 195 x 75 / 2x 195 x 75 O
Bed dimension: Rear bed, L x W, approx.	cm	195 x 70 / 190 x 75 / 195 x 75 O / 195 x 80 O / 195 x 70 O	230 x 155
Sleeping berths standard / max.		5/60	7/80
Mass in running order (+/-5%)*	kg	1530 (1454 to 1607)*	1800 (1710 to 1890)*
$\label{eq:manufacturer-specified mass for optional equipment} \parbox{0.5\cite{Manufacturer-specified mass for optional equipment}} 0.5\cite{Manuf$	kg	40	40
Technically permissible maximum laden mass*	kg	1700	2000
Heating		S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric O / Hot water heating, 6.4 kW Gas-Electric O	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas- Electric O / Hot water heating, 6.4 kW Gas- Electric O
Refrigerator volume (thereof freezer), approx.	1	137 (15)	137 (15)
Waste water tank, approx.		22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0/9/3	0 / 10 / 3

O Optional equipment — Not possible Standard equipment lacktriangle Mandatory Δ Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

Standard equipment	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1										
Single axle premium wheel 195 R14 C L1106 (with steel wheel 1.700 kg and 1.800 kg)	_	_	_	•	_	_	•	_	•	_
Single-axle, tyres on steel rims 185 R14 C 8 PR, up to and including 1600 kg				_			_		_	_
Tandem axle tyres on steel rims 185/70 R14 L188 up to and including 2000 kg	_	_	_	_	_	_	_	_	_	•
Zinc-plated chassis with inertia braking system with reversing automatic	•	•	•	•	•	•	•	•	•	•
Chassis features										
AAA self-adjusting brake								•		
ACS stabiliser										
High-quality brand-name tyres, designed for a speed of 100 km/h										
Lightweight corner steadies										
Octagon shock absorber	•	•	•	•	•	•	•	•		•
Exterior features										
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium	•	•	•	•	•	•	•	•	•	•
Flyscreen door	•	•	•	•	•	•	•	•	•	•
Front parts in gas locker area made of LFI (long fiber injection) technology, shock resistant, robust and repair- friendly	•	•	•	•	•	•	•	•	•	•
Fully-insulated wheel houses	•	•		•	•	•	•	•	•	•
Kitchen window, sliding (change of window shape)			_	_			_			_
Midi Heki lift-and-tilt skylight incl. illuminated roof lining	•	•	•	•	•	•	•	•	•	•
Opening window in bathroom	_		_	_	_			_		
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	•	•	•	•	•	•	•	•	•	•
Robust GRP roof										
Sidewall skirts with integrated side-marker lamps	•	•	•	•	•	•	•	•	•	•
Skylight Mini Heki										
Space-saving gas locker door which opens upwards	•	•	•	•	•	•	•	•	•	•
Spare wheel carrier in gas locker			•				•			
Storage space for 2 gas bottles with 11 kg filling weight each		•								
Wide, one-piece habitation door			•				•			
Exterior design										
Front and rear in smooth sides white	•	•	•	•	•	•	•	•	•	
Sides in hammer finish, white	•	•	•	•	•	•	•	•		•
Access locker doors		Ė	Ė	Ė	Ė	Ė	Ė	Ė		
Access locker door front right side 648x348 mm									_	
Access locker door front right side 997x419 mm										
Access locker door rear right side 997x419 mm										
			Ť							
Interior design										
Upholstery Downtown				•			•	•		
Wood décor Noce Nagano	•	•		•	•	•	•	•	_	
Textile equipment										
7-zones double bed mattress, made of heat-regulating material	_	_	_	_				_		
7-zones mattress left side, made of heat-regulating material	•	•	•	•	_	_	_	•	_	_
7-zones mattress right side, made of heat-regulating material					-	-	-		-	_
Additional cushion for bed construction	•	•	•	•	•	•	•	•	•	•
Furniture layouts										
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	•	•	•	•	•	•	•	•	•	•
Bunk bed with 2 sleeping berths, foldable	_	_	_	_	_				•	_
Bunk bed with 2 sleeping berths, not foldable	_	_	_	_	_	_	_	_	_	•
Bunk beds with safety net and ladder	_	_	_	_	_				•	
One-legged telescopic table, height adjustable	_	_	_		•	_		_	•	
Seating lounge converts to bed									•	
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments										
under the beds	•	_			-	-	•	•	_	_

Standard equipment	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Kitchen										
Generous drawers with soft closing for absolutely silent closing	•	•	•	•	•	•	•	•	•	•
High-quality 2-burner hob with electric ignition	•									
Large fridge with 137 liters capacity and 15 liters freezer compartment										
Practical apothecary drawers (depending on layout)	•		•		•	•				
Bathroom										
Integrated design washbasin made of solid surface material	•	•	•	•	•	•	•	•	•	•
Shower tray	•	•	•	•	•	•	•	•	•	•
Skylight with mosquito net					•					
Heating										
Gas heating S 3004 with automatic ignition	•	-	•	-	_	-	-	-	_	_
Gas heating S 5004 with automatic ignition	_	_	_	_	•	•	•	•	•	•
Hot air system	•								•	
Electrical installation										
12 V power supply throughout vehicle	•	•	•	•	•	•	•	•	•	•
Awning light 12V		•								
CEE external output socket for 230V on-board electrics	•		•				•			
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer	•	•	•	•	•	•	•	•	•	•
Indirect lighting (roof level)	•			•			•		•	
LED light bar system 12V (on head-side of bed and in seating lounge)										
USB port for spotlight bar	•									
Water supply										
Electric water supply	•	•	•	•	•	•	•	•	•	•
Fresh water tank 38 l	•	•	•	•	•	•	•	•	•	•
Hot water supply		_		_						
Mobile 22 I waste water tank	•	•	•	•	•			•	•	
Miscellaneous										
Dethleffs Connect - System Information Unit: SIU control unit incl. voltage and levelling display via the Dethleffs	•	•	•	•	•	•	•	•	•	•

O Optional equipment — Not possible lacktriangle Standard equipment lacktriangle Mandatory Δ Not known at the time of publication

арр.

Packages Camper®

Package	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)
Smooth sides white	Х		
17" alloy wheels in Dethleffs design (single axle)	Х	X	X
Draw bar cover	Х	X	х
Large support feet, 4 pc.	Х	Х	х
Solid rubber support wheel with support load indicator	Х	X	x
Rear light carrier with high attachment and roof rails	Х	X	x
Front moulding with high attachment and roof rails	Х	X	х
Smooth sides white		X	
Smooth sides white			Х
Additional weight (kg)*	45.7	48.3	51.1

Package	Styling Package white (tandem axle) (13256)	Styling Package white (tandem axle 2.8 t) (13258)
17" alloy wheels in Dethleffs design (tandem axle)	Х	
Draw bar cover	X	Х
Large support feet, 4 pc.	X	Х
Solid rubber support wheel with support load indicator	X	Х
Rear light carrier with high attachment and roof rails	X	Х
Front moulding with high attachment and roof rails	X	Х
Smooth sides white	X	Х
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg		Х
Additional weight (kg)*	50.4	47.4

Package	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)
Smooth sides titanium silver metallic	Х		
17" alloy wheels in Dethleffs design (single axle)	Х	Х	х
Draw bar cover	Х	Х	х
Large support feet, 4 pc.	Х	Х	х
Solid rubber support wheel with support load indicator	Х	Х	х
Rear light carrier with high attachment and roof rails	X	Х	х
Front moulding with high attachment and roof rails	X	Х	х
Smooth sides titanium silver metallic		Х	
Smooth sides titanium silver metallic			Х
Additional weight (kg)*	45.7	48.3	51.1



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Styling Package silver (tandem axle) (13257)	Styling Package silver (tandem axle 2.8 t) (13259)
17" alloy wheels in Dethleffs design (tandem axle)	X	
Draw bar cover	X	Х
Large support feet, 4 pc.	X	Х
Solid rubber support wheel with support load indicator	X	Х
Rear light carrier with high attachment and roof rails	X	X
Front moulding with high attachment and roof rails	X	Х
Smooth sides titanium silver metallic	X	X
Tyres on alloy wheels 195/70 R14 C L1104, 2200 kg to 2800 kg		Х
Additional weight (kg)*	50.4	47.4

Package	Winter Comfort Package for Combi heating (10481)
Electric floor heating	х
XPS insulation for the entire habitation (depending on vehicle size)	х
Insulated threader hose	х
Additional weight (kg)*	30.1

Package	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)
Electric floor heating	Х	Х	х
Waste water pipes insulated and heated	Х	Х	х
Insulated threader hose	Х	Х	х
XPS insulation for the entire habitation (depending on vehicle size)	Х		
Hot air heating Combi 6 G/E incl. digital control unit	Х	Х	х
XPS insulation for the entire habitation (depending on vehicle size)		Х	
XPS insulation for the entire habitation (depending on vehicle size)			х
Additional weight (kg)*	50.1	52.8	55

Package	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)
Hot water heating	Х	Х	Х
Electric floor heating	х	Х	х
Waste water pipes insulated and heated	х	Х	х
XPS insulation for the entire habitation (depending on vehicle size)	Х		
XPS insulation for the entire habitation (depending on vehicle size)		Х	
XPS insulation for the entire habitation (depending on vehicle size)			Х
Additional weight (kg)*	74.1	76.8	79



value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)
Hot water heating	Х	Х	х
Hot water floor heating (only in comb. with option 205)	х	Х	х
Waste water pipes insulated and heated	х	Х	х
XPS insulation for the entire habitation (depending on vehicle size)	х		
XPS insulation for the entire habitation (depending on vehicle size)		Х	
XPS insulation for the entire habitation (depending on vehicle size)			х
Additional weight (kg)*	75.1	77.8	80

Package	Mover Autonomy Package (single axle) (5560)	Mover Autonomy Package (tandem axle) (5561)
Mover manoeuvring support for single-axle	X	
Electric Autonomy equipment	X	Х
Mover manoeuvring support for tandem-axle		Х
Additional weight (kg)*	70	98

Package	Water and Electric Autonomy Package Combi 4 (11031)	Water and Electric Autonomy Package Combi 6 (11032)	Water & Electric Autonomy Package with Combi or hot water heating system (9943)
Hot air heating Combi 4 G/E incl. digital control unit	Х		
Electric Autonomy equipment	X	x	X
Fresh water tank 70 l	Х	Х	х
Hot air heating Combi 6 G/E incl. digital control unit		Х	
Additional weight (kg)*	55.5	55.5	40.5

Safety Package (8950)

ATC Trailer Control

Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx

Smoke detector

Additional weight (kg)*
6.3

Shower Package (6105)

Shower equipment with shower fittings and curtain

City water connection

Additional weight (kg)*

\triangle Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment

specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Chassis													
17" alloy wheels in Dethleffs design (single axle)	STP	10	11608	0	0	0	0	0	0	0	0	0	_
17" alloy wheels in Dethleffs design (tandem axle)	STP	7	11609	_	_	_	_	_	_	_	_	_	0
Tyres on alloy wheels 185 R14 C LI102, up to and including 1600 kg	_	0	836	0	0	0	_	0	0	_	0	_	_
Tyres on alloy wheels 185/70 R14 L188, up to and including 2000 kg	_	0	840	_	_	_	_	_	_	_	_	_	0
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	_	2	838	0	0	0	0	0	0	0	0	0	_
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	STP	4	859	_	_	_	_	_	_	_	_	_	0
Weight upgrade													
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	_	0.3	278	_	_	_	_	0	0	_	0	_	_
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	_	23.1	278	0	_	_	_	_	_	_	_	_	_
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	_	23.9	278	_	0	_	_	_	_	_	_	_	_
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	_	24.3	278	_	=	0	=	_	=	=	=	=	_
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	_	31.6	279	_	0	_	0	_	_	_	_	_	_
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	_	5.9	279	_	_	_	_	_	_	0	_	_	_
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	_	6.6	279	_	_	_	_	_	_	_	_	0	_
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	_	6.8	279	_	_	_	_	0	0	_	0	_	_
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C LI106)	_	32	279	_	_	0	_	_	_	_	_	_	_
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	_	23.8	394	_	_	_	_	_	_	0	_	_	_
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	_	27	394	_	_	_	0	_	_	_	_	_	_
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	_	18.7	394	_	_	_	_	_	_	_	_	0	_
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112)	_	19.2	394	_	_	_	_	0	0	_	0	_	_
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	_	18.7	138	_	=	_	_	_	=	=	=	0	_
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	_	19.2	138	_	_	_	_	0	0	_	0	_	_
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	_	23.8	138	_	_	_	_	_	_	0	_	_	_
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	_	27	138	_	_	_	0	_	_	_	_	_	_
Weight upgrade 2.200 kg (incl. steel wheel 195/70 R14 C LI104)	_	2.6	6351	_	_	_	_	_	_	_	_	_	0
Weight upgrade 2.500 kg (incl. steel wheel 195/70 R14 C LI104)	_	2.6	496	_	_	_	_	_	_	_	_	_	0
Weight upgrade to 1.600 kg	_	22.8	322	0	_	_	_	_	_	_	_	_	_
Weight upgrade to 1.600 kg	_	23.6	322	_	0	_	_	_	_	_	_	_	_
Weigth upgrade 2.800 kg (incl. steel wheel 195/70 R14 C LI104)	_	27.4	7713	_	_	_	_	_	_	_	_	_	0
Chassis features													
ATC Trailer Control	SHP	4	748	0	0	0	0	0	0	0	0	0	0
Breakdown kit	_	1	620	0	0	0	0	0	0	0	0	0	0
Draw bar cover	STP	2	434	0	0	0	0	0	0	0	0	0	0
Large support feet, 4 pc.	STP	1	6348	0	0	0	0	0	0	0	0	0	0
Mover manoeuvring support for single-axle 5)	M-P	32	946	0	0	0	0	0	0	0	0	0	_
Mover manoeuvring support for tandem-axle 5)	M-P	60	984	_	_	_	_	_	_	_	_	_	0
Solid rubber support wheel with support load indicator	STP	2	10063	0	0	0	0	0	0	0	0	0	0
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	-	17	837	0	0	0	_	0	_	_	_	_	_
Spare tyre with alloy wheel 185/70 R14 LI 88, up to and including 2.000 kg	_	18	841	_	-	-	-	-	-	-	_	_	0
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	_	18.8	839	0	0	0	0	0	_	_	_	0	_
Spare tyre with alloy wheel 195/70 R14 C-LI 102, 2.200 kg to 2.800 kg	_	18.8	861	-	-	-	-	-	-	-	-	=	0



Optional equipment*	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Spare tyre with alloy wheel 225/70 R15 C LI 112 , 1.900 kg and 2.000 kg $$	_	23.2	1092	_	_	_	0	_	_	_	_	0	_
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	_	18	831	0	0	0	_	0	_	_	_	_	_
Spare tyre with steel wheel 185/70 R14 LI 88, up to and including 2.000 kg	_	18	835	_	_	_	_	_	_	_	_	_	0
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	_	19.5	833	0	0	0	0	0	_	_	_	0	_
Spare tyre with steel wheel 195/70 R14 C-LI 104, 2.200 kg to 2.800 kg	_	20	860	_	_	_	_	_	_	_	_	_	0
Wheel trims for 14" tyres	_	2	276	0	0	0	0	0	0	0	0	0	0
Exterior features													
Flush-fitting windows (not possible for front and rear windows) 6)	_	3	7561	0	0	0	0	0	0	0	0	0	0
Front window	_	4	982	0	0		0	0	_	0	0	_	_
Front window (bed area), if washroom in front	_	5	855	_	_	_	_	_	0	_	_	0	0
Manual cassette awning, 3.75 m	_	25.5	13831	0	_	_	_	_	_	_	_	_	_
Manual cassette awning, 4 m	_	27.5	13832	_	0	0	0	_	_	_	_	_	_
Manual cassette awning, 4.5 m	_	30	13833	_	_	_	_	0	0	0	0	0	_
Manual cassette awning, 6 m	_	54.6	13835	_	_	_	_	_	_	_	_	_	0
Rear window	_	4	1108		_	0	_		-	_	_	_	
Wide, one-piece habitation door with window	_	3	862	0	0	0	0	0	0	0	0	0	0
XPS insulation for the entire habitation (depending on vehicle size)	_	17.6	179	0	_	_	_	_	_	_	_	_	_
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	20.1	179	_	0	0	0	0	0	0	_	_	_
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	22.8	179	_	_	_	_	_	_	_	0	0	_
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	25	179		_	_	_	_	_	_	_	_	0
Exterior design													
Front moulding with high attachment and roof rails	STP	1	627	0	0	0	0	0	0	0	0	0	0
Rear light carrier with high attachment and roof rails	STP	11	624	0	0	0	0	0	0	0	0	0	0
Smooth sides titanium silver metallic	STP	18.7	659	0	_	_	_	_	_	_	_	_	_
Smooth sides titanium silver metallic	STP	21.3	659	_	0	0	0	0	0	0	_	_	_
Smooth sides titanium silver metallic	STP	24.1	659	_	_	_	_	_	_	_	0	0	_
Smooth sides titanium silver metallic	STP	26.4	659	_	_	_	_	_	_	_	_	_	0
Smooth sides white	STP	18.7	443	0	_	_	_	_	_	_	_	_	_
Smooth sides white	STP	21.3	443	_	0	0	0	0	0	0	_	_	_
Smooth sides white	STP	24.1	443	_	_	_	_	_	_	_	0	0	_
Smooth sides white	STP	26.4	443	_	_	_	_	_	_	_	_	_	0
Access locker doors													
Access locker door 1550x1050 mm with window	_	8	9486	_	_	_	_	_	_	0	_	_	_
Access locker door front left 997x419 mm	_	2.2	1079	_	_	_	0	_	_		0		
Access locker door front left side 1069x299 mm	_	2.2	1083	_	_	0	_	_	_	_	_	_	_
Access locker door front left side 648x348 mm	_	2	1071	_	_	_	0	0	_	_	0	_	_
Access locker door front right side 1069x299 mm	_	2	1084	_	_	0	_	_	_	_	_	_	_
Access locker door rear left side 1069x299 mm	_	2	1085	_	_	_	_	_	_	_	_	_	0
Access locker door rear left side 749x297 mm	_	2	1077	0	_	_	_	_	_	_	_	_	_
Access locker door rear right side 1069x299 mm	_	2	1086	_	_	_	_	0	_	_	_	_	0
Interior design													
Upholstery City Vibes	_	0	13792	0	0	0	0	0	0	0	0	0	0
Upholstery Rooftop	_	0	13791	0	0	0	0	0	0	0	0	0	0



value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Textile equipment													
7-zones double bed mattress, made of heat-regulating material with watergel cover	_	4	8214	_	-	-	-	0	0	0	-	0	0
7-zones mattress left side, made of heat-regulating material with watergel cover	_	5	8215	0	0	0	0	_	_	-	0	_	-
7-zones mattress right side, made of heat-regulating material with watergel cover	_	5	8216	0	0	0	0	_	_	_	0	_	_
Loose carpet		8.5	513	0	0	0	0	0	0	0	0	0	0
Furniture layouts													
Bunk bed with 2 sleeping berths, not foldable, instead of seating lounge	_	0	9775	-	_	=	=	=	_	_	_	_	0
Bunk bed with 3 sleeping berths, not foldable	_	20	200	_	_	_	_	_	0	0	0	0	_
Single beds convert to double bed	_	5	685	0	0	0	0	_	_	_	0	_	
Slatted bed frame with adjustable head section	_	1	871	0	0	0	0	_	_	_	0	_	_
Interior features													
2 kg fire extinguisher	-	3.5	843	0	0	0	0	0	0	0	0	0	0
Multifunctional tray 2 pieces	_	1	15003	0	0	0	0	0	0	0	0	0	0
Smoke detector	SHP	0.3	8949	0	0	0	0	0	0	0	0	0	0
Kitchen													
Oven	_	17	572	0	0	0	0	0	0	0	0	0	0
Bathroom													
Bathroom in alternative design	_	4	604	_	-	_	_	_	0	0	_	0	0
Multimedia													
Flat screen TV 22" incl. DVD player and receiver ⁷⁾	_	3.5	1103	0	0	0	0	0	0	0	0	0	0
Multifunctional external connection, 12 V, 220 V, TV and SAT	_	1	611	0	0	0	0	0	0	0	0	0	0
Preparation for flat screen TV (antenna cable and TV bracket)	_	2	678	0	0	0	0	0	0	0	0	0	0
Heating													
Electric floor heating	WI-KO	9	387	0	0	0	0	0	0	0	0	0	0
Fan 12 V with automatic speed control for S 5004	_	2	178	_	_	_	_	0	0	0	0	0	0
Fan 12V for S 3004	_	2	177	0	_	0	_	_	_	_	_	_	_
Hot air heating Combi 4 G/E incl. digital control unit	WEA-P	15	10480	0	•	0	_	_	_	_	_	_	_
Hot air heating Combi 6 G/E incl. digital control unit	WEA-P, WI-KO	15	9427	_	_	_	•	0	0	0	0	0	0
Hot water floor heating (only in comb. with option 205) $^{8)}$	WI-KO	10	674	-	_	_	0	0	0	0	0	0	0
Hot water heating	WI-KO	40	205	_	_	_	0	0	0	0	0	0	0
Insulated threader hose 9)	WI-KO	1	9535	0	0	0	0	0	0	0	0	0	0
Ultraheat additional heating for S 3004, electric 220 V	_	2	364	0	_	0	_	_	_	_	_	_	_
Ultraheat additional heating for S 5004, electric 220 V		2	422	_	_	_	_	0	0	0	0	0	0
Air Conditioning													
Pre-wiring for A/C		0	172	0	0	0	0	0	0	0	0	0	0
Roof A/C	_	35	8145	0	0	0	0	0	0	0	0	0	0
Electrical installation													
Electric Autonomy equipment	WEA-P, M-P	38	492	0	0	0	0	0	0	0	0	0	0



Optional equipment*	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Water supply													
City water connection	DUP	2	414	0	0	0	0	0	0	0	0	0	0
Exterior shower	_	2	396	0	0	0	0	0	0	0	0	0	0
Fresh water tank 70	WEA-P	2.5	592	0	0	0	0	0	0	0	0	0	0
Shower equipment with shower fittings and curtain	DUP	5	1097	0	0	0	0	0	0	0	0	0	0
Waste water pipes insulated and heated	WI-KO	5	520	_	_	_	0	0	0	0	0	0	0
Gas supply													
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	SHP	2	784	0	0	0	0	0	0	0	0	0	0
Gas socket (exterior)	_	1	187	0	0	0	0	0	0	0	0	0	0
Packages													
Mover Autonomy Package (single axle)		70	5560	0	0	0	0	0	0	0	0	0	_
Mover Autonomy Package (tandem axle)	_	98	5561	_	_	_	_	_	_	_	_	_	0
Safety Package	_	6.3	8950	0	0	0	0	0	0	0	0	0	0
Shower Package	_	7	6105	0	0	0	0	0	0	0	0	0	0
Styling Package silver (single axle)	_	51.1	13255	_	_	_	_	_	_	_	0	0	_
Styling Package silver (single axle)	_	48.3	13255	_	0	0	0	0	0	0	_	_	_
Styling Package silver (single axle)	_	45.7	13255	0	_	_	_	_	_	_	_	_	_
Styling Package silver (tandem axle 2.8 t)	_	47.4	13259	_	_	_	_	_	_	_	_	_	0
Styling Package silver (tandem axle)	_	50.4	13257	_	_	_	_	_	_	_	_	_	0
Styling Package white (single axle)	_	45.7	13254	0	_	_	_	_	_	_	_	_	_
Styling Package white (single axle)	_	48.3	13254	_	0	0	0	0	0	0	_	_	_
Styling Package white (single axle)	_	51.1	13254	_	_	_	_	_	_	_	0	0	_
Styling Package white (tandem axle 2.8 t)	_	47.4	13258	_	_	_	_	_	_	_	_	_	0
Styling Package white (tandem axle)	_	50.4	13256	_	_	_	_	_	_	_	_	_	0
Water & Electric Autonomy Package with Combi or hot water heating system	-	40.5	9943	0	0	0	0	0	0	0	0	0	0
Water and Electric Autonomy Package Combi 4	_	55.5	11031	0	-	0	_	_	-	_	_	_	_
Water and Electric Autonomy Package Combi 6		55.5	11032	_	_	_	_	0	0	0	0	0	0
Winter Comfort Package Combi 6	_	55	9536	_	-	-	-	_	-	-	_	_	0
Winter Comfort Package Combi 6		52.8	9536	_	_	_	_	_	_	_	0	0	_
Winter Comfort Package Combi 6	_	50.1	9536	_	_	_	_	0	0	0	_	_	_
Winter Comfort Package SNOW		74.1	5459	_	_	_	0	0	0	0	_	_	_
Winter Comfort Package SNOW	_	76.8	5459	_	_	_	_	_	-	_	0	0	_
Winter Comfort Package SNOW		79	5459	_	_	_	_	_	_	_	_	_	0
Winter Comfort Package SNOW PLUS	_	77.8	5551	_	-	_	_	_	_	-	0	0	_
Winter Comfort Package SNOW PLUS	_	80	5551	_	_	Ξ	Ξ	_	Ξ	_	Ξ	_	0
Winter Comfort Package SNOW PLUS	-	75.1	5551	_	-	-	0	0	0	0	-	_	
Winter Comfort Package for Combi heating		30.1	10481	_	_	_	0	_	_		_	_	_
Miscellaneous													
Registration documents (CoC papers)	_	0	15151	•	•	•	•	•	•	*	•	•	♦

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

STP Styling Package SHP Safety Package M-P Mover Autonomy Package WI-KO Winter Comfort Package WEA-P Water and Electric Autonomy Package DUP Shower Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Nomad

The design caravan

The latest generation of Nomad cements its sophisticated design with linear forms, basalt grey flaps in a supermatt finish and black functional elements. An ensemble that is skilfully showcased in the evening by the Light Moments lighting concept. With its extraordinary design solutions and comprehensive features, Nomad is the perfect caravan for discerning travellers.

Technical info	
Overall length, approx.	691 - 946 cm
Overall width, approx.	230 - 250 cm
Overall height, approx.	282 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Olea



+ Upholstery Lona

0

Wood décor



+ Wood décor Ashton

O optionally available

Plus factors

- Impressive exterior design: with chic details such as a stylish rear light carrier with LED lights and manoeuvring handles in elegant black.
- + New! Comfort access with the 65 cm wide living room door incl. window, blinds and bin.
- + Modern lightness in the interior thanks to linear forms, floating backrests and exquisite lighting design
- + Cooking like at home: very well-equipped gourmet kitchen with illuminated kitchen back panel
- + Good as standard: ready to go thanks to comprehensive specifications
- + Bright prospects: window in the living room door as standard
- + Now standard on board: the Dethleffs "SIU System Information Unit" with voltage and level indicator via the Dethleffs app.
- + Guaranteed tightness for 10 years: Regular leak tests ensure your vehicle is reliably protected in all weather conditions.





























31 Nomad | 01/2026 | INT

Nomad Technical info









Nomad		460 EL	490 EST	510 LE	520 ELT
Standard chassis		Lightweight chassis, 1500 kg	Lightweight chassis, 1500 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg
Overall length, approx.	cm	691	729	762	748
Body length approx.	cm	560	600	640	640
Overall width, approx.	cm	230	230	230	250
Overall height, approx.	cm	282	282	282	282
Circumferential dimension awning approx.	cm	948	988	1028	1028
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	185 R14C 8PR	185 R14C 8PR	195 R14C LI106
Bed dimension: Front bed, L x W, approx.	cm	200 x 85 / 190 x 85 / 190 x 210 O	200 x 85 / 190 x 85 / 190 x 210 O	210 x 135	200 x 85 / 190 x 85 / 190 x 210 O
Bed dimension: Central / middle bed, L X W, approx.	cm	_	185 x 90	_	185 x 90
Bed dimension: Rear bed, L x W, approx.	cm	210 x 115	-	2x 200 x 85 / 200 x 210 O	-
Sleeping berths standard / max.		3	3	4	3
Mass in running order (+/-5%)*	kg	1260 (1197 to 1323)*	1310 (1245 to 1376)*	1345 (1278 to 1412)*	1475 (1401 to 1549)*
Manufacturer-specified mass for optional equipment	kg	155	100	150	130
Technically permissible maximum laden mass*	kg	1500	1500	1600	1700
Heating		S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas- Electric O	Combi 4 G/E, 4 kW Gas- Electric	S 3004, 3.5 kW Gas / Combi 4 G/E, 4 kW Gas- Electric O	Combi 6 G/E, 6 kW Gas- Electric / Hot water heating, 6.4 kW Gas- Electric O
Refrigerator volume (thereof freezer), approx.	1	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	I	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	I	38 / 15	38 / 15	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0 / 6 / 1	0 / 6 / 1	0 / 7 / 1	0 / 0 / 1



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

Nomad | 01/2026 | INT 32

Nomad Technical info









Nomad		530 DR	530 FSK	540 QMK	550 ESK
Standard chassis		Lightweight chassis, 1600 kg	Lightweight chassis, 1600 kg	Lightweight chassis, 1700 kg	Lightweight chassis, 1600 kg
Overall length, approx.	cm	780	788	768	806
Body length approx.	cm	660	660	660	685
Overall width, approx.	cm	230	230	250	230
Overall height, approx.	cm	282	282	282	282
Circumferential dimension awning approx.	cm	1048	1048	1048	1078
Headroom in living area, approx.	cm	198	198	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34	42 / 34 / 34
Tire size		185 R14C 8PR	185 R14C 8PR	195 R14C LI106	185 R14C 8PR
Bed dimension: Front bed, L x W, approx.	cm	205 x 150	200 x 135	200 x 140	2x 200 x 85 / 200 x 210 O
Bed dimension: Central / middle bed, L X W, approx.	cm	_	190 x 100	230 x 115	190 x 100
Bed dimension: Rear bed, L x W, approx.	cm	210 x 135	210 x 70 / 195 x 75 / 210 x 75 O / 210 x 80 O / 210 x 70 O	190 x 75 / 190 x 70 / 2x 190 x 75 O / 170 x 75 O	210 x 70 / 200 x 75 / 210 x 75 O / 210 x 80 O / 210 x 70 O
Sleeping berths standard / max.		4	5/60	5/60	5/60
Mass in running order (+/-5%)*	kg	1380 (1311 to 1449)*	1390 (1321 to 1460)*	1490 (1416 to 1565)*	1450 (1378 to 1523)*
Manufacturer-specified mass for optional equipment*	kg	115	85	85	20
Technically permissible maximum laden mass*	kg	1600	1600	1700	1600
Heating		S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric O / Hot water heating, 6.4 kW Gas-Electric O	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric O / Hot water heating, 6.4 kW Gas-Electric O	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric O / Hot water heating, 6.4 kW Gas-Electric O	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas- Electric O / Hot water heating, 6.4 kW Gas- Electric O
Refrigerator volume (thereof freezer), approx.	- 1	137 (15)	137 (15)	137 (15)	137 (15)
Waste water tank, approx.	I	22	22	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	I	38 / 15	38 / 15	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0/9/1	0 / 7 / 3	0/8/3	0/8/3



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

Nomad Technical info





Nomad		560 FMK	730 FKR
Standard chassis		Lightweight chassis, 1700 kg	Lightweight chassis, 2200 kg
Overall length, approx.	cm	818	946
Body length approx.	cm	685	815
Overall width, approx.	cm	250	250
Overall height, approx.	cm	282	282
Circumferential dimension awning approx.	cm	1078	1208
Headroom in living area, approx.	cm	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34
Tire size		195 R14C LI106	195/70 R14C LI104
Bed dimension: Front bed, L x W, approx.	cm	200 x 155	200 x 155
Bed dimension: Central / middle bed, L X W, approx.	cm	230 x 115	200 x 75 / 2x 195 x 75 / 2x 195 x 75 O
Bed dimension: Rear bed, L x W, approx.	cm	195 x 70 / 190 x 75 / 195 x 75 O / 195 x 80 O / 195 x 70 O	230 x 155
Sleeping berths standard / max.		5/60	7/80
Mass in running order (+/-5%)*	kg	1545 (1468 to 1622)*	1840 (1748 to 1932)*
Manufacturer-specified mass for optional equipment*	kg	25	240
Technically permissible maximum laden mass*	kg	1700	2200
Heating		S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas-Electric O / Hot water heating, 6.4 kW Gas-Electric O	S 5004, 6 kW Gas / Combi 6 G/E, 6 kW Gas- Electric O / Hot water heating, 6.4 kW Gas- Electric O
Refrigerator volume (thereof freezer), approx.	1	137 (15)	137 (15)
Waste water tank, approx.	I	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0/9/3	0 / 10 / 3

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

Nomad | 01/2026 | INT 34

Standard equipment	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Chassis										
Single axle premium wheel 195 R14 C L1106 (with steel wheel 1.700 kg and 1.800 kg)	_	_	_	•	_	_	•	_	•	_
Single-axle, tyres on steel rims 185 R14 C 8 PR, up to and including 1600 kg				_			_		_	_
Tandem axle premium wheel 195/70 R14 C L1104 (with steel wheel 2.200 kg to 2.800 kg)	_	_	_	_	_	_	_	_	_	•
Zinc-plated chassis with inertia braking system with reversing automatic							•			
Chassis features										
AAA self-adjusting brake							•	•		
ACS stabiliser										
High-quality brand-name tyres, designed for a speed of 100 km/h						•	•	•		
Lightweight corner steadies										
Octagon shock absorber										
Exterior features				Ť				Ť		
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium										
Flyscreen door										
Front parts in gas locker area made of LFI (long fiber injection) technology, shock resistant, robust and repair-friendly	•	•	•	•	•	•	•	•	•	•
Fully-insulated wheel houses										•
Kitchen window, sliding (change of window shape)			_	_			_			_
Midi Heki lift-and-tilt skylight incl. illuminated roof lining							•			
Opening window in bathroom			_	_	_			_		
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds					•		•			
Robust GRP roof										
Sidewall skirts with integrated side-marker lamps		•	•	•	•	•	•	•		
Skylight Mini Heki										
Space-saving gas locker door which opens upwards		•		•				•		
Spare wheel carrier in gas locker										
Storage space for 2 gas bottles with 11 kg filling weight each						•		•		
Wide, one-piece habitation door with window	•	•		•	•	•		•		
Exterior design										
Front and rear in smooth sides white										
Sides in hammer finish, white	•	•	•	•	•	•	•	•	•	•
Access locker doors										
Access locker door front right side 648x348 mm	_	=	=	=	•	_	=	=	_	_
Access locker door front right side 997x419 mm			_		_		_		_	_
Access locker door rear right side997x419 mm	_	_	•	_	_	_	_	_	_	_
Interior design										
Upholstery Selma										
Wood décor Ashton		•	•	•		•	•	•		
Textile equipment										
	_	-		-				-		
7-zones double bed mattress, made of heat-regulating material	_	_	_	_				_		
7-zones mattress left side, made of heat-regulating material							_			
7-zones mattress right side, made of heat-regulating material										
Additional cushion for bed construction	_	_						_		
Furniture layouts										
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	•	•	•	•	•	•	•	•	•	•
Bunk bed with 2 sleeping berths, foldable	_	_	_	_	_					_
Bunk bed with 2 sleeping berths, not foldable	_	_	_	_	_	_	_	_	_	•
Bunk beds with safety net and ladder	_	_	_	_	_					
One-legged telescopic table, height adjustable	_	_	_	•	•	_	•	_	•	•
Seating lounge converts to bed										
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	•	•	•	•	•	•	•	•	•	•

35 Nomad | 01/2026 | INT

Standard equipment	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Kitchen										
Generous drawers with soft closing for absolutely silent closing	•	•	•	•	•	•	•	•	•	•
High-quality 2-burner hob with electric ignition									•	
Kitchen worktop with indirect lighting									•	
Large fridge with 137 liters capacity and 15 liters freezer compartment										
Practical apothecary drawers (depending on layout)	•	•	•	•	•	•	•	•	•	•
Bathroom										
Integrated design washbasin made of solid surface material	•	•	•	•	•	•	•	•	•	•
Shower tray				•				•	•	
Skylight with mosquito net	•	•			•	•	•	•	•	•
Heating										
Gas heating S 3004 with automatic ignition	•	_		_	_	_	_	_	_	_
Gas heating S 5004 with automatic ignition	_	_	_	_						
Hot air system	•	•	•	•	•	•	•	•	•	•
Electrical installation										
12 V power supply throughout vehicle			•	•			•	•	•	•
Awning light 12V									•	
CEE external output socket for 230V on-board electrics	•	•	•	•	•	•	•	•	•	•
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer	•	•	•	•	•	•	•	•	•	•
Illuminated kitchen back panel		•	•	•	•	•	•	•	•	•
Indirect lighting (roof level)			•			•	•		•	
Indirect lighting (side level)					•		•		•	
LED light bar system 12V (on head-side of bed and in seating lounge)						•			•	
USB port for spotlight bar	•	•	•	•	•	•	•	•	•	•
Water supply										
Electric water supply	•	•	•	•	•	•	•	•	•	•
Fresh water tank 38 l									•	
Hot water supply	•	_	•	_	•	•	•	•	•	•
Mobile 22 l waste water tank	•	•			•	•	•	•	•	
Miscellaneous										
Dethleffs Connect - System Information Unit: SIU control unit incl. voltage and levelling display via the Dethleffs app.	•	•	•	•	•	•	•	•	•	•

O Optional equipment — Not possible • Standard equipment • Mandatory \triangle Not known at the time of publication

Packages Nomad

Package	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)	Styling Package white (single axle) (13254)
Smooth sides white	Х		
17" alloy wheels in Dethleffs design (single axle)	Х	Х	Х
Draw bar cover	Х	Х	Х
Large support feet, 4 pc.	Х	Х	X
Solid rubber support wheel with support load indicator	Х	Х	х
Rear light carrier with high attachment and roof rails	Х	Х	х
Front moulding with high attachment and roof rails	Х	Х	х
Smooth sides white		Х	
Smooth sides white			Х
Additional weight (kg)*	45.7	48.3	51.1

Package	Styling Package white (tandem axle) (13256)	Styling Package white (tandem axle 2.8 t) (13258)
17" alloy wheels in Dethleffs design (tandem axle)	X	
Draw bar cover	X	х
Large support feet, 4 pc.	X	х
Solid rubber support wheel with support load indicator	X	х
Rear light carrier with high attachment and roof rails	X	х
Front moulding with high attachment and roof rails	X	Х
Smooth sides white	Х	х
Tyres on alloy wheels 195/70 R14 C L1104, 2200 kg to 2800 kg		х
Additional weight (kg)*	50.4	47.4

Package	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)	Styling Package silver (single axle) (13255)
Smooth sides titanium silver metallic	X		
17" alloy wheels in Dethleffs design (single axle)	Х	Х	х
Draw bar cover	Х	Х	х
Large support feet, 4 pc.	Х	Х	х
Solid rubber support wheel with support load indicator	Х	Х	х
Rear light carrier with high attachment and roof rails	Х	Х	х
Front moulding with high attachment and roof rails	Х	Х	х
Smooth sides titanium silver metallic		Х	
Smooth sides titanium silver metallic			Х
Additional weight (kg)*	45.7	48.3	51.1



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Styling Package silver (tandem axle) (13257)	Styling Package silver (tandem axle 2.8 t) (13259)
17" alloy wheels in Dethleffs design (tandem axle)	Х	
Draw bar cover	X	X
Large support feet, 4 pc.	Х	X
Solid rubber support wheel with support load indicator	X	X
Rear light carrier with high attachment and roof rails	X	X
Front moulding with high attachment and roof rails	X	X
Smooth sides titanium silver metallic	Х	X
Tyres on alloy wheels 195/70 R14 C L1104, 2200 kg to 2800 kg		Х
Additional weight (kg)*	50.4	47.4

Package	Winter Comfort Package for Combi heating (10481)
Electric floor heating	х
XPS insulation for the entire habitation (depending on vehicle size)	х
Insulated threader hose	х
Additional weight (kg)*	30.1

Package	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)	Winter Comfort Package Combi 6 (9536)
Electric floor heating	Х	Х	х
Waste water pipes insulated and heated	Х	х	x
Insulated threader hose	Х	Х	x
XPS insulation for the entire habitation (depending on vehicle size)	Х		
Hot air heating Combi 6 G/E incl. digital control unit	Х	Х	x
XPS insulation for the entire habitation (depending on vehicle size)		Х	
XPS insulation for the entire habitation (depending on vehicle size)			х
Additional weight (kg)*	50.1	52.8	55

Package	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)	Winter Comfort Package SNOW (5459)
Hot water heating	Х	Х	х
Electric floor heating	Х	Х	x
Waste water pipes insulated and heated	Х	Х	x
XPS insulation for the entire habitation (depending on vehicle size)	х		
XPS insulation for the entire habitation (depending on vehicle size)		Х	
XPS insulation for the entire habitation (depending on vehicle size)			х
Additional weight (kg)*	74.1	76.8	79



value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Package	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)	Winter Comfort Package SNOW PLUS (5551)
Hot water heating	Х	Х	х
Hot water floor heating (only in comb. with option 205)	Х	Х	х
Waste water pipes insulated and heated	Х	Х	х
XPS insulation for the entire habitation (depending on vehicle size)	Х		
XPS insulation for the entire habitation (depending on vehicle size)		Х	
XPS insulation for the entire habitation (depending on vehicle size)			Х
Additional weight (kg)*	75.1	77.8	80

Package	Mover Autonomy Package (single axle) (5560)	Mover Autonomy Package (tandem axle) (5561)
Mover manoeuvring support for single-axle	X	
Electric Autonomy equipment	X	Х
Mover manoeuvring support for tandem-axle		Х
Additional weight (kg)*	70	98

Package	Water and Electric Autonomy Package Combi 4 (11031)	Water and Electric Autonomy Package Combi 6 (11032)	Water & Electric Autonomy Package with Combi or hot water heating system (9943)
Hot air heating Combi 4 G/E incl. digital control unit	Х		
Electric Autonomy equipment	х	x	X
Fresh water tank 70 l	Х	X	х
Hot air heating Combi 6 G/E incl. digital control unit		Х	
Additional weight (kg)*	55.5	55.5	40.5

Safety Package (8950)

ATC Trailer Control

Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx

Smoke detector

Additional weight (kg)* 6.3

Shower Package (6105)

Shower equipment with shower fittings and curtain

City water connection

Additional weight (kg)*

\triangle Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Chassis													
17" alloy wheels in Dethleffs design (single axle)	STP	10	11608	0	0	0	0	0	0	0	0	0	_
17" alloy wheels in Dethleffs design (tandem axle)	STP	7	11609	_	_	_	_	_	_	_	_	_	0
Tyres on alloy wheels 185 R14 C LI102, up to and including 1600 kg	_	0	836	0	0	0	=	0	0	_	0	_	_
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	_	2	838	0	0	0	0	0	0	0	0	0	_
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	STP	4	859	_	_	_	_	_	_	_	_	_	0
Weight upgrade													
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C LI106)	_	0.3	278	_	_	0	_		0	_	0		
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C L1106)		20.1	278			_		0					
Weight upgrade 1.700 kg (incl. steel wheel 195 R14 C L1106)		23.1	278	0									
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C L1106)		8	279										
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C L1106)	_	5.9	279							0			
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C L1106)		6.6	279										
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C L1106)	_	6.8	279					0	0			0	
Weight upgrade 1.800 kg (incl. steel wheel 195 R14 C L1106)		31.6	279										
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C L1112)		23.8	394		0								
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C L1112)		27.0	394										
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C L1112)		18.7	394										
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C L1112)		19.2	394										
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C L1112)		27	138					_	_		_		
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 k13 C L1112)		18.7	138				_						
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C L1112)		19.2	138						0				
Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C L1112)		23.8	138										
Weight upgrade 2.500 kg (incl. steel wheel 195/70 R14 C L1104)	_	0	496							_			
Weight upgrade to 1.600 kg		22.8	322										
Weight upgrade to 1.600 kg		23.6	322	0									
Weight upgrade 2.800 kg (incl. steel wheel 195/70 R14 C LI104)		24.8	7713		_								0
		24.0	7713										
Chassis features													
ATC Trailer Control	SHP	4	748	0	0	0	0	0	0	0	0	0	0
Breakdown kit	_	1	620	0	0	0	0	0	0	0	0	0	0
Draw bar cover	STP	2	434	0	0	0	0	0	0	0	0	0	0
Large support feet, 4 pc.	STP	1	6348	0	0	0	0	0	0	0	0	0	0
Mover manoeuvring support for single-axle 5)	M-P	32	946	0	0	0	0	0	0	0	0	0	_
Mover manoeuvring support for tandem-axle 5)	M-P	60	984	_	_	_	_	_	_	_	_	_	0
Solid rubber support wheel with support load indicator	STP	2	10063	0	0	0	0	0	0	0	0	0	0
Spare tyre with alloy wheel 185 R14 C LI 102, up to and including 1.600 kg	_	17	837	0	0	0	-	0	-	-	-	-	_
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	_	18.8	839	0	0	0	0	0	_	_	_	0	_
Spare tyre with alloy wheel 195/70 R14 C-LI 102, 2.200 kg to 2.800 kg	_	18.8	861	_	_	_	_	_	_	_	_	_	0
Spare tyre with alloy wheel 225/70 R15 C LI 112 , 1.900 kg and 2.000 kg $$	_	23.2	1092	_	_	_	0	_	_	_	_	0	_
Spare tyre with steel wheel 185 R14 C 8 PR, up to and including 1.600 kg	_	18	831	0	0	0	_	0	_	_	_	_	_
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg	_	19.5	833	0	0	0	0	0	_	_	_	0	_
Spare tyre with steel wheel 195/70 R14 C-LI 104, 2.200 kg to 2.800 kg	_	20	860	_	_	_	_	_	_	_	_	_	0
Wheel trims for 14" tyres	_	2	276	0	0	0	0	0	0	0	0	0	0



value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Exterior features													
Flush-fitting windows (not possible for front and rear windows) 6)	-	3	7561	0	0	0	0	0	0	0	0	0	0
Front window	_	4	982	0	0	•	0	0	_	0	0	_	_
Front window (bed area), if washroom in front	_	5	855	_	_	_	_	_	0	_	_	0	0
Manual cassette awning, 3.75 m	_	25.5	13831	0	_	_	_	_	_	_	_	_	_
Manual cassette awning, 4 m	_	27.5	13832	_	0	0	0	_	_	_	_	_	_
Manual cassette awning, 4.5 m	_	30	13833	_	_	_	_	0	0	0	0	0	_
Manual cassette awning, 6 m	_	54.6	13835	_	_	_	_	_	_	_	_	_	0
Rear window	_	4	1108	•	_	0	_	•	_	_	_	_	•
XPS insulation for the entire habitation (depending on vehicle size)	_	17.6	179	0	_	_	_	_	_	_	_	_	_
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	20.1	179	_	0	0	0	0	0	0	_	_	_
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	22.8	179	_	_	_	_	_	_	_	0	0	_
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	25	179	_	_	_	_	_	_	_	_	_	0
Exterior design													
Front moulding with high attachment and roof rails	STP	1	627	0	0	0	0	0	0	0	0	0	0
Rear light carrier with high attachment and roof rails	STP	11	624	0	0	0	0	0	0	0	0	0	0
Smooth sides titanium silver metallic	STP	18.7	659	0	_	=	Ξ	Ξ	_	=	_	_	_
Smooth sides titanium silver metallic	STP	21.3	659	_	0	0	0	0	0	0	_	_	_
Smooth sides titanium silver metallic	STP	24.1	659	_	_	_	_	_	_	_	0	0	_
Smooth sides titanium silver metallic	STP	26.4	659	_	_	_	_	_	_	_	_	_	0
Smooth sides white	STP	18.7	443	0	_	_	_	=	_	_	_	_	_
Smooth sides white	STP	21.3	443	_	0	0	0	0	0	0	_	_	_
Smooth sides white	STP	24.1	443	_	_	_	_	_	_	_	0	0	_
Smooth sides white	STP	26.4	443	_	_	_	_	_	_	_	_	_	0
Access locker doors													
Access locker door 1550x1050 mm with window	-	8	9486	_	_	_	_	_	_	0	_	_	_
Access locker door front left 997x419 mm	_	2.2	1079	_	_	_	0	_	_	•	0	•	•
Access locker door front left side 1069x299 mm	_	2.2	1083	_	_	0	_	_	_	_	_	_	_
Access locker door front left side 648x348 mm	_	2	1071	_	_	_	0	0	_	_	0	_	_
Access locker door front right side 1069x299 mm	_	2	1084	_	_	0	_	_	_	_	_	_	_
Access locker door rear left side 1069x299 mm	_	2	1085	_	_	_	_	_	_	_	_	_	0
Access locker door rear left side 749x297 mm	_	2	1077	0	_	_	_	_	_	_	_	_	_
Access locker door rear right side 1069x299 mm	_	2	1086	_	_	_	_	0	_	_	_	_	0
Interior design													
Upholstery Lona	_	0	13795	0	0	0	0	0	0	0	0	0	0
Upholstery Olea	_	0	13794	0	0	0	0	0	0	0	0	0	0
Textile equipment													
7-zones double bed mattress, made of heat-regulating material with watergel cover	-	4	8214	_	-	-	-	0	0	0	-	0	0
7-zones mattress left side, made of heat-regulating material with watergel cover	_	5	8215	0	0	0	0	Ξ	_	_	0	_	_
7-zones mattress right side, made of heat-regulating material with watergel cover	-	5	8216	0	0	0	0	_	-	-	0	_	_
Loose carpet	_	8.5	513	0	0	0	0	0	0	0	0	0	0



value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Furniture layouts													
Bunk bed with 2 sleeping berths, not foldable, instead of seating lounge	_	0	9775	_	_	_	_	_	_	_	_	_	0
Bunk bed with 3 sleeping berths, not foldable	_	20	200	_	_	_	_	_	0	0	0	0	_
Single beds convert to double bed	_	5	685	0	0	0	0	_	_	_	0	_	_
Slatted bed frame with adjustable head section	_	1	871	0	0	0	0	_	_	_	0	_	_
Interior features													
2 kg fire extinguisher	_	3.5	843	0	0	0	0	0	0	0	0	0	0
Multifunctional tray 2 pieces	_	1	15003	0	0	0	0	0	0	0	0	0	0
Smoke detector	SHP	0.3	8949	0	0	0	0	0	0	0	0	0	0
Kitchen													
Oven	-	17	572	0	0	0	0	0	0	0	0	0	0
Bathroom													
Bathroom in alternative design	-	4	604	-	-	-	-	-	0	0	_	0	0
Multimedia													
Flat screen TV 22" incl. DVD player and receiver ⁷⁾	-	3.5	1103	0	0	0	0	0	0	0	0	0	0
Multifunctional external connection, 12 V, 220 V, TV and SAT	_	1	611	0	0	0	0	0	0	0	0	0	0
Preparation for flat screen TV (antenna cable and TV bracket)	_	2	678	0	0	0	0	0	0	0	0	0	0
Heating													
Electric floor heating	WI-KO	9	387	0	0	0	0	0	0	0	0	0	0
Fan 12 V with automatic speed control for S 5004	_	2	178	_	_	Ξ	_	0	0	0	0	0	0
Fan 12V for S 3004	_	2	177	0	_	0	_	_	_	_	_	_	_
Hot air heating Combi 4 G/E incl. digital control unit	WEA-P	15	10480	0	•	0	_	_	_	_	_	_	_
Hot air heating Combi 6 G/E incl. digital control unit	WEA-P, WI-KO	15	9427	_	_	_	•	0	0	0	0	0	0
Hot water floor heating (only in comb. with option 205) 8)	WI-KO	10	674	_	_	=	0	0	0	0	0	0	0
Hot water heating	WI-KO	40	205	_	_	_	0	0	0	0	0	0	0
Insulated threader hose ¹⁰⁾	WI-KO	1	9535	0	0	0	0	0	0	0	0	0	0
Ultraheat additional heating for S 3004, electric 220 V	_	2	364	0	_	0	_	_	_	_	_	_	_
Ultraheat additional heating for S 5004, electric 220 V		2	422	_	_	_	_	0	0	0	0	0	0
Air Conditioning													
Pre-wiring for A/C	_	0	172	0	0	0	0	0	0	0	0	0	0
Roof A/C	_	35	8145	0	0	0	0	0	0	0	0	0	0
Electrical installation													
Electric Autonomy equipment	WEA-P, M-P	38	492	0	0	0	0	0	0	0	0	0	0
Water supply													
City water connection	DUP	2	414	0	0	0	0	0	0	0	0	0	0
Exterior shower	_	2	396	0	0	0	0	0	0	0	0	0	0
Fresh water tank 70 l	WEA-P	2.5	592	0	0	0	0	0	0	0	0	0	0
Shower equipment with shower fittings and curtain	DUP	5	1097	0	0	0	0	0	0	0	0	0	0
Waste water pipes insulated and heated	WI-KO	5	520	_	_	_	0	0	0	0	0	0	0
Gas supply													



value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	460 EL	490 EST	510 LE	520 ELT	530 DR	530 FSK	540 QMK	550 ESK	560 FMK	730 FKR
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	SHP	2	784	0	0	0	0	0	0	0	0	0	0
Gas socket (exterior)	_	1	187	0	0	0	0	0	0	0	0	0	0
Packages													
Mover Autonomy Package (single axle)	_	70	5560	0	0	0	0	0	0	0	0	0	_
Mover Autonomy Package (tandem axle)	_	98	5561	_	_	_	_	_	_	_	_	_	0
Safety Package	_	6.3	8950	0	0	0	0	0	0	0	0	0	0
Shower Package	_	7	6105	0	0	0	0	0	0	0	0	0	0
Styling Package silver (single axle)	_	51.1	13255	_	_	_	_	_	_	_	0	0	_
Styling Package silver (single axle)	_	48.3	13255	_	0	0	0	0	0	0	_	_	_
Styling Package silver (single axle)	_	45.7	13255	0	_	_	_	_	_	_	_	_	_
Styling Package silver (tandem axle 2.8 t)	_	47.4	13259	_	_	_	_	_	_	_	_	_	0
Styling Package silver (tandem axle)	_	50.4	13257	_	_	_	_	_	_	_	_	_	0
Styling Package white (single axle)	_	45.7	13254	0	_	_	_	_	_	_	_	_	_
Styling Package white (single axle)	_	48.3	13254	_	0	0	0	0	0	0	_	_	_
Styling Package white (single axle)	_	51.1	13254	_	_	_	_	_	_	_	0	0	_
Styling Package white (tandem axle 2.8 t)	_	47.4	13258	_	_	_	_	_	_	_	_	_	0
Styling Package white (tandem axle)	_	50.4	13256	_	_	_	_	_	_	_	_	_	0
Water & Electric Autonomy Package with Combi or hot water heating system	_	40.5	9943	0	0	0	0	0	0	0	0	0	0
Water and Electric Autonomy Package Combi 4	_	55.5	11031	0	_	0	_	_	_	_	_	_	_
Water and Electric Autonomy Package Combi 6	_	55.5	11032	_	_	_	_	0	0	0	0	0	0
Winter Comfort Package Combi 6	_	52.8	9536	_	_	_	_	_	_	_	0	0	_
Winter Comfort Package Combi 6	_	55	9536	_	_	_	_	_	_	_	_	_	0
Winter Comfort Package Combi 6	_	50.1	9536	_	_	_	_	0	0	0	_	_	_
Winter Comfort Package SNOW	_	76.8	5459	_	_	_	_	_	_	_	0	0	_
Winter Comfort Package SNOW	_	74.1	5459	_	_	_	0	0	0	0	_	_	_
Winter Comfort Package SNOW	_	79	5459	_	_	_	_	_	_	_	_	_	0
Winter Comfort Package SNOW PLUS	_	80	5551	_	_	_	_	_	_	_	_	_	0
Winter Comfort Package SNOW PLUS	_	77.8	5551	_	_	_	_	_	_	_	0	0	_
Winter Comfort Package SNOW PLUS	_	75.1	5551	_	_	_	0	0	0	0	_	_	-
Winter Comfort Package for Combi heating		30.1	10481	_	_	_	0	_	_	_	_	_	_
Miscellaneous													
Registration documents (CoC papers)		0	15151	*	*	*	*	*	*	*	*	*	*

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

STP Styling Package SHP Safety Package M-P Mover Autonomy Package WI-KO Winter Comfort Package WEA-P Water and Electric Autonomy Package DUP Shower Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Beduin Scandinavia

Design, comfort and freedom

Although it has been successful since 1956, the Beduin has only become what it is today through many small development steps: a sophisticated premium caravan for year-round use. And the revised 2025 generation also offers design and functionality improvements. Experience Scandinavian flair and a touch of luxury, combined with true winter suitability thanks to the standard hot water heating and electric underfloor heating.

Technical info	
Overall length, approx.	806 - 907 cm
Overall width, approx.	230 - 250 cm
Overall height, approx.	282 cm
Headroom in living area, approx.	198 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery





+ Upholstery Tropea

+ Upholstery Tarragona O

Wood décor



+ Wood decor Tricolor Darkgrey/Oak/Felt Stone

O optionally available

Plus factors

- + Upscale standard equipment: with hot-water heating as standard, electr. floor heating, side panels in smooth white sheet metal and a wide range of other options
- + Gourmet vacations made easy: incomparable cooking experience in the spacious front kitchen with built-in oven as standard
- + Inviting ambience: the indirect and dimmable lighting on three levels creates a cosy atmosphere
- + Unsurpassed comfort: high-quality padding and cleverly sewn fabrics encourage you to stick around
- + Step in: easy access thanks to wide entrance door with window
- Watch out winter campers: with the optional Winter Comfort Package Premium, you'll be prepared for colder temperatures too.
- + Guaranteed tightness for 10 years: Regular leak tests ensure your vehicle is reliably protected in all weather conditions.

























Beduin Scandinavia Technical info





Beduin Scandinavia		550 BET	690 BQT
Standard chassis		Lightweight chassis, 1800 kg	Lightweight chassis, 2200 kg
Overall length, approx.	cm	806	907
Body length approx.	cm	685	775
Overall width, approx.	cm	230	250
Overall height, approx.	cm	282	282
Circumferential dimension awning approx.	cm	1078	1163
Headroom in living area, approx.	cm	198	198
Thickness floor / side walls / roof	mm	42 / 34 / 34	42 / 34 / 34
Tire size		195 R14C LI106	195/70 R14C LI104
Bed dimension: Central / middle bed, L X W, approx.	cm	180 x 110	230 x 115
Bed dimension: Rear bed, L x W, approx.	cm	205 x 80 / 190 x 80 / 205 - 190 x 215 〇	185 - 200 x 155
Sleeping berths standard / max.		3	4
Mass in running order (+/-5%)*	kg	1630 (1549 to 1712)*	1855 (1762 to 1948)*
Manufacturer-specified mass for optional equipment*	kg	70	225
Technically permissible maximum laden mass*	kg	1800	2200
Heating		Hot water heating, 6.4 kW Gas-Electric	Hot water heating, 6.4 kW Gas-Electric
Refrigerator volume (thereof freezer), approx.	I	137 (15)	156 (29)
Waste water tank, approx.	1	22	22
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	38 / 15	38 / 15
Sockets: 12 V / 230 V / USB		0/7/1	0/8/1

O Optional equipment — Not possible • Standard equipment • Mandatory \triangle Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5% of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which Dethleffs specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles delivered by

Dethleffs. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

d		
Chassis		
Single axle premium wheel 195 R14 C L1106 (with steel wheel 1.700 kg and 1.800 kg)	_	_
Tandem axle premium wheel 195/70 R14 C L1104 (with steel wheel 2.200 kg to 2.800 kg)		
Zinc-plated chassis with inertia braking system with reversing automatic		
Chassis features		
AAA self-adjusting brake	•	•
ACS stabiliser		
Breakdown kit	•	•
Draw bar cover		
High-quality brand-name tyres, designed for a speed of 100 km/h	•	•
Lightweight corner steadies		
Octagon shock absorber	•	
Wheel trims for 14" tyres	•	•
Exterior features		
Floor of the gas bottle locker made of rot-resistant and robust corrugated aluminium		
Flyscreen door		
Front parts in gas locker area made of LFI (long fiber injection) technology, shock resistant, robust and repair-friendly		•
Fully-insulated wheel houses	•	
Midi Heki clear-view skylight with blackout blind, flyscreen and integrated lights, operation with crank handle	•	
Opening windows, trapezoid, insulated and double-glazed (graphite grey) with blackout and mosquito blinds	•	•
Panoramic front window	•	
Robust GRP roof	•	•
Sidewall skirts with integrated side-marker lamps		
Skylight Mini Heki	•	•
Space-saving gas locker door which opens upwards		
Spare wheel carrier in gas locker	•	•
Storage space for 2 gas bottles with 11 kg filling weight each		
Wide, one-piece habitation door with window	•	•
Exterior design		
Front and rear in smooth sides white	•	•
Front moulding with high attachment and roof rails	•	•
Rear light carrier with high attachment and roof rails		
Smooth sides white		•
Access locker doors		
Access locker door rear left side 997x419 mm	_	
Access locker door rear right side997x419 mm	•	_
Interior design		
*		
Upholstery Tropea Wood decor Tricolor Darkgrey/Oak/Felt Stone		
Textile equipment		
7-zones double bed mattress, made of heat-regulating material	_	
7-zones mattress left side, made of heat-regulating material	•	_
7-zones mattress right side, made of heat-regulating material		_
High-quality upholstery and materials in the seating group	•	_
Furniture layouts		
AirPlus - perfect air circulation in the interior and rear ventilation of the overhead lockers and sideboards	•	•
One-legged telescopic table, height adjustable	•	•
Seating lounge converts to bed	•	•
Sofa bed (opposite the central seating lounge)	•	•
Special slatted frame with flexible natural rubber holders, opening for optimal use of storage compartments under the beds	•	•

Standard equipment	ЗЕТ
	550 BET 690 BQT
Generous drawers with soft closing for absolutely silent closing	• •
High-quality 2-burner hob with electric ignition	• •
Kitchen worktop with indirect lighting	• •
Large fridge with 137 liters capacity and 15 liters freezer compartment	• -
Large fridge with 156 liters capacity and 29 liters freezer compartment	_ •
Oven	• •
Practical apothecary drawers (depending on layout)	• •
Bathroom	
Integrated design washbasin made of solid surface material	• •
Shower tray	• •
Skylight with mosquito net	• •
Multimedia	
Preparation for flat screen TV (antenna cable and TV bracket)	•••
Heating	
Electric floor heating	• •
Hot water heating	• •
Air Conditioning	
Pre-wiring for A/C	• •
Electrical installation	
12 V power supply throughout vehicle	• •
Awning light 12V	• •
CEE external output socket for 230V on-board electrics	• •
Compact power distribution unit with 230V safety device and 12V fuse box in wardrobe incl. powerful 340W transformer	• •
Indirect lighting (floor level)	• •
Indirect lighting (roof level)	• •
Indirect lighting (side level)	• •
LED light bar system 12V (on head-side of bed and in seating lounge)	• •
USB port for spotlight bar	• •
Water supply	
Electric water supply	• •
Fresh water tank 38 l	• •
Mobile 22 I waste water tank	• •
Miscellaneous	
Dethleffs Connect - System Information Unit: SIU control unit incl. voltage and levelling display via the Dethleffs app.	• •

Packages Beduin Scandinavia

Package	Mover Autonomy Package (single axle) (5560)	Mover Autonomy Package (tandem axle) (5561)
Mover manoeuvring support for single-axle	X	
Electric Autonomy equipment	X	X
Mover manoeuvring support for tandem-axle		X
Additional weight (kg)*	70	98

Package	Water & Electric Autonomy Package with Combi or hot water heating system (9943)
Electric Autonomy equipment	х
Fresh water tank 70 l	х
Additional weight (kg)*	40.5

Package	Winter Comfort Package Premium (11332)	Winter Comfort Package Premium (11332)
Hot water floor heating (only in comb. with option 205)	X	X
Heated and insulated 42-litre waste water tank	X	X
Waste water pipes insulated and heated	X	X
Electric Autonomy equipment	Х	Х
Flush-fitting windows (not possible for front and rear windows)	Х	Х
XPS insulation for the entire habitation (depending on vehicle size)	Х	
XPS insulation for the entire habitation (depending on vehicle size)		X
Additional weight (kg)*	88.8	91

Safety Package (8950)

ATC Trailer Control

Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx

Smoke detector

Additional weight (kg)*
6.

Shower Package (6105)

Shower equipment with shower fittings and curtain

City water connection

Additional weight (kg)

 \triangle Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

	Included in	Additional	Code		
Optional equipment*	package	weight (kg)*		BET	BQT
				550 BET	690 BQT
Chassis	_				
17" alloy wheels in Dethleffs design (single axle)	_	10	11608	0	
17" alloy wheels in Dethleffs design (tandem axle)	_	7	11609		0
Tyres on alloy wheels 195 R14 C LI106, 1700 kg and 1800 kg	_	2	838	0	_
Tyres on alloy wheels 195/70 R14 C LI104, 2200 kg to 2800 kg	_	4	859		0
Weight upgrade					
1 11	_	12.4	394		
Weight upgrade 1.900 kg (incl. alloy wheel 225/70 R15 C LI112) Weight upgrade 2.000 kg (incl. alloy wheel 225/70 R15 C LI112)	_	12.4	138	0	
Weight upgrade 2.500 kg (incl. alloy wheel 223/70 k13 C L1112) Weight upgrade 2.500 kg (incl. steel wheel 195/70 R14 C L1104)	_	0	496	0	0
	_	0	470		
Chassis features	_				
ATC Trailer Control	SHP	4	748	0	0
Large support feet, 4 pc.	_	1	6348	0	0
Mover manoeuvring support for single-axle 5)	M-P	32	946	0	_
Mover manoeuvring support for tandem-axle 5)	M-P	60	984	_	0
Solid rubber support wheel with support load indicator	_	2	10063	0	0
Spare tyre with alloy wheel 195 R14 C 8PR-LI 106, 1.700 kg and 1.800 kg	_	18.8	839	0	
Spare tyre with alloy wheel 225/70 R15 C LI 112 , 1.900 kg and 2.000 kg	_	23.2	1092	0	_
Spare tyre with steel wheel 195 R14 C LI 106, 1.700 kg and 1.800 kg		19.5	833	0	_
Exterior features					
Flush-fitting windows (not possible for front and rear windows) 6)	WI-KO	3	7561	0	0
Manual cassette awning, 4.5 m	_	30	13833	0	_
Manual cassette awning, 5.5 m	_	50.6	13834		0
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	22.8	179	0	_
XPS insulation for the entire habitation (depending on vehicle size)	WI-KO	25	179	_	0
Exterior design					
Smooth sides titanium silver metallic	_	0	659	0	0
Interior design					
Upholstery Tarragona	_	0	11331	0	0
Textile equipment					
7-zones double bed mattress, made of heat-regulating material with watergel cover	_	4	8214	_	0
7-zones mattress left side, made of heat-regulating material with watergel cover	_	5	8215	0	_
7-zones mattress right side, made of heat-regulating material with watergel cover	_	5	8216	0	_
Loose carpet	_	8.5	513	0	0
Furniture layouts					
Sideboard instead of couch (opposite the central seating group)	_	0	131	0	0
Single beds convert to double bed	_	5	685	0	_
Slatted bed frame with adjustable head section	_	1	871	0	_
Interior features					
2 kg fire extinguisher		3.5	843	0	0
Multifunctional tray 2 pieces	_	1	15003	0	0
Smoke detector	SHP	0.3	8949	0	0
Multimedia					



value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.

Optional equipment*	Included in package	Additional weight (kg)*	Code	550 BET	690 BQT
Flat screen TV 22" incl. DVD player and receiver	_	3.5	1103	0	0
Flat screen TV 32" 11)		5.6	817	0	0
Multifunctional external connection, 12 V, 220 V, TV and SAT	_	1	611	0	0
TV lift ¹²⁾		5.4	7006	0	0
Heating					
Hot water floor heating (only in comb. with option 205) 8)	WI-KO	10	674	0	0
Air Conditioning					
Roof A/C	_	35	8145	0	0
Electrical installation					
Electric Autonomy equipment	WEA-P, M-P, WI-KO	38	492	0	0
Water supply					
City water connection	DUP	2	414	0	0
Exterior shower	_	2	396	0	0
Fresh water tank 70 l	WEA-P	2.5	592	0	0
Heated and insulated 42-litre waste water tank ¹³⁾	WI-KO	10	10067	0	0
Shower equipment with shower fittings and curtain	DUP	5	1097	0	0
Waste water pipes insulated and heated	WI-KO	5	520	0	0
Gas supply					
Automatic gas cylinder changeover with crash sensor and gas regulator heating EisEx	SHP	2	784	0	0
Gas socket (exterior)	_	1	187	0	0
Packages					
Mover Autonomy Package (single axle)	_	70	5560	0	_
Mover Autonomy Package (tandem axle)	_	98	5561	_	0
Safety Package	_	6.3	8950	0	0
Shower Package	_	7	6105	0	0
Water & Electric Autonomy Package with Combi or hot water heating system		40.5	9943	0	0
Winter Comfort Package Premium	_	88.8	11332	0	_
Winter Comfort Package Premium		91	11332	_	0
Miscellaneous					
Registration documents (CoC papers)	_	0	15151	•	•

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication

SHP Safety Package M-P Mover Autonomy Package WI-KO Winter Comfort Package WEA-P Water and Electric Autonomy Package DUP Shower Package



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed

value determined for each model and layout that Dethleffs uses to determine the maximum weight available for factory-installed optional equipment. In the event of an increase of load capacity, the mass for optional equipment specified by the manufacturer is increased. For detailed information and explanations on the topic of weight, please refer to the "Legal notes" section.



LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for caravans are regulated uniformly throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Regulation No. 1230/2012). We have summarized and explained the essential terminology and legal requirements from this regulation for you below. Our dealers and the Dethleffs configurator on our website are there to give you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 2,000 kg) is a mass specification defined by the manufacturer that the vehicle must not exceed. You can find information on the technically permissible maximum laden mass of the model you have selected in the technical data. Driving the vehicle even if it exceeds the technically permissible maximum laden mass constitutes an administrative offense that may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids;
- the standard equipment, i.e. all equipment and standard fittings included when the vehicle leaves the factory;
- the 100% filled water tank or driving tank according to the manufacturer's specifications and a 100% filled aluminum gas cylinder.

You can find information on the mass in running order for each model in our sales documents. It is **important to note** that the value specified in the sales documents for the mass in running order is a **standard value** determined in the type approval process and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value specified in the sales documents. The **legally permissible tolerance** is \pm 5%. This allows EU legislation to account for the occurrence of certain fluctuations in the mass in running order due to weight fluctuations in components supplied by third-party suppliers as well as process and weather-related factors.

These weight deviations can be illustrated using the following example calculation:

- Mass in running order according to sales documents: 1,600 kg
- Legally permissible tolerance of ± 5%: 80 kg
- Legally permissible range of mass in running order: 1,520 kg to 1,680 kg The specific range of permissible weight deviations can be found in the technical data for each model.

Dethleffs makes great efforts to reduce weight variations to the minimum level that is unavoidable for production reasons. Deviations at the upper and lower ends of the range are therefore very rare; however, they cannot be completely ruled out technically, even after carrying out all possible optimization measures. For this reason, Dethleffs checks the actual weight of the vehicle and compliance with the permissible tolerance by weighing each vehicle at the end of the line.

3. Optional equipment and actual mass

According to the legal definition, optional equipment (also including special or additional equipment) includes all optional equipment parts not included with the standard equipment that are fitted to the vehicle under the responsibility of the manufacturer – i.e. at the factory – and can be ordered by the customer (e.g. awning, smooth panel, Alde heating system, oven, etc.). For information on the individual or package weights of the optional equipment that can be ordered, please refer to our sales documents. In this meaning, optional equipment does not include other accessories that are retrofitted by you or your dealer personally after the vehicle has been delivered from the factory.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment installed on a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this information also represents a standardized value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of \pm 5% (see no. 2), the actual mass may also deviate accordingly from the specified nominal value.

4. Payload and minimum payload

The installation of **optional equipment** is also subject to technical and legal limits: It is only permissible to order an amount of optional equipment for installation at the factory that will leave sufficient free weight for baggage and other accessories (i.e. "payload") without exceeding the technically permissible maximum laden mass.

The payload is obtained by deducting the mass in running order (nominal value according to sales documents; see no. 2 above) and the mass of the optional equipment from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum payload for caravans that must remain as a minimum for baggage or other accessories not installed at the factory. This minimum payload is calculated as follows:

Minimum payload in kg \geq 10 * (n + L) where "n" = maximum number of sleeping berths and "L" = total length of the vehicle body (without drawbar).

The maximum number of sleeping berths corresponds to the actual configured sleeping berths of the individual vehicle. For a caravan with 6 designated sleeping berths and a total length of the vehicle body of 7 m, the minimum payload is calculated as follows: 10 kg * (6 + 7) = 130 kg.

To ensure that the minimum payload is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum payload of 130 kg, the total mass of the optional equipment for a vehicle with 6 designated sleeping berths and a mass in running order of 1,750 kg should not exceed 120 kg:

2,000 kg technically permissible maximum laden mass

- 1,750 kg mass in running order
- 130 kg minimum payload
- = 120 kg maximum permissible mass for optional equipment

It is important to note that this calculation is based on the standard value for the mass in running order specified in the type approval procedure and does not account for permissible weight deviations for the mass in running order (see no. 2 above). If the maximum permissible value of 120 kg for the optional equipment is nearly or fully exhausted in this example and the standard value of the mass in running order is applied, it is possible for the minimum payload of 130 kg to be complied with mathematically in the event of an upward weight deviation even if the vehicle has no load capacity.

Here is another example calculation for a vehicle with 6 sleeping berths whose actual weighed mass in running order is 2% above the nominal value:

2,000 kg technically permissible maximum laden mass

- 1,785 kg actual weighed mass in running order
 (in the example: 2% higher than the specified value of 1,750 kg)
- 120 kg optional equipment (maximum permissible value)
- = 95 kg actual load capacity (< minimum pay-mass of 130 kg)

To avoid such a situation, Dethleffs further reduces the maximum permissible weight of the total optional equipment that can be ordered depending on the specific model. The limitation of optional equipment is intended to ensure that the minimum payload, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the load capacity of the vehicles delivered by Dethleffs.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum payload is not guaranteed at the end of the line despite this limitation of optional equipment. In order to guarantee the minimum payload even in these cases, Dethleffs will check together with your trading partner and you before delivery of the vehicle whether, for example, the load capacity of your vehicle is to be increased or optional equipment removed.

5. Effects of tolerances of the mass in running order on the remaining load capac

Irrespective of the minimum payload, you should bear in mind that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a corresponding effect on the remaining load capacity: If, for example, you order our example vehicle with optional equipment with a total weight of 90 kg, the calculated payload based on the standard value for the mass in running order is 160 kg.

The load capacity actually available may deviate upwards or downwards from this value due to tolerances. If the mass of your vehicle in running order is approximately 2% higher than specified in the sales documents, the load capacity is reduced from 160 kg to 125 kg:

2,000 kg technically permissible maximum laden mass

- 1,785 kg actual weighed mass in running order (in the example: 2% higher than the specified value of 1,750 kg)
- 90 kg ordered optional equipment of the specific vehicle
- 125 kg actual load capacity

In order to ensure that the calculated payload is actually adhered to, you should therefore take the possible and permissible tolerances for the mass in running order into account as a precaution when configuring your vehicle.

We also recommend weighing the loaded caravan on a scale before each journey to check whether the technically permissible total weight is adhered to. In addition, we recommend checking the actual drawbar load of the loaded vehicle. This must not be higher than the max. drawbar load of the towing vehicle. Furthermore, the technically permissible maximum laden mass of the vehicle combination must be observed when loaded, i.e. the maximum mass of the combination of your motor vehicle and your caravan.

TECHNICAL INFORMATION / FOOTNOTES

If you order your vehicle with additional equipment, you should check whether it makes sense or is necessary to increase the vehicle's weight! The optional equipment partially replaces the standard equipment.

FOOTNOTES

- 1) Only in combination with Package #13094/13274/13275 "Dynamic Package".
- 2) Only in combination with option #8699 "Hanging table with rotating device"
- 3) Only in combination with option #187 "Gas exterior socket"
- 4) Only in combination with option #611 "Multifunction exterior socket 12V, 220V, TV and SAT"
- 5) Only in combination with package #5560/5561 "Mover-Autonomy Package".
- 6) Not available for front or rear windows. These windows are standard design.
- 7) Nur in Verbindung mit Option #678 "Vorbereitung für Flachbildschirm (Antennenkabel und TV-Halter)".
- 8) Only in combination with option #205 "Hot water heating".
- 9) Only in combination with package #9536 'Winter comfort package Combi 6' or package #10481 'Winter comfort package for Combi heating'.
- 10) Only in combination with package #9536 'Winter comfort package Combi 6' or package #10481 'Winter comfort package for Combi heating'.
- 11) Price incl. options #131 and #7006.
- 12) Only in combination with option #131 "Sideboard instead of sofa (opposite to central seating group)".
- 13) Only in combination with option #520 "Waste water hoses insulated and heated".

General Information

The information on the scope of delivery, appearance, performance, dimensions and weights of the vehicles corresponds to the knowledge available at the time of going to press and to the European homologation regulations.

Technical changes in design and equipment as well as errors excepted. These Technical Information is valid from August 1st, 2025. Vehicle illustrations in this document may contain optional equipment subject to an extra charge. We expressly reserve the right to make changes. With the publication of these Technical Information, all previous technical documents lose their validity. Throughout Europe, different Euro prices may arise. This is due to different country-specific standard equipment and different VAT or luxury tax rates

Dethleffs GmbH & Co.KG Arist-Dethleffs-Straße 12 · 88316 Isny im Allgäu www.dethleffs.com · info@dethleffs.com

