
Camper Vans 2026Technical Information

Valid from September 22th, 2025





Dethleffs Plus Factors -

Explanation of symbols

The Dethleffs Camper Vans are packed with intelligent ideas and comfort features as standard. Here we briefly present the most important ones with the corresponding symbols that you will find on the vehicle pages. More detailed information and explanations can also be found at www.dethleffs.com/plus-factors

Added equipment



Overhead locker: all-round overhead lockers (also in the rear) provide extra storage space



Kitchen worktop: for added convenience, the kitchen offers an extendable worktop



Storage space kitchen: spacious kitchen with extra large, spacious and handle-free drawers



Pull-down bed for maximum flexibility in the rear storage compartment. An additional bed under the pull-down bed offers two additional sleeping berths if required



Storage space in the rear – perfect for easily accessible storage of luggage and accessories when travelling

Added comfort



Folding instead of stacking: Convenient, simple conversion and storage of the mattresses



With the practical swivel wall, the wash basin and toilet can be easily folded away when showering to save space



Center bath: double use of living space through spacious bathroom as a center bath



Ergonomic beauty sleep: the plate spring base adapts individually and precisely to the spine

Added safety



With a clear view: the flush-fitting windows provide security and stability

IMPORTANT INFORMATION FOR THE SELECTION OF YOUR MOTORHOMES

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Dethleffs specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.





Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is \pm 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Dethleffs weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you. Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section





Low Profile model overview

		Model 1	Model 2
Standard chassis		Fiat Ducato	Fiat Ducato
Emission standards		Euro 6d Final	Euro 6d Final
Overall length, approx.	cm	599	695
Overall width, approx.	cm	220	220
Overall height, approx.	cm	281	281
technically permissible maximum laden mass	kg	3499	3499
Mass in running order	kg	2.890 (2.746 - 3.035)*	2.982 (2.833 - 3.131)*
Permitted number of seats (including driver)		4	4
Manufacturer-specified mass for optional equipment	kg	245	149

4. The manufacturer-specified mass for optional equipment...

... is a value set by Dethleffs per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

Optional extra		Price €	Additional weight	Code	Model 1	Model 2
Bathroom						
Shower grid	_	359,-	9	1385	_	0
Additional window in bathroom		269,-	5	9845	0	0
Multimedia						
Automatic HD satellite system 65 Twin	_	549,-	15	713	0	_
Dethleffs Naviceiver incl. DAB+, truck navigation and connection to on-board control panel		238,-	1.5	1657	0	•

5. 5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment."



Globetrail (Fiat)



Dethleffs' many years of experience in building leisure vehicles is clearly reflected in the Fiat Ducato-based Globetrail. In terms of quality, ambience and sophisticated solutions it is streets ahead of other camper vans. An attractive price-performance ratio and a wide range of different vehicle concepts – from compact to spacious – are the icing on the cake, making the Globetrail the perfect choice for camper van enthusiasts and newcomers alike.

Technical info	
Overall length, approx.	541 - 636 cm
Overall width, approx.	205 cm
Overall width with mirrors, approx.	265 cm
Overall height, approx.	265 / 278 cm
Headroom in living area, approx.	189 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery







+ Upholstery Scandi

Wood décor



+ Wood décor Noce Nagano, additional decor Web pebble grey



+ Wood décor Amberes Oak, skirting board finish Trace Dark Grey O

O optionally available

Plus factors

- Excellent chassis equipment: 16-inch aluminium wheels, leather steering wheel, air conditioning, cruise control, electric parking brake, captain's chairs, blackout blinds and much more.
- Disc spring sleep system with full-length disc springs for high comfort, fold-up step for accessing the bed and optional stair access. Single beds can be extended to form a family bed.
- + Modern, ergonomic interior design with handleless, optional backlit overhead locker doors and an inviting, illuminated shelf at the entrance.
- + Easy loading of the rear garage thanks to fold-up beds
- + Large, spacious drawers with soft-close in the kitchen
- + Extensive standard equipment including fly screen door, window in the bathroom, rear shelf, all-round overhead lockers in the bedroom and much more.
- + 10-year tightness guarantee!

















Globetrail (Fiat) | 02/2026 | INT

Globetrail (Fiat) Technical info











Clobatrail (First)		F40 DB	600 DK	600 DS	600 DB	600 FD
Globetrail (Fiat)		540 DR	600 DK	600 DS	600 DR	600 ER
Standard chassis		Fiat Ducato				
Standard engine		Multijet 3				
kW (bhp)		103 (140)	103 (140)	103 (140)	103 (140)	103 (140)
Emission standards		Euro 6e-bis				
Overall length, approx.	cm	541	599	599	599	599
Overall width, approx.	cm	205	205	205	205	205
Overall width with mirrors, approx.	cm	265	265	265	265	265
Overall height, approx.	cm	265 / 278 O	265 / 278 O	265 / 278 🔿	265 / 278 O	265 / 278 🔿
Overall height (open pop-top roof)	cm	358	358	358	358	358
Headroom in living area, approx.	cm	189	189	189	189	189
Towable load braked/unbraked	kg	2500 ¹⁾ / 750				
Wheelbase, approx.	cm	345	404	404	404	404
Bed dimension: Central / middle bed, L X W, approx.	cm	180 x 91 O	180 x 88 O			
Bed dimension: Rear bed, L x W, approx.	cm	197 x 132 - 118	197 x 157 - 140	197 x 157 - 140	197 x 157	191 - 176 x 197
Bed dimension: pop-up roof, L X W, approx.	cm	209 x 143 O				
Sleeping berths standard / max.		2/50	2/50	2/50	2/50	2/50
Mass in running order (+/-5%)*	kg	2740 (2603 to 2877)*	2880 (2736 to 3024)*	2880 (2736 to 3024)*	2880 (2736 to 3024)*	2880 (2736 to 3024)*
Manufacturer-specified mass for optional equipment*	kg	438	292	292	292	292
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4	4	4
Waste water tank, approx.	I	90	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at drivi filling	ng I	100 / 20	100 / 20	100 / 20	100 / 20	100 / 20



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Globetrail (Fiat) | 02/2026 | INT 6

Globetrail (Fiat) Technical info









Globetrail (Fiat)		640 EK	640 ER	640 ES	640 HR
Standard chassis		Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine		Multijet 3	Multijet 3	Multijet 3	Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)	103 (140)
Emission standards		Euro 6e-bis	Euro 6e-bis	Euro 6e-bis	Euro 6e-bis
Overall length, approx.	cm	636	636	636	636
Overall width, approx.	cm	205	205	205	205
Overall width with mirrors, approx.	cm	265	265	265	265
Overall height, approx.	cm	265 / 278 🔿	265 / 278 🔾	265 / 278 🔾	265 / 278 🔿
Overall height (open pop-top roof)	cm	358	358	358	358
Headroom in living area, approx.	cm	189	189	189	189
Towable load braked/unbraked	kg	2500 ¹⁾ / 750			
Wheelbase, approx.	cm	404	404	404	404
Bed dimension: Central / middle bed, L X W, approx.	cm	180 x 88 O			
Bed dimension: Rear bed, L x W, approx.	cm	195 - 179 x 197	194 - 190 x 197	195 - 179 x 197	200 - 186 x 156 / 204 - 190 x 155 O
Bed dimension: pop-up roof, L X W, approx.	cm	209 x 143 O			
Sleeping berths standard / max.		2/50	2/50	2/50	2/70
Mass in running order (+/-5%)*	kg	2980 (2831 to 3129)*	2980 (2831 to 3129)*	2980 (2831 to 3129)*	2980 (2831 to 3129)*
Manufacturer-specified mass for optional equipment*	kg	189	189	189	189
Technically permissible maximum laden mass*	kg	3499	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4	4
Waste water tank, approx.	I	90	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	- 1	100 / 20	100 / 20	100 / 20	100 / 20

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment	540 DR	600 DK	80 009	600 DR	600 ER	640 EK	640 ER	640 ES 640 HR
Base vehicle Fiat								
Fiat Ducato MultiJet 140 (2.2 / 140 hp / 103 kW) - 3,499 kg	•	_		_	_	_		
Fiat Ducato MultiJet 140 (2.2 / 140 hp / 103 kW) - 3,499 kg	_				•	_	- -	
Fiat Ducato MultiJet 140 (2.2 / 140 hp / 103 kW) - 3,499 kg	_	_	_	_	_	•	• •	•
Base vehicle equipment Fiat								
16" alloy wheels in black (light) ²⁾								
90 litre diesel tank							• (
All-weather tyres M+S* Camping Snowflake								
Cab air conditioning		•						
Captain Chair and Traction+ (Traction+ not for 540 lengths)								
Cruise control		•						
Cup Holder								
Driver/passenger seat in living area fabric		•						
Electric parking brake								
Electrical preparation for trailer coupling								
Electrically adjustable and heated exterior mirrors								
Fix & Go puncture repair kit: tyre inflation kit and towing eye								
Headlight frame black								
Leather-trimmed steering wheel and gear knob								
Maxi/automatic chassis: 16" bicolour alloy wheels ³⁾								
Passenger airbag								
Tablet holder, DAB aerial in the mirror, loudspeakers, steering wheel radio controls Techno Trim								
USB socket (B+C)	_	_	_		_			
Exterior colours Fiat								
White	•	•	•	•	•	•	•	•
Exterior equipment								
Electric entry step	•	•		•	•	•		
Electric entry step Exterior stickers Classic	•	•	•	•	•	•	0 (
Exterior stickers Classic	•	•	•	•	•	•		
Exterior stickers Classic Flush fitting windows	•	•	•	•	•	•		
Exterior stickers Classic Flush fitting windows Flyscreen door	•	•	•	•	•	•		
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds	•	•	0 0 0	•	•	•		
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds	• • • •	•	•	•	•			
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds	• • • • • • • • • • • • • • • • • • •	•	•	•	•	•		
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom	•	•	•	•	•			
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors	• • • • • • • • • • • • • • • • • • •	•	•	•	•			
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area	• • • • • •	•	•	• • • • • • • • • • • • • • • • • • •	•			
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area	• • • • • • • • • • • • • • • • • • •	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•	• • • • • • • • • • • • • • • • • • •	•	•		
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition	• • • • • • • • • • • • • • • • • • •	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	• • • • • • • • • • • • • • • • • • •	•	• • • • • • • • • • • • • • • • • • •		
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed	• • • • • • • • • • • • • • • • • • •	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •		
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet	• • • • • • • • • • • • • • • • • • •		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •		
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet	• • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • •	•			
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear	• • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • •				
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear Comfortable seating group with high-quality side wall panelling	• • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •			
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear Comfortable seating group with high-quality side wall panelling Compact bathroom (tambour door) with fixed sink and cassette toilet	• • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • •				
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear Comfortable seating group with high-quality side wall panelling Compact bathroom (tambour door) with fixed sink and cassette toilet Compressor refrigerator 84 l incl. freezer compartment 6.1 l	• • • • • • • • • • • • • • • • • • •			• • • • • • • • • • • • • • • • • • •				
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear Comfortable seating group with high-quality side wall panelling Compact bathroom (tambour door) with fixed sink and cassette toilet Compressor refrigerator 84 l incl. freezer compartment 6.1 l Ergonomically arranged kitchen with generous work surface								
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear Comfortable seating group with high-quality side wall panelling Compact bathroom (tambour door) with fixed sink and cassette toilet Compressor refrigerator 84 l incl. freezer compartment 6.1 l Ergonomically arranged kitchen with generous work surface Ergonomically shaped pads for more sitting comfort				• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •			
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear Comfortable seating group with high-quality side wall panelling Compact bathroom (tambour door) with fixed sink and cassette toilet Compressor refrigerator 84 l incl. freezer compartment 6.1 l Ergonomically arranged kitchen with generous work surface Ergonomically shaped pads for more sitting comfort Folding privacy screen in driver's cab: side windows								
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear Comfortable seating group with high-quality side wall panelling Compact bathroom (tambour door) with fixed sink and cassette toilet Compressor refrigerator 84 l incl. freezer compartment 6.1 l Ergonomically arranged kitchen with generous work surface Ergonomically shaped pads for more sitting comfort Folding privacy screen in driver's cab: side windows Folding privacy screen in driver's cab: windscreen	• • • • • • • • • • • • • • • • • • •							
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear Comfortable seating group with high-quality side wall panelling Compact bathroom (tambour door) with fixed sink and cassette toilet Compressor refrigerator 84 l incl. freezer compartment 6.1 l Ergonomically arranged kitchen with generous work surface Ergonomically shaped pads for more sitting comfort Folding privacy screen in driver's cab: windscreen Front with spacious storage above the driver's cab								
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear Comfortable seating group with high-quality side wall panelling Compact bathroom (tambour door) with fixed sink and cassette toilet Compressor refrigerator 84 l incl. freezer compartment 6.1 l Ergonomically arranged kitchen with generous work surface Ergonomically shaped pads for more sitting comfort Folding privacy screen in driver's cab: side windows Folding privacy screen in driver's cab: windscreen Front with spacious storage above the driver's cab Generous storage space and storage options								
Exterior stickers Classic Flush fitting windows Flyscreen door Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds Skylight in the bathroom with integrated fly screen Window in the bathroom Windows with fly screen and blackout blind in rear doors Windows with fly screens and blackout blinds in the kitchen and at the seating area Interior design / living area 2-burner stove and sink combination with electric ignition Access ladder for pull-down bed Centre bathroom with fixed sink, big mirror and cassette toilet Centre bathroom with swivel washbasin, black designer fittings and cassette toilet Circumferential overhead lockers in the rear Comfortable seating group with high-quality side wall panelling Compact bathroom (tambour door) with fixed sink and cassette toilet Compressor refrigerator 84 l incl. freezer compartment 6.1 l Ergonomically arranged kitchen with generous work surface Ergonomically shaped pads for more sitting comfort Folding privacy screen in driver's cab: windscreen Front with spacious storage above the driver's cab								

Globetrail (Fiat) | 02/2026 | INT 8

Standard equipment	540 DR	900 DK	900 DS	600 DR	600 ER	640 EK	640 ER	640 ES	640 HR
Open storage space under the roof cabinets, left side of the bed								•	_
Partition wall with fold-down comfort step for rear bed (with lengthways beds, incl. variable bed extension)									_
Platform of the seating group with integrated storage compartment								•	•
Pull-down bed with an enormous amount of storage space in the rear	_	_	_	_	_	_	_	_	
Rear bed with folding disc spring frame								•	•
Rear storage space with 4 integrated lashing eyes									
Storage shelf under the rear bed				•					_
Storage space under the seating area		_	_	_		_	_	_	_
Swivel bath with roller shutter door, swivelling wall in frosted glass look and cassette toilet	_	_		_	_	_	_	•	_
Three roomy drawers with Servosoft pull-out									
Upholstery Camino				•				•	•
Variably extendable work surface	_	_	_		_	_		_	
Wardrobe in bed base on the left	_			•	_			•	_
Wood décor Noce Nagano, additional decor Web pebble grey									
Heating									
Board control panel with indication of all fill levels and battery capacities	•	•	•	•	•	•	•	•	•
Hot air heating 4 kW with hot water boiler									_
Standard control panel for CP Classic heater, analogue	•	•	•	•	•	•	•	•	•
Water supply									
Water tank 100l, waste water tank 90l	•	•	•	•	•	•	•	•	•
Gas supply									
Gas shut-off valves easily accessible and centrally located	_	•	•		•	•		•	•
Storage space for gas cylinders with 11 kg filling weight each: 2 pcs.	•	•	•	•	•		•	•	_
Storage space in the kitchen for a gas cylinder with a filling weight of 2.8 kg	_	_	_	_	_	_	_	_	•
Electrical installation									
1x 230 V socket in the kitchen, 1x double USB socket in the rear right-hand side	•	•	•	•	•	•	•	•	•
CEE exterior socket for 230 V with circuit breaker									
Electric charger for body and vehicle battery 12 V / 18 A (trickle charge)	•	•	•	•	•	•	•	•	•
Flexible light strip, surface mounted spot freely positionable									
Light switch optimally placed in the vehicle, e.g. directly at the entrance	•	•	•	•	•	•	•	•	•
Platform of the seating group with indirect lighting with automatic door opening system									
Powerful, maintenance-free battery (95 Ah)	•	•	•	•	•	•	•	•	•
Pre-wiring for rear view camera									
Rear storage compartment lighting	•	•	•	•	•	•	•	•	•
TV preparation 12V and TV socket, SAT connection								•	
Safety									
10-year leakage quarantee									
Isofix for one seat			•						
isona for one seat	_	-			-				

PACKAGES GLOBETRAIL (FIAT)

Package	95 years package (540 DR) (15543)	95 years package (600 ER) (15542)	95 years package (600 DK / DS / DR) (15542)	95 years package (640 EK / ES / ER / HR) (15542)
Pack Easy Driving Plus (New Pack Safety, bumpers in body colour, black skid plate, front fog lights, ACC adaptive cruise control)	Х	х	х	х
Pack Vision Level 2 (folding side mirrors, parking sensors rear, blind spot assistant)	Х	Х	Х	х
Automatic air conditioning	Х	X	X	x
Digital rear view camera	х	х	x	x
Digital cockpit	х	х	x	x
Radio navigation with 10" display	х	х	x	x
Wireless Phone Charger	Х	X	X	x
Exterior stickers Full	Х	X	X	x
Awning light	Х	X	X	x
Indirect lighting	Х	X	X	x
LED light tube in the kitchen	Х	Х	x	x
Pre-wiring solar system	Х	Х	X	x
Truma CP Plus control panel	х	х	x	x
230V socket in wall unit, front left (seating group)	Х	Х	x	x
12V socket in the rear area, bottom left	Х	Х	X	x
Additional double USB socket in the front left	х	х	x	x
Swivelling plate table extension	х	х		
Sliding window with fly screen and blackout blind at the rear left	Х			
Awning 3,25 m (540)	х			
Window with fly screen and blackout blind in rear left		Х	X	Х
Awning 3,75 m (600)		Х	X	
Swivelling plate table extension			Х	x
Awning 4,00 m (640)				Х
Additional weight (kg)*	74.62	81.42	80.72	83.92



INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Package	Chassis Package (14420)	Chassis Package ACC (15532)
New Pack Safety (emergency brake assistant with pedestrian detection, rain and light sensors, lane departure warning, traffic sign recognition, drowsiness detection, intelligent speed assistant)	х	
Pack Vision Level 2 (folding side mirrors, parking sensors rear, blind spot assistant)	x	х
Full LED headlights	Х	Х
Bumpers in body colour, skid plate in black, fog lights	Х	
Pack Easy Driving Plus (New Pack Safety, bumpers in body colour, black skid plate, front fog lights, ACC adaptive cruise control)		х
Additional weight (kg)*	Δ	Δ

Package	Comfort Package (540 DR) (15195)	Comfort Package (600 ER) (15194)	Comfort Package (600 DK / DS / DR) (15194)	Comfort Package (640 EK / ES / ER) (15194)	Comfort Package (640 HR) (15196)
Sliding window with fly screen and blackout blind at the rear left	Х				
Innovative pull-out under the rear bed	Х	Х	Х	Х	
Swivelling plate table extension	Х	Х			
Window with fly screen and blackout blind in rear left		Х	Х	Х	Х
Swivelling plate table extension			Х	х	Х
Additional weight (kg)*	31.1	32	31.3	31.3	8.3

Electric Package (15510)

Awning light

Additional double USB socket in the front left

12V socket in the rear area, bottom left

230V socket in wall unit, front left (seating group)

Indirect lighting

LED light tube in the kitchen

Pre-wiring solar system

Additional weight (kg)* 6.42

Digital Package (14379+14380)

Digital rear view camera

Automatic air conditioning

Wireless Phone Charger

Radio navigation with 10" display

Digital cockpit

Additional weight (kg) 22.6

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information

Optional equipment*	Additional weight (kg)*	Code	540 DR	900 DK	900 DS	600 DR	600 ER	640 EK	640 ER	640 ES	640 HR
Base vehicle Fiat											
Fiat Ducato MultiJet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg - automatic transmission	60	15358	0	_	_	_	_	_	_		
Fiat Ducato MultiJet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg - automatic transmission	60	15361	_	0	0	0	0	_	_	_	_
Fiat Ducato MultiJet 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg - automatic transmission	60	15367	_	_	_	_	_	0	0	0	0
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 HP / 103 kW) Heavy Duty - 4,250 kg - automatic transmission	60	14984	_	_	_	_	_	0	0	0	0
Fiat Ducato MultiJet 140 Maxi (2.2 / 140 hp / 103 kW) - 3,500 kg	40	15363	_	0	0	0	0	_	_	_	_
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg	40	15369	_	_	_	_	_	0	0	0	0
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg - automatic transmission	60	15364	_	0	0	0	0	_	_	_	_
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg - automatic transmission	60	15370	_	_	_	_	_	0	0	0	0
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp / 103 kW) Heavy Duty - 4,250 kg - automatic transmission	60	15489	_	0	0	0	0	_	_	_	_
Fiat Ducato MultiJet 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg - automatic transmission	60	15359	0	_	_	_	_	_	_	_	_
Fiat Ducato MultiJet 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg - automatic transmission	60	15362	_	0	0	0	0	_	_	_	_
Fiat Ducato MultiJet 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg - automatic transmission	60	15368	_	_	_	_	_	0	0	0	0
Fiat Ducato MultiJet 180 Maxi (2.2 l / 180 HP / 132 kW) Heavy Duty - 4,250 kg - automatic transmission	60	14985	_	_	_	_	_	0	0	0	0
Fiat Ducato MultiJet 180 Maxi (2.2 I / 180 hp / 132 kW) - 3,500 kg - automatic transmission	60	15365	_	0	0	0	0	_	_	_	_
Fiat Ducato MultiJet 180 Maxi (2.2 I / 180 hp / 132 kW) - 3,500 kg - automatic transmission	60	15371	_	_	_	_	_	0	0	0	0
Fiat Ducato MultiJet 180 Maxi (2.2 l / 180 hp / 132 kW) Heavy Duty - 4,250 kg - automatic transmission	60	15490	_	0	0	0	0	_	_	_	_
Base vehicle equipment Fiat											
Full LED headlights ⁴⁾	Δ	12089	0	0	0	0	0	0	0	0	0
Exterior colours Fiat											
Black Metallic	2.5	1333	0	0	0	0	0	0	0	0	0
Expedition Grey	0	9741	0	0	0	0	0	0	0	0	0
Grigio Ferro Metallic	2.5	046	0	0	0	0	0	0	0	0	0
Lanzarote Grey	0	12084	0	0	0	0	0	0	0	0	0
Exterior equipment											
Awning 3,25 m (540)	32.4	1646	0	_	_	_	_	_	-	_	_
Awning 3,75 m (600)	38.3	1646	_	0	0	0	0	_	_	_	_
Awning 4,00 m (640)	41.5	1646	_	_	_	_	_	0	0	0	0
Exterior stickers Full	0	530	0	0	0	0	0	0	0	0	0
Front with panorama window ⁵⁾	3.35	6432	0	0	0	0	0	0	0	0	0
Pop-up roof black, opens completely at the front incl. electric closing assistant, fly screen, gooseneck light and USB socket, with high-quality mattress ⁵⁾	145.5	10306	0	0	0	0	0	0	0	0	0
Window with flyscreen and blackout blind in the rear right-hand side	5.9	1909	_	_	_	_	0	0	0	0	0
Interior design / living area											
Access steps for rear longitudinal bed incl. storage compartments	Δ	14475	_	_	_	_	0	0	0	0	_
Additional bed in the rear (204/190 cm x 155 cm)	25.1	7109	_	_	_	_	_	_	_	_	0
Guest bed across the living area	11.2	1944	_	_	_	0	_	_	_	_	_
Guest bed across the living area	11.2	1944	_	_	_	_	_	_	0	_	_
Guest bed across the living area	12.6	1944	_	_	_	_	_	_	_	0	_
Guest bed across the living area	12.8	1944	_	_	_	_	0	_	-	_	-
Guest bed across the living area	12.6	1944	_	_	0	_	_	_	-	-	-



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes

Globetrail (Fiat) | 02/2026 | INT 12

Optional equipment*	Additional weight (kg)*	Code	540 DR	900 DK	900 DS	600 DR	600 ER	640 EK	640 ER	640 ES	640 HR
Guest bed across the living area	12.8	1944	0	_	_	_	_	_	_	_	_
Guest bed across the living area	12.6	1944	_	_	_	_	_	0	_	_	_
Guest bed across the living area	12.6	1944	_	0	_	_	_	_	_	_	_
Guest bed across the living area	12.6	1944	_	_	_	_	_	_	_	_	0
Innovative pull-out under the rear bed	23	13609	0	0	0	0	0	0	0	0	_
Lashing rails in the rear floor	5	1618	0	0	0	0	0	0	0	0	0
Swivelling plate table extension	3.1	1900	0	_	_	_	0	_	_	_	_
Swivelling plate table extension	2.4	1900	_	0	0	0	_	0	0	0	0
Upholstery Scandi ⁶⁾	0	13167	0	0	0	0	0	0	0	0	0
Wood décor Amberes Oak, skirting board finish Trace Dark Grey ⁶⁾	0	11827	0	0	0	0	0	0	0	0	0
Heating											
Combi 6DE diesel electric heater incl. Truma CP Plus control panel	5	330+1617	0	0	0	0	0	0	0	0	_
Combi 6E gas-electric heater incl. Truma CP Plus control panel	3	995+330	0	0	0	0	0	0	0	0	_
Diesel heater Combi 6D	4	1617	0	0	0	0	0	0	0	0	•
Electric heating 230V incl. Truma CP Plus control panel	1	330	_	_	_	_	_	_	_	_	0
Truma CP Plus control panel ⁷⁾	0	6622	0	0	0	0	0	0	0	0	0
Water supply											
Waste water tank insulated and heated	14.4	665+642	0	0	0	0	0	0	0	0	0
Gas supply											
Automatic gas cylinder switchover incl. crash sensor and EisEx	2.5	1577	0	0	0	0	0	0	0	0	_
Electrical installation											
5G Wi-Fi router incl. roof antenna ⁸⁾	1.5	14899	0	0	0	0	0	0	0	0	0
Second habitation battery 140 Ah (lithium-ion 5 cells)	19	13968	0	0	0	0	0	0	0	0	0
Second habitation battery 95 Ah	27	830	0	0	0	0	0	0	0	0	0
Packages											
95 years package (540 DR) 9)	74.62	15543	0	_	_	_	_	_	_	_	_
95 years package (600 DK / DS / DR) ⁹⁾	80.72	15542	_	0	0	0	_	_	_	_	_
95 years package (600 ER) 9)	81.42	15542	_	_	_	_	0	_	_	_	_
95 years package (640 EK / ES / ER / HR) 9)	83.92	15542	_	_	_	_	_	0	0	0	0
Chassis Package	Δ	14420	0	0	0	0	0	0	0	0	0
Chassis Package ACC	Δ	15532	0	0	0	0	0	0	0	0	0
Comfort Package (540 DR)	31.1	15195	0	_	_	_	_	_	_	_	_
Comfort Package (600 DK / DS / DR)	31.3	15194	_	0	0	0	_	_	_	_	_
Comfort Package (600 ER)	32	15194	_	_	_	_	0	_	_	_	_
Comfort Package (640 EK / ES / ER)	31.3	15194	_	_	_	_	_	0	0	0	_
comment actings to to tit / 25 / tit,	31.3										
Comfort Package (640 HR)	8.3	15196	_	_	_	_	_	_	_	_	0
		15196 14379+14380	0	0	0	0	0	0	0	0	0
Comfort Package (640 HR)	8.3					0		0		0	
Comfort Package (640 HR) Digital Package	8.3 22.6	14379+14380									0

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Globetrail Active (Fiat)



Saving made easy!

The new Globetrail ACTIVE on Fiat Ducato offers you first-class equipment and genuine quality from the Allgäu region – at a bargain price! With everything you need for your next adventure, it's ready to go. And if you want even more, the smart ACTIVE equipment package adds a whole host of useful features – and with impressive savings. Ready to get started?

Technical info	
Overall length, approx.	599 - 636 cm
Overall width, approx.	205 cm
Overall width with mirrors, approx.	265 cm
Overall height, approx.	265 / 278 cm
Headroom in living area, approx.	189 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Saturn

Wood décor



+ Wood décor finish Noce Nagano, Decorative trim Linum

Plus factors

- + Excellent price-performance ratio in market comparison
- + Ready-to-Roadtrip: Clever complete package for immediate freedom on four wheels
- + Modern bathroom with swivel wall for optimum space utilisation
- + Modern and cosy design with a combination of wood and neutral colours, as well as user-friendly, ergonomic operation
- + Flush-fitting windows for better protection against break-ins and improved appearance
- + Robust dining table with enough space
- + 10-year tightness guarantee!





Globetrail Active (Fiat) Technical info







Globetrail Active (Fiat)		600 DS Active	600 KS Active	640 ES Active
Standard chassis		Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine		Multijet 3	Multijet 3	Multijet 3
kW (bhp)		103 (140)	103 (140)	103 (140)
Emission standards		Euro 6e-bis	Euro 6e-bis	Euro 6e-bis
Overall length, approx.	cm	599	599	636
Overall width, approx.	cm	205	205	205
Overall width with mirrors, approx.	cm	265	265	265
Overall height, approx.	cm	265 / 278 🔿	265 / 278 O	265 / 278 🔿
Overall height (open pop-top roof)	cm	358	358	358
Headroom in living area, approx.	cm	189	189	189
Towable load braked/unbraked	kg	2500 ¹⁾ / 750	2500 ¹⁾ / 750	2500 ¹⁾ / 750
Wheelbase, approx.	cm	404	404	404
Bed dimension: Central / middle bed, L X W, approx.	cm	180 x 88 O	180 x 88 O	180 x 88 O
Bed dimension: Rear bed, L x W, approx.	cm	197 x 157 - 140	183 x 157 - 140 / 187 x 140	195 - 179 x 197
Bed dimension: pop-up roof, L X W, approx.	cm	209 x 143 O	209 x 143 O	209 x 143 O
Sleeping berths standard / max.		2/50	4/70	2/50
Mass in running order (+/-5%)*	kg	2880 (2736 to 3024)*	2880 (2736 to 3024)*	2980 (2831 to 3129)*
Manufacturer-specified mass for optional equipment*	kg	292	292	189
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4
Waste water tank, approx.	1	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	1	100 / 20	100 / 20	100 / 20

O Optional equipment — Not possible

Standard equipment

Mandatory

Not known at the time of publication



The specified mass in running order is a default value defined in the typeapproval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5$ % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

600 DS Active 600 KS Active 640 ES Active

	9	9	9
Base vehicle Fiat			
Fiat Ducato Multijet 140 (2.2 / 140 hp / 103 kW) - 3,499 kg	•	•	_
Fiat Ducato Multijet 140 (2.2 / 140 hp / 103 kW) - 3,499 kg	_	_	
Base vehicle equipment Fiat			
90 litre diesel tank			
All-weather tyres M+S* Camping Snowflake			
Cab air conditioning			
Captain Chair and Traction+ (Traction+ not for 540 lengths)			
Cruise control			
Cup Holder			
Driver/passenger seat in living area fabric			
Electrically adjustable and heated exterior mirrors			
Fix & Go puncture repair kit: tyre inflation kit and towing eye			
Headlight frame black			
Passenger airbag			
Tyres: 15-inch steel rims (light) 16-inch steel rims (maxi/automatic)			
USB socket (B+C)			
Exterior colours Fiat			
			_
White	•	•	•
Exterior equipment			
Exterior stickers Classic	•	•	•
Flush fitting windows	•	•	•
Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds	•	•	
Skylight in the bathroom with integrated fly screen	•	•	•
Windows with fly screen and blackout blind in rear doors	•	•	•
Windows with fly screens and blackout blinds in the kitchen and at the seating area	•	•	
Interior design / living area			
2-burner stove and sink combination with electric ignition	•	•	•
Compressor refrigerator 84 l incl. freezer compartment 6.1 l	•	•	
Ergonomically arranged kitchen with generous work surface	•	•	•
Ergonomically shaped pads for more sitting comfort	•	•	
Front with spacious storage above the driver's cab	•	•	•
Generous storage space and storage options	•	•	
Generous storage space in the bathroom	•	•	•
Multifunctional rail on the kitchen back panel (for matching accessories)	•	•	•
Open storage at the rear, transverse	•	•	•
Partition wall incl. steps to enter the rear double bed	•	•	•
Platform of the seating group with integrated storage compartment	•	•	
Rear bed with removable bed plate, mattress incl. knitted fabric	•	•	
Rear storage space with 4 integrated lashing eyes	•	•	
Removable bunk bed, incl. ladder	_	•	_
Roof cabinet on the left and right at the rear	•	_	•
Roof cabinet on the left in the rear	_	•	_
Spacious drawers with soft-close and push locks in the kitchen block	•	•	•
Swivel bath with wooden door, swivel wall and cassette toilet	•	•	•
Upholstery Saturn	•	•	•
Wardrobe in bed base on the left	•	•	
Wood décor finish Noce Nagano, Decorative trim Linum	•	•	•
Heating			
Board control panel with indication of all fill levels and battery capacities	•	•	•
Hot air heating 4 kW with hot water boiler		•	•
Water supply			
Water tank 100l, waste water tank 90l			

Standard equipment

600 DS Active 600 KS Active 640 ES Active

Gas supply			
Gas shut-off valves easily accessible and centrally located	•	•	•
Storage space for gas cylinders with 11 kg filling weight each: 2 pcs.	•	_	•
Storage space for gas cylinders with 5 kg filling weight each: 2 pcs.	_	•	_
Electrical installation			
1x 230 V socket in the kitchen, 1x double USB socket in the rear right-hand side	•	_	•
1x 230V socket in the kitchen, 1x double USB socket at the rear left	_	•	_
CEE exterior socket for 230 V with circuit breaker	•	•	•
Electric charger for body and vehicle battery 12 V / 18 A (trickle charge)	•		
Flexible light strip, surface mounted spot freely positionable	•	•	•
Light strip on the underside of the upper bunk bed, on both sides (switch on the D-pillar)	_	•	_
Powerful, maintenance-free battery (95 Ah)	•	•	
Rear storage compartment lighting	•	•	•
Safety			
10-year leakage guarantee	•	•	•
Isofix for one seat	•	•	

PACKAGES GLOBETRAIL ACTIVE (FIAT)

Active Package (Fiat) (15213)

16" alloy wheels, leather steering wheel, Techno Trim (manual transmission: black rims, automatic/maxi: bicolour rims)

Leather-trimmed steering wheel and gear knob

Techno Trim

Tablet holder, DAB aerial in the mirror, loudspeakers, steering wheel radio controls

Folding privacy screen in driver's cab: windscreen

Folding privacy screen in driver's cab: side windows

Flyscreen door

Electric entry step

Window in the bathroom

Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds

Swivelling plate table extension

Pre-wiring for rear view camera

Pre-wiring solar system

TV preparation 12V and TV socket, SAT connection

LED light tube in the kitchen

230V socket in wall unit, front left (seating group)

12V socket in the rear area, bottom left

Additional double USB socket in the front left

Additional weight (kg)*

36.74

Off-road package (15593)

18" Borbet rims with off-road tyres

Special foiling

Additional weight (kg)*

_

△ Not known at the time of publication



INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*	Additional weight (kg)*	Code	600 DS Active	600 KS Active	640 ES Active
Base vehicle Fiat					
Fiat Ducato MultiJet 140 (2.2 / 140 hp / 103 kW) - 3,499 kg - automatic transmission	60	15361	0	0	_
Fiat Ducato MultiJet 140 (2.2 / 140 hp / 103 kW) - 3,499 kg - automatic transmission	60	15367	_	_	0
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 HP / 103 kW) Heavy Duty - 4,250 kg - automatic transmission	60	14984	_	_	0
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg	40	15363	0	0	_
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg	40	15369	_	_	0
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg - automatic transmission	60	15364	0	0	_
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg - automatic transmission	60	15370	_	_	0
Fiat Ducato MultiJet 140 Maxi (2.2 l / 140 hp / 103 kW) Heavy Duty - 4,250 kg - automatic transmission	60	15489	0	0	_
Fiat Ducato MultiJet 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg - automatic transmission	60	15362	0	0	_
Fiat Ducato MultiJet 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg - automatic transmission	60	15368	_	_	0
Fiat Ducato MultiJet 180 Maxi (2.2 / 180 HP / 132 kW) Heavy Duty - 4,250 kg - automatic transmission	60	14985	_	_	0
Fiat Ducato MultiJet 180 Maxi (2.2 / 180 hp / 132 kW) - 3,500 kg - automatic transmission	60	15365	0	0	_
Fiat Ducato MultiJet 180 Maxi (2.2 l / 180 hp / 132 kW) - 3,500 kg - automatic transmission Fiat Ducato MultiJet 180 Maxi (2.2 l / 180 hp / 132 kW) Heavy Duty - 4,250 kg - automatic transmission	60	15371 15490	0	0	0
Exterior colours Fiat	00	13490		0	
	2.5	4222			
Black Metallic	2.5	1333	0	0	0
Expedition Grey	0	9741	0	0	0
Grigio Ferro Metallic	2.5	046 12084	0	0	0
Lanzarote Grey	U	12004	0	0	0
Exterior equipment	20.0				
Awning 3,75 m (600)	38.3	1646	0	0	_
Awning 4,00 m (640)	41.5	1646		_	0
Pop-up roof black, opens completely at the front incl. electric closing assistant, fly screen, gooseneck light and USB socket, with high-quality mattress	145.5	10306	0	0	0
Window with fly screen and blackout blind in rear left	5.9	354	0	0	0
Interior design / living area					
Guest bed across the living area	12.6	1944	0	0	_
Guest bed across the living area	12.6	1944	_	_	0
Heating					
Combi 4E gas-electric heater incl. Truma CP Plus control panel	3	750+330	0	0	0
Combi 6DE diesel electric heater incl. Truma CP Plus control panel	5	330+1617	0	0	0
Diesel heater Combi 6D	4	1617	0	0	0
Gas supply					
Automatic gas cylinder switchover incl. crash sensor and EisEx	2.5	1577	0	0	0
Electrical installation					
Second habitation battery 95 Ah	27	830	0	0	0
Packages					
Active Package (Fiat)	36.74	15213	0	0	0
Off-road package	Δ	15593	0	0	0
Miscellaneous					
Registration documents (CoC papers)	0	15152	•	•	•

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Globetrail Active (Citroën)



Saving made easy!

The new Globetrail ACTIVE on a Citroën Jumper chassis combines premium features with authentic Allgäu build quality – all at a special "mate's rate" price! Fully equipped and ready for your next adventure, it's got everything you need. And if you're after even more, the ACTIVE equipment package adds loads of cleverly designed and practical extras – all with brilliant savings included. Ready to hit the road?

Technical info	
Overall length, approx.	599 - 636 cm
Overall width, approx.	205 cm
Overall width with mirrors, approx.	265 cm
Overall height, approx.	265 / 278 cm
Headroom in living area, approx.	189 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Saturn

Wood décor



+ Wood décor finish Noce Nagano, Decorative trim Linum

Plus factors

- + Excellent price-performance ratio in market comparison
- + Ready-to-Roadtrip: Clever complete package for immediate freedom on four wheels
- + Modern bathroom with swivel wall for optimum space utilisation
- + Modern and cosy design with a combination of wood and neutral colours, as well as user-friendly, ergonomic operation
- + Flush-fitting windows for better protection against break-ins and improved appearance
- + Robust dining table with enough space
- + 10-year tightness guarantee!





Globetrail Active (Citroën) Technical info







Globetrail Active (Citroën)		600 DS Active	600 KS Active	640 ES Active
Standard chassis		Citroën Jumper	Citroën Jumper	Citroën Jumper
Standard engine		2.2 BlueHDi	2.2 BlueHDi	2.2 BlueHDi
kW (bhp)		103 (140)	103 (140)	103 (140)
Emission standards		Euro 6e-bis	Euro 6e-bis	Euro 6e-bis
Overall length, approx.	cm	599	599	636
Overall width, approx.	cm	205	205	205
Overall width with mirrors, approx.	cm	265	265	265
Overall height, approx.	cm	265 / 278 🔾	265 / 278 🔿	265 / 278 🔾
Overall height (open pop-top roof)	cm	358	358	358
Headroom in living area, approx.	cm	189	189	189
Towable load braked/unbraked	kg	2500 ¹⁾ / 750	2500 ¹⁾ / 750	2500 ¹⁾ / 750
Wheelbase, approx.	cm	404	404	404
Bed dimension: Central / middle bed, L X W, approx.	cm	180 x 88 O	180 x 88 O	180 x 88 O
Bed dimension: Rear bed, L x W, approx.	cm	197 x 157 - 140	183 x 157 - 140 / 187 x 140	195 - 179 x 197
Bed dimension: pop-up roof, L X W, approx.	cm	209 x 143 O	209 x 143 O	209 x 143 O
Sleeping berths standard / max.		2/50	4/70	2/50
Mass in running order (+/-5%)*	kg	2880 (2736 to 3024)*	2880 (2736 to 3024)*	2980 (2831 to 3129)*
Manufacturer-specified mass for optional equipment*	kg	292	292	189
Technically permissible maximum laden mass*	kg	3499	3499	3499
Permitted number of seats (including driver)*		4	4	4
Waste water tank, approx.	I	90	90	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	- 1	100 / 20	100 / 20	100 / 20

O Optional equipment — Not possible

Standard equipment

Mandatory

Not known at the time of publication



The specified mass in running order is a default value defined in the typeapproval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5$ % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

600 DS Active 600 KS Active 640 ES Active

Citroen base vehicle			
Citroën Jumper BlueHDi 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg	_	_	•
Citroën Jumper BlueHDi 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg	•		_
Base vehicle equipment Citroen			
90l diesel tank			
All-weather tyres M+S* Camping Snowflake	•		
Cab air conditioning			
Captain's chair and Traction+			
Cruise control			
Cup holder			
Driver/passenger seat in living area fabric			
Electrically adjustable and heated exterior mirrors			
Fix & Go puncture repair kit: tire inflation kit and towing eye Headlight frame black			
Passenger airbag			
Tyres: 15-inch steel rims (light) 16-inch steel rims (maxi/automatic)	•		
USB socket (B+C)	-		
Exterior colours Citroen			
White	•		
Exterior equipment			
Exterior stickers Classic	•	•	
Flush fitting windows	•	•	
Mini-Heki 40 x 40 cm above the rear area with flyscreen and blackout blinds	•		
Skylight in the bathroom with integrated fly screen	•	•	•
Windows with fly screen and blackout blind in rear doors	•		
Windows with fly screens and blackout blinds in the kitchen and at the seating area	•	•	
Interior design / living area			
2-burner stove and sink combination with electric ignition			
Compressor refrigerator 84 l incl. freezer compartment 6.1 l			
Ergonomically arranged kitchen with generous work surface	•		
Ergonomically shaped pads for more sitting comfort			
Front with spacious storage above the driver's cab	•		
Generous storage space and storage options			
Generous storage space in the bathroom			
Multifunctional rail on the kitchen back panel (for matching accessories)			
Open storage at the rear, transverse			
Partition wall incl. steps to enter the rear double bed			
Platform of the seating group with integrated storage compartment			
Rear bed with removable bed plate, mattress incl. knitted fabric			
Rear storage space with 4 integrated lashing eyes			
Removable bunk bed, incl. ladder			
Kemovable bank bed, mei. idddei			
Poof cabinet on the left and right at the rear	_		
Roof cabinet on the left and right at the rear	•	_	•
Roof cabinet on the left in the rear	-	-	-
Roof cabinet on the left in the rear Spacious drawers with soft-close and push locks in the kitchen block	-	•	• - •
Roof cabinet on the left in the rear Spacious drawers with soft-close and push locks in the kitchen block Swivel bath with wooden door, swivel wall and cassette toilet	-	•	•
Roof cabinet on the left in the rear Spacious drawers with soft-close and push locks in the kitchen block Swivel bath with wooden door, swivel wall and cassette toilet Upholstery Saturn		•	• - • • • • • • • • • • • • • • • • • •
Roof cabinet on the left in the rear Spacious drawers with soft-close and push locks in the kitchen block Swivel bath with wooden door, swivel wall and cassette toilet Upholstery Saturn Wardrobe in bed base on the left		•	• - • • • • • • • • • • • • • • • • • •
Roof cabinet on the left in the rear Spacious drawers with soft-close and push locks in the kitchen block Swivel bath with wooden door, swivel wall and cassette toilet Upholstery Saturn Wardrobe in bed base on the left Wood décor finish Noce Nagano, Decorative trim Linum		•	• - • • • • • • • • • • • • • • • • • •
Roof cabinet on the left in the rear Spacious drawers with soft-close and push locks in the kitchen block Swivel bath with wooden door, swivel wall and cassette toilet Upholstery Saturn Wardrobe in bed base on the left Wood décor finish Noce Nagano, Decorative trim Linum Heating		•	• - • • • • • • • • • • • • • • • • • •
Roof cabinet on the left in the rear Spacious drawers with soft-close and push locks in the kitchen block Swivel bath with wooden door, swivel wall and cassette toilet Upholstery Saturn Wardrobe in bed base on the left Wood décor finish Noce Nagano, Decorative trim Linum Heating Board control panel with indication of all fill levels and battery capacities		•	•
Roof cabinet on the left in the rear Spacious drawers with soft-close and push locks in the kitchen block Swivel bath with wooden door, swivel wall and cassette toilet Upholstery Saturn Wardrobe in bed base on the left Wood décor finish Noce Nagano, Decorative trim Linum Heating		•	•
Roof cabinet on the left in the rear Spacious drawers with soft-close and push locks in the kitchen block Swivel bath with wooden door, swivel wall and cassette toilet Upholstery Saturn Wardrobe in bed base on the left Wood décor finish Noce Nagano, Decorative trim Linum Heating Board control panel with indication of all fill levels and battery capacities		•	•
Roof cabinet on the left in the rear Spacious drawers with soft-close and push locks in the kitchen block Swivel bath with wooden door, swivel wall and cassette toilet Upholstery Saturn Wardrobe in bed base on the left Wood décor finish Noce Nagano, Decorative trim Linum Heating Board control panel with indication of all fill levels and battery capacities Hot air heating 4 kW with hot water boiler			•

Standard equipment

600 DS Active 600 KS Active 640 ES Active

Gas supply			
Gas shut-off valves easily accessible and centrally located	•	•	•
Storage space for gas cylinders with 11 kg filling weight each: 2 pcs.	•	_	
Storage space for gas cylinders with 5 kg filling weight each: 2 pcs.	_		_
Electrical installation			
1x 230 V socket in the kitchen, 1x double USB socket in the rear right-hand side	•	_	•
1x 230V socket in the kitchen, 1x double USB socket at the rear left	_	•	_
CEE exterior socket for 230 V with circuit breaker	•	•	•
Electric charger for body and vehicle battery 12 V / 18 A (trickle charge)	•		
Flexible light strip, surface mounted spot freely positionable	•	•	•
Light strip on the underside of the upper bunk bed, on both sides (switch on the D-pillar)	_		_
Powerful, maintenance-free battery (95 Ah)	•	•	•
Rear storage compartment lighting	•		
Safety			
10-year leakage guarantee	•	•	•
Isofix for one seat	•	•	

PACKAGES GLOBETRAIL ACTIVE (CITROËN)

Active Package (Citroen) (15214)

16" alloy wheels (manual transmission: black rims, automatic/maxi: bicolour rims)

Leather-trimmed steering wheel and gear knob

Techno Trim

Tablet holder, DAB antenna in the mirror, loudspeaker, steering wheel radio controls

Folding privacy screen in driver's cab: windscreen

Folding privacy screen in driver's cab: side windows

Flyscreen door

Electric entry step

Window in the bathroom

Midi-Heki 70 x 50 cm above the seating group with flyscreen and blackout blinds

Swivelling plate table extension

Pre-wiring for rear view camera

Pre-wiring solar system

TV preparation 12V and TV socket, SAT connection

LED light tube in the kitchen

230V socket in wall unit, front left (seating group)

12V socket in the rear area, bottom left

Additional double USB socket in the front left

Additional weight (kg)*

36.74

Off-road package (15593)

18" Borbet rims with off-road tyres

Special foiling

Additional weight (kg)*

4

△ Not known at the time of publication



INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*	Additional weight (kg)*	Code	600 DS Active	600 KS Active	640 ES Active
Citroen base vehicle					
Citroën Jumper BlueHDi 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg automatic transmission	60	15391	_	_	0
Citroën Jumper BlueHDi 140 (2.2 l / 140 hp / 103 kW) - 3,499 kg automatic transmission	60	15382	0	0	_
Citroën Jumper BlueHDi 140 Maxi (2.2 / 140 HP / 103 kW) Heavy Duty - 4,250 kg automatic transmission	60	14986	_	_	0
Citroën Jumper BlueHDi 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg	40	15386	0	0	_
Citroën Jumper BlueHDi 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg	40	15395	_	_	0
Citroën Jumper BlueHDi 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg automatic transmission	60	15387	0	0	_
Citroën Jumper BlueHDi 140 Maxi (2.2 l / 140 hp / 103 kW) - 3,500 kg automatic transmission	60	15491	0	0	_
Citroën Jumper BlueHDi 140 Maxi (2.2 / 1640hp / 103 kW) - 3,500 kg automatic transmission	60	15396	_	_	0
Citroën Jumper BlueHDi 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg automatic transmission	60	15393	_	_	0
Citroën Jumper BlueHDi 180 (2.2 l / 180 hp / 132 kW) - 3,499 kg automatic transmission	60	15384	0	0	_
Citroën Jumper BlueHDi 180 Maxi (2.2 / 180 HP / 132 kW) Heavy Duty - 4,250 kg automatic transmission	60	14987	_	_	0
Citroën Jumper BlueHDi 180 Maxi (2.2 / 180 hp / 132 kW) - 3,500 kg automatic transmission	60	15388	0	0	_
Citroën Jumper BlueHDi 180 Maxi (2.2 / 180 hp / 132 kW) Heavy Duty - 4,250 kg automatic transmission	60	15492	0	0	_
Citroën Jumper BlueHDi 180Maxi (2.2 l / 180 hp / 132 kW) - 3,500 kg automatic transmission	60	15397		-	0
Exterior colours Citroen	_				
Expedition Grey	0	13104	0	0	0
Graphit Grey Metallic	2.5	1445	0	0	0
Iron Grey Metallic	2.5	1366	0	0	0
Thunder Grey	0	13103	0	0	0
Exterior equipment	_				
Awning 3,75 m (600)	38.3	1646	0	0	_
Awning 4,00 m (640)	41.5	1646	_	_	0
Pop-up roof black, opens completely at the front incl. electric closing assistant, fly screen, gooseneck light and USB socket, with high-quality mattress	145.5	10306	0	0	0
Window with fly screen and blackout blind in rear left	5.9	354	0	0	0
Interior design / living area					
Guest bed across the living area	12.6	1944	0	0	_
Guest bed across the living area	12.6	1944	_	_	0
Heating					
Combi 4E gas-electric heater incl. Truma CP Plus control panel	3	750+330	0	0	0
Combi 6DE diesel electric heater incl. Truma CP Plus control panel	5	330+1617	0	0	0
Diesel heater Combi 6D	4	1617	0	0	0
Gas supply					
Automatic gas cylinder switchover incl. crash sensor and EisEx	2.5	1577	0	0	0
Electrical installation					
Second habitation battery 95 Ah	27	830	0	0	0
Packages					
Active Package (Citroen)	36.74	15214	0	0	0
Off-road package	Δ	15593	0	0	0
Miscellaneous					
Registration documents (CoC papers)	0	15152	•	+	*

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Globetrail Performance (VW)



The premium-class camper van

Discover the Globetrail Performance – a high-end camper van based on the VW Crafter. With premium features, an innovative centre bathroom and a spacious French bed, it sets new standards for comfort on the road and at the campsite. Experience camping on a whole new level.

Technical info	
Overall length, approx.	598 cm
Overall width, approx.	206 cm
Overall height, approx.	267 cm
Headroom in living area, approx.	189 cm

Maximum values partly not possible for all models or only in connection with certain options.

Upholstery



+ Upholstery Scandi

Wood décor



+ Wood décor Amberes Oak

Plus factors

- + Floor-level centre bathroom with high-quality folding washbasin
- + Extra large lying surface in the 6 m vehicle of 2 m x 1.40 m
- + Bench seat with backrest tilt adjustment for optimum passenger travel comfort
- + High-quality assistance systems such as the 'Discover Media' navigation system, Light Assist, Advanced Assistance Package and much more.
- + 163 hp (120 kW) with 8-speed automatic transmission as standard
- + Textile wall covering in felt look
- + 10-year tightness guarantee!













Globetrail Performance (VW) Technical info



Globetrail Performance (VW)		600 DR
Standard chassis		VW Crafter
Standard engine		2.0 TDI SCR
kW (bhp)		120 (163)
Emission standards		Euro VI-E
Overall length, approx.	m	598
Overall width, approx.	m	206
Overall height, approx.	m	267
Headroom in living area, approx.	m	189
Towable load braked/unbraked	kg	3000 / 750
Wheelbase, approx.	m	364
Bed dimension: Central / middle bed, L X W, approx.	m	170 x 106 - 83 O
Bed dimension: Rear bed, L x W, approx.	m	200 x 140
Sleeping berths standard / max.		2/30
Mass in running order (+/-5%)*	kg	2923 (2777 to 3069)*
Manufacturer-specified mass for optional equipment*	kg	252
Technically permissible maximum laden mass*	kg	3500
Permitted number of seats (including driver)*		4
Waste water tank, approx.	1	90
Fresh water tank capacity, total/ Fresh water tank capacity at driving filling	I	100 / 20

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to \pm 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Dethleffs. The real weight of your vehicle ex works can only be determined when it is

weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

Standard equipment

asic even lick equipment V and Assist" lane departure warning system It search and it dup holdes in the dashboard Y suchets in the diver's cale (one in the control panel, with an additional one in the left hand sent frame for left hand drive vehicles) Warner Assistance Package, automatic distance control, speed limiter with predictive control, lane departure warning system plus I mergency Assist and diffice jam assistant. If a distance control, speed limiter with predictive control, lane departure warning system plus I mergency Assist and diffice jam assistant. If a distance control is the driver such that place is a distance control, and the service of	Crafter high roof (2,0 l / 163 HP / 120 kW) - 3.500 kg gross vehicle weight - automatic gearbox ¹⁰⁾
ane Assist" lane departure warning system V sockes in the divers cab (one in the deshboard V sockes in the divers cab (one in the control panel, with an additional one in the left-hand seat frame for left-hand drive vehicles) branced Assistance Package; a submanic distance control, speed limiter with predictive control, lane departure warning system plus Emergency Assist and file jam ansistant in 100 It conditioning with manual control in the driver's cab that for driver and front passenger with passenger arbag deactivation attribute, braining system (ARS) Intell lecking with keyless start system "KeylessStart" retained locking with levyless start system "KeylessStart" retained locking with adio remote control, interior actuation and safe locking system sosward Assist giglat cockpit (medium) gital radio reception (OAB-) sockers Media movigation system with 26 cm (10°) touch colour display incl. 4 loudspeakers. (10) gital radio reception (OAB-) sockers Media movigation system with 26 cm (10°) touch colour display incl. 4 loudspeakers. (10) gital radio reception (OAB-) sockers Media movigation system with 26 cm (10°) touch colour display incl. 4 loudspeakers. (10) gital radio reception (OAB-) sockers Media movigation system with 26 cm (10°) touch colour display incl. 4 loudspeakers. (10) sections in the start of the	
14 socket in the direct cab gove in the control panel, with an additional one in the left-hand soat frame for left-hand dive vehicles) 24 sockets in the direct cab gove in the control panel, with an additional one in the left-hand soat frame for left-hand dive vehicles) 25 sockets in the direct control in the drover's cab diffic jam sististant ⁷⁹ 26 croditioning with manual control in the drover's cab divaleged frieze and front passenger with passenger airbag deactivation in lock braking system (ABS) 27 ential locking with adia remote control, interior actuation and safe locking system 28 soswind Assist 28 gital codorit (medium) 28 gital codorit (medium) 29 gital radio reception (DAB+) 20 socrew Aedia novigation system with 26 cm (10") touch colour display incl. 4 loudspeakers ⁹⁰⁾ 28 straction and drowsiness delection 28 straction graking brake 28 ectionic stabilisation programme and ABS 28 receptors (21) system cival for Composition Audio, prepared for "We Connect 29 signis start-top system with Paske energy regeneration 28 stractions, palking it interior actual radio and advice-angle range 29 dights for Composition of the abeated 29 dights for Composition of the abeated 20 at ad kit, warning triangle and safety west 29 lights for Composition of the interior and radio and society in the abeated 29 dights for Composition palmed from in body colour 20 let lank with 75 tatic copacity 20 dights for Composition palmed from in body colour 20 late with well and in a straction of the insulating glazing 20 stractions palmed in car colour 20 stractions palmed in car colour 20 straction palmed in care colour 20 straction from the caller of composition of the insulating glazing 20 straction for the form and recer 20 straction from the caller of connect of the front underbody 21 straction for the connect of the front underbody 22 straction from the form of the front underbo	7.7
N sockets in the drivers cab (one in the control panel, with an additional one in the left-hand seat frame for left-hand drive vehicles) downed Assistance Package automatic distance roothd, speed limiter with predictive control, lane departure warning system plus Emergency Assist and difficient assistant to the driver's cab this gord driver and front passenger with passenger airbay deactivation in lands thaking system (ABS) in the fact from a mind of the package with passenger airbay deactivation in lands haking system (ABS) in the fact actuation and safe locking system osswind Assist guida ockpit (modium) guital radio reception (OABs) assist deactive actuation and safe locking system osswind Assist statication and downesses detection in the safe and the safe actuation and safe locking system osswind Assist statication and downesses detection extraction and downesses detection extension shall be safe and the safe actuation and the safe actuation and safe to the safe actuation and safe safe safe actuation and safe safe safe actuation and safe safe	
theoried Assistance Package, automatic distance control, speed limiter with predictive control, lane departure warning system plus Emergency Assist and afficing massistant 30 or conditioning with manual control in the driver's cab field price of arriver and front passenger with passenger airbag deactivation mithods braking system (ABS) introl lacking with keyless start system "keylessStart" emital locking with keyless start system "keylessStart" emital locking with radio remote control, interior actuation and safe locking system osswind Assist gital codorpt (medium) galated and reception (DAB+) scover Media navigation system with 26 cm (10") touch colour display incl. 4 loudspeakers ¹⁰⁰ struction and drowsiness detection extraction and drowsiness detection extraction programme and ABS extreme stabilisation programme and stabilisation for vehicles, pedestrians and cyclists ont axis, existing though the stabilisation of the stabilisation for vehicles, pedestrians and cyclists ont axis, existing and stabilisation for vehicles, pedestrians and cyclists ont axis, existing and stabilisation for vehicles, pedestrians and cyclists onto axis and stabilisation and stabilisation with the extreme stabilisation programme and the stabilis	
affic jam saskstant **90 ir conditioning with manual control in the driver's cab integ for driver and front passenger with passenger airbag deactivation inti-lock bioking system (ASS) intial locking with radio remote control, interior actuation and safe locking system cossyvind Assist guital cockpit (redulum) guital cockpit (redulum) guital cockpit (redulum) guital codin are reption (DAS+) scover Media navigation system with 26 cm (10") touch colour display incl. 4 loudspeakers **10* straction and drowsiness detection ectronic parking brake ectronic sabilisation programme and ABS nergency call system eCall for Composition Audio, prepared for **We Connect guine start-stop system with brake energy regeneration ectronic parking brake exterior similarities and guita, convex, with integrated EED indicator and wide-angle range tenior mirror left and guits, convex, with integrated EED indicator and wide-angle range tenior mirror, electrically adjustable and heated set aid kit, warning triangle and safety vest toughthis find. concering light **100 out Assist with warning and praking for vehicles, pedestrians and cyclists out adult in grey with painted tim in body colour ele lank with 75 I tank capacity alongen twin headstamp gift noof, exterior painted in car colour il start Assist magnes for rear wing doors with enlarged opening angle minimated gloss windscreen in heat insulating glazing glish and Visibility Package. "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and annual "Conning home" function, minimitant windscreen wiper control with light and rain sensor **10* more "6.5" x T alloy wheels. **10* unifornities that it front and rear eparation for twice function, minimitant windscreen wiper control with light and rain sensor **10* unifornities that front and rear eparation for twice connect" and "We Connect Plus eparation for twice connect" and "We Connect Plus eparation for twice connect" and "We Connect Plus eparation for twice connect" and	
ribag for driver and front passenger with passenger airbag deactivation It lock broking system (A65) Intral locking with radio remote control, interior actuation and safe locking system osswind Assist gilat cockpit (medium) gilat cockpit (medium) gilat cockpit (medium) gilat cockpit (medium) gilat particulation and drowsiness detection ectionic parking brake ectionic parking brake ectionic stabilisation programme and ABS nergency call system call for Composition Audio, prepared for "We Connect gilie station and drowsiness detection ectionic parking brake ectionic stabilisation programme and ABS nergency call system with brake energy regeneration tection articulation and tight, convex, with this negrated EED indicator and wide-angle range tection mirrors, electrically adjustable and hasted strain divide warning and braking for vehicles, pedestrians and cyclists ont assist with warning and braking for vehicles, pedestrians and cyclists ont assis, enforced (able ada 2.00 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour let lank with 75 I tank capacity ladge that headdamp gib roar, exterior painted in car colour ill Start Assist mages for rear wing doors with enlarged opening angle minated glass windscreen in heat insulating glazing gib and visibility Packages, "right Assist high bearn control, daytime running lights with driving light control (automatic), "leaving home" function and annual "Coming home" function, intermittent windscreen wiper control with light and rain sensor " ¹⁰⁹ more" 6.3 x x x alloy wheels, " ¹⁰⁹ more 6.3 x x x alloy wheels, " ¹⁰⁹ more for tailer device (incl. trailer stabilization) with cable set and control unit " ¹⁰⁹ more for trailer device (incl. trailer stabilization) with cable set and control unit " ¹⁰⁹ more for trailer device (incl. trailer stabilization) with cable set and control unit " ¹⁰⁹ more for trailer device (incl. trailer stabilization) with cable set and control unit " ¹⁰⁹ more for trailer device (incl. tra	fic jam assistant ¹⁰⁾
inti-lock braking system (ABS) Intital locking with keyless start system "KeylessStart" Intital locking with keyless start system "KeylessStart" Intital locking with radio remote control, interior actuation and safe locking system asswind Assist Igidal cockpit (medium) Igital radio reception (DAB+) Issorver Media navigation system with 26 cm (10") touch colour display incl. 4 loudspeakers ¹⁰⁾ Issorver Media navigation system with 26 cm (10") touch colour display incl. 4 loudspeakers ¹⁰⁾ Isstraction and drowsiness detection ectronic parking brake ectronic stabilisation programme and ABS ectronic stabilisation programme and ABS energency call system eCall for Composition Audio, prepared for "We Connect Igine start-stops system with brake energy regeneration teterior mirrol left and right, convex, with integrated LED indicator and wide-angle range teterior mirrol left and right, convex, with integrated LED indicator and wide-angle range teterior mirrol left and right, convex, with integrated LED indicator and wide-angle range teterior mirrol left and right, convex, with integrated LED indicator and wide-angle range teterior mirrol left and right, convex, with integrated LED indicator and wide-angle range teterior mirrol left and right, convex, with integrated LED indicator and wide-angle range teterior mirrol left and right, convex, with integrated LED indicator and vide-angle range teterior mirrol left and right in convex. With integrated period and service	
entral locking with keyless start system "KeylessStart" intral locking with radio remote control, interior actuation and safe locking system soswind Assist tigital cockpit (medium) gital radio reception (DAB+) straction and drowsiness detection ectronic parking brake ectronic parking brake ectronic parking brake ectronic stabilisation programme and ABS nergency call system ecall for Composition Audio, prepared for "We Connect githes start-stop system with brake energy regeneration tester ion mirrol let and right, convex, with integrated ED indicator and wide-angle range testion mirrors, electrically adjustable and heated st aid kit, warning triangle and safety vest githis thic. Comering light 100 ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axis, reinforced (axie load 2,100 kg, with thin thirt with thirty the ED Action of the Mark System System of the Mark System of the Mark System of the Mark System System of the Mark System S	
entral locking with radio remote control, interior actuation and safe locking system osswind Assist opidial cockpit (medium) giptal radio reception (0AB+) scover Medio navigation system with 26 cm (10°) touch colour display incl. 4 loudspeakers ¹⁰⁰) stratation and disvosiness detection ectronic parking brake ectronic spaking brake ectronic spaking brake ectronic spaking brake ectronic spaking brake ectronic system with brake energy regeneration tetrior mirror left and right, convex, with integrated LED indicator and wide-angle range etterior mirror, electrically adjustable and heated strain dikt, warning triangle and safety vest gights incl. cornering light ¹⁰⁰ out bumper in grey with painted trian in body colour left lank with 75 I tank capacity electrically adjustable and heated strain dikt, warning right, to read the strain of the strain	- · · · ·
osswind Assist gital codepti (reciption (DAB*) scover Media navigation system with 26 cm (10*) touch colour display incl. 4 loudspeakers ¹⁰) straction and drowsiness detection ctronic parking brake ectronic stabilisation programme and ABS mergency call system etail for Composition Audio, prepared for "We Connect gings tast-atsp system with brake energy regeneration reterior mirror left and right, convex, with integrated LED indicator and wide-angle range terior mirror left and right, convex, with integrated LED indicator and wide-angle range terior mirror left and right, convex, with integrated LED indicator and wide-angle range terior mirror left and right, convex, with integrated LED indicator and wide-angle range terior mirror left and right, convex, with integrated LED indicator and wide-angle range terior mirror left and right, convex, with integrated LED indicator and wide-angle range terior mirror left and right, convex, with integrated LED indicator and wide-angle range terior mirror, electrically adjustable and heated sta disk ki, warning usingle and safety vest by lights incl. cornering light ¹⁰) ont Assist with warning and braking for vehicles, pedestrians and cyclists ont alse, reinforced (axie load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted tirm in body colour left tank with 75 I tank capacity alonger town headlamp gh roof, exterior painted in car colour ill Start Assist inges for rear wing doors with enlarged opening angle urminated glass windscreen in heat insulating glazing ght and visibility Package "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function, intermittent windscreen wiper control with light and rain sensor ¹⁰⁰) urdifunction leather steering wheel -hoad tool arkPict at the front and rear eparation for trainer device (incl. trailer stabilization) with cable set and control unit ¹⁰⁰ uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant datator grille unpainted are view came	
gital radio reception (0AB=) gital radio reception (0AB=) straction and diovisiness detection ectronic parking brake ectronic parking brake ectronic parking brake ectronic parking brake ectronic stabilisation programme and ABS nergency call system call for Composition Audio, prepared for "We Connect sighe start-stop system with brake energy regeneration reterior mirror left and right, convex, with integrated LED indicator and wide-angle range teterior mirror, electrically adjustable and heated stal kit, warning triangle and safety vest glights land, convering light 100 ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axle, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour let lank with 75 I tank capacity alogen twin headlamp gli ros, exterior painted in car colour ill Start Assist niges for rear wing doors with enlarged opening angle minated glass windscreen in heat insulating glazing gli and visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and annual "Coming home" function, intermittent windscreen wiper control with light and rain sensor "0) sulfill function leather steering wheel n-board tool arkellot at the front and rear eparation for "We Connect" and "We Connect Plus eparation for "We Connect" and "We Connect Plus eparation for "Rear (wholity Set: 12-volt compressor and tyre sealant didator grille unpainted art view camera "0) egion code "ECE" for radio ep lighting front one chip protection for the front underbody orage Package 2 unment yves un warsus, two folding and side-swivelling, on the passenger side with wide-angle mirror as sepanson/damping, reinforced and stabilisation, reinforced	
grial radio reception (DAB+) scover Media navigation system with 26 cm (10") touch colour display incl. 4 loudspeakers ¹⁰⁰ screen Media navigation system with 26 cm (10") touch colour display incl. 4 loudspeakers ¹⁰⁰ screen incl. A stabilisation programme and ABS extensic stabilisation programme and ABS engegnery call system call for Composition Audio, prepared for "We Connect gine start-stop system with brake energy regeneration terior mirror left and right, convex, with integrated LED indicator and wide-angle range eterior mirrors, electrically adjustable and heated st aid kit, warning triangle and safety vest glights incl. comering light ¹⁰⁰ ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axle, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour set tank with 75 I tank capacity alogen twin headramp gish roof, exterior painted in car colour ill start Assist mges for rear wing doors with enlarged opening angle uninated glass windscreen in heat insulating glazing gish and visability Package: "Light Assist" high bearn control, daytime running lights with driving light control (automatic), "leaving home" function and anaula" Coming home" function, intermittent windscreen wiper control with light and rain sensor ¹⁰⁰ sulf-line at the front and rear eparation for trailer device (incl. trailer stabilization) with cable set and control unit ¹⁵⁰ uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant datator grille unpainted are view camera ¹⁰⁰ sepion code "ECE" for radio epilopting front one chip protection for the front underhody orage Package 2 unmeer tyves un wissors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspectsor of trailer caller of trailer instinction.	
straction and drowsiness detection ectronic parking brake ectronic stabilisation programme and ABS mergency call system ectal for composition Audio, prepared for "We Connect ingine start-stop system exill for composition Audio, prepared for "We Connect ingine start-stop system with brake energy regeneration teterior mirror left and right, convex, with integrated LED indicator and wide-angle range teterior mirrors, electrically adjustable and heated st aid kit, warning triangle and safety vest gg lights incl. connering light "00 ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axle, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont axle, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont axle reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont axle start assist inges for tear wing doors with enafted trin in body colour left tank with 75 I tank capacity alogen twin headlarmp gift roof, exterior painted in car colour lift Start Assist inges for tear wing doors with enlarged opening angle liminated glass windscreen in heat insulating glazing with and visibility Package: "tight Assists high beam control, daytime running lights with driving light control (automatic), "leaving home" function and annual "Coming home" function, intermittent windscreen wiper control with light and rain sensor "0" utilifunction leather steering wheel -n-board tool striction at the front and rear exparation for "We Connect" and "We Connect Plus exparation for "We Connect" and "We Connect Plus exparation for "We Connect" and "We Connect Plus exparation for Twe Connect" and "We Connect Plus exparation for trailer device (incl. trailer stabilization) with cable set and control unit "10) ancture kit Tire Mobility Set: 12-volt compressor and tyre sealant datadater grille unpainted are view camera: "0" again once "ECE" " for radio ep lighting front once chip protection for the front underbody orage Package 2 unmer tyes un visurs, two folding and side-swivelling, on the passenger s	
estraction and drowsiness detection ectronic parking brake ectronic parking brake energency call system call for composition Audio, prepared for "We Connect gine start-stop system with brake energy regeneration cterior mirror left and right, convex, with integrated LED indicator and wide-angle range deterior mirror, electrically adjustable and heated statid kit, warning triangle and safety vest go lights incl. comering light "Di ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axle, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour left tank with 75 I tank capacity alogent with headlamp gilt roof, exterior painted in car colour ill start Assist impes for rear wing doors with enlarged opening angle miniated glass windscreen in heat insulating glazing gilt and visibility Package. "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and anual "Coming home" function, intermittent windscreen wiper control with light and rain sensor ¹⁰⁾ ultifunction leather steering wheel	
ectronic parking brake ectronic stabilisation programme and ABS mergency call system ecall for Composition Audio, prepared for "We Connect lagine start-stop system with brake energy regeneration terior mirror left and right, convex, with integrated LED indicator and wide-angle range terior mirrors, electrically adjustable and heated straid kit, warning triangle and safety vest by lights incl. comering light 100 ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axler, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour left tank with 75 I tank capacity alogen twin headlamp integrated glass windscreen in heat insulating glazing integrated glass windscreen in heat insulating glazing ight and Visibility Package: "light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and anual "Coming home" function, intermittent windscreen wiper control with light and rain sensor 100 sulffunction leather steering wheelboard tool arkiplot at the front and rear eparation for Tailer device (incl. trailer stabilization) with cable set and control unit 100 uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant dator grille unpainted ear view camera 100 egion code "ECE" for radio epel lighting front one chip protection for the front underbody orage Package 2 unmeer tyes un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
ectronic stabilisation programme and ABS mergency call system ecall for Composition Audio, prepared for "We Connect ingine start-stop system with brake energy regeneration sterior mirror left and right, convex, with integrated LED indicator and wide-angle range sterior mirrors, electrically adjustable and heated straid kit, warning triangle and safety vest go jughts incl. connering light "O go jughts and stability and sages" tight Assist "ligh beam control, daytime running lights with driving light control (automatic), "leaving home" function and anaul "Coming home" function, intermittent windscreen wiper control with light and rain sensor "O go juditifunction leather steering wheel	
intergency call system eCall for Composition Audio, prepared for "We Connect gine start-stop system with brake energy regeneration tetrior mirror left and right, convex, with integrated LED indicator and wide-angle range tetrior mirrors, electrically adjustable and heated statid kit, warning triangle and safety vest go lights incl. comering light 190 ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axie, reinforced (axie load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour uel tank with 75 I tank capacity alogen twin headlamp gift roof, exterior painted in car colour Ill Start Assist inges for rear wing doors with enlarged opening angle iminated glass windscreen in heat insulating glazing that and visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and annual "Coming home" function, intermittent windscreen wiper control with light and rain sensor 100 smore" 6.5 J x 73 alloy wheels 100 uit/function leather steering wheel -n-board tool arkPilot at the front and rear eparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit 100 uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 100 segion code "ECE" for radio epi lighting front one chip protection for the front underbody orage Package 2 uniwors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
regine start-stop system with brake energy regeneration sterior mirror left and right, convex, with integrated LED indicator and wide-angle range sterior mirrors, electrically adjustable and heated statid kit, warning triangle and safety vest log lights incl. cornering light. 100 ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axis, reinforced (axile load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour set tank with 75 I tank capacity alogen twin headlamp gip roof, exterior painted in car colour set stark starsist inges for rear wing doors with enlarged opening angle miniated glass windscreen in heat insulating glazing gift and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and anual "Corning home" function, intermittent windscreen wiper control with light and rain sensor "0) smore" 6.5 J x 17 alloy wheels "0) ultifunction leather steering wheel -n-board tool -	
terior mirror left and right, convex, with integrated LED indicator and wide-angle range terior mirrors, electrically adjustable and heated sta did kit, warning triangle and safety vest go lights incl. cornering light 100 ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axle, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour sel tank with 75 I tank capacity alogen twin headlamp gigh roof, exterior painted in car colour ill Start Assist miges for rear wing doors with enlarged opening angle sminated glass windscreen in heat insulating glazing ght and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and aanual "coming home" function, intermittent windscreen wiper control with light and rain sensor 100 smore" 6.5 J x 77 alloy wheels 100 ultifunction leather steering wheel n-board tool arkPilot at the front and rear reparation for "We Connect" and "We Connect Plus reparation for Twiler Genic Litalier stabilization) with cable set and control unit 100 uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 100 gaigon code "ECE" for radio ep lighting front one chip protection for the front underbody orage Package 2 unmerr tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
terior mirrors, electrically adjustable and heated sta did kit, warning triangle and safety vest go gights incl. comering light 100 ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axie, reinforced (axie load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour uel tank with 75 I tank capacity alogen twin headlamp gift roof, exterior painted in car colour ill Start Assist inges for rear wing doors with enlarged opening angle miniated glass windscreen in heat insulating glazing ght and visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and anual "Corning home" function, intermittent windscreen wiper control with light and rain sensor 100 smore" 6.5 J x 17 alloy wheels 100 ultifunction leather steering wheel n-b-aard tool askPilot at the front and rear eeparation for "We Connect" and "We Connect Plus reparation for "EEE" for radio replicating front one chip protection for the front underbody orage Package 2 universe; unive	
ist aid kit, warning triangle and safety vest go lights incl. cornering light 100 ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axle, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour usel tank with 75 I tank capacity alogen twin headlamp gish roof, exterior painted in car colour Ill Start Assist inges for rear wing doors with enlarged opening angle uminated glass windscreen in heat insulating glazing ght and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and anaual "corning home" function, intermittent windscreen wiper control with light and rain sensor 100 smore" 6.5 J x 17 alloy wheels 100 utilifunction leather steering wheelboard tool arkivaliot at the front and rear exparation for "We Connect" and "We Connect Plus exparation for trailer device (incl. trailer stabilization) with cable set and control unit 100 uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant addator grille unpainted exparation for the front underbody orace Package 2 universe control with package and stabilization, reinforced universe control with wide-angle mirror experience of the front underbody orace Package 2 universe, two folding and side-swivelling, on the passenger side with wide-angle mirror experience of the front underbody orace Package 2 universe,	
glights incl. cornering light 100 ont Assist with warning and braking for vehicles, pedestrians and cyclists ont axie, reinforced (axie load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour ont bumper in grey with painted trim in body colour ont bumper in grey with painted trim in body colour ont bumper in grey with painted trim in body colour on the standard of the standa	
ant Assist with warning and braking for vehicles, pedestrians and cyclists ont axle, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour sele tank with 75 I tank capacity alogen twin headlamp gh roof, exterior painted in car colour Ill Start Assist nges for rear wing doors with enlarged opening angle minated glass windscreen in heat insulating glazing ght and Visibility Packages "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and anual "Coming home" function, intermittent windscreen wiper control with light and rain sensor 10) smore" 6.5 J x 17 alloy wheels 10 ultifunction leather steering wheel n-board tool rarkPiot at the front and rear eparation for "We Connect" and "We Connect Plus eparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) nucture kit - Tire Mobility Set: 12-volt compressor and tyre sealant datator grille unpainted ear view camera 10 egion code " ECE " for radio ep lighting front one chip protection for the front underbody orage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
ont axle, reinforced (axle load 2,100 kg, with twin tyres 2,200 kg) ont bumper in grey with painted trim in body colour led tank with 75 I tank capacity alogen twin headlamp giph roof, exterior painted in car colour ill Start Assist inges for rear wing doors with enlarged opening angle suminated glass windscreen in heat insulating glazing ght and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and annual "Coming home" function, intermittent windscreen wiper control with light and rain sensor ¹⁰⁰ sufficiently a start of the steering wheel in-board tool arkPilot at the front and rear experation for "We Connect" and "We Connect Plus experation for "We Connect" and "We Connect Plus experation for trailer device (incl. trailer stabilization) with cable set and control unit ¹⁰⁰ uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera ¹⁰⁰ egion code " ECE " for radio epel lighting front one chip protection for the front underbody orage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
and bumper in grey with painted trim in body colour led tank with 75 I tank capacity alogen twin headlamp gh roof, exterior painted in car colour ill Start Assist inges for rear wing doors with enlarged opening angle sminated glass windscreen in heat insulating glazing ght and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and annual "Coming home" function, intermittent windscreen wiper control with light and rain sensor 100 smore" 6.5 J x 17 alloy wheels 100 ultifunction leather steering wheel n-board tool arkPilot at the front and rear reparation for "We Connect" and "We Connect Plus eparation for "We Connect" and "We Connect Plus eparation for trailer device (incl. trailer stabilization) with cable set and control unit 100 uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 100 egion code "ECE" for radio epel lighting front one chip protection for the front underbody corage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
tel tank with 75 I tank capacity alogen twin headlamp igh roof, exterior painted in car colour Ill Start Assist inges for rear wing doors with enlarged opening angle minated glass windscreen in heat insulating glazing ght and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and anual "Coming home" function, intermittent windscreen wiper control with light and rain sensor ¹⁰⁾ smore" 6.5 J x 17 alloy wheels ¹⁰⁾ ultifunction leather steering wheel n-board tool arkivilot at the front and rear reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit ¹⁰⁾ uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera ¹⁰⁾ gion code " EEE" for radio rep lighting front one chip protection for the front underbody corage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
alogen twin headlamp igh roof, exterior painted in car colour ill Start Assist inges for rear wing doors with enlarged opening angle iminated glass windscreen in heat insulating glazing ght and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and lanual "Coming home" function, intermittent windscreen wiper control with light and rain sensor ¹⁰⁾ smore" 6.5 J x 17 alloy wheels ¹⁰⁾ ultifunction leather steering wheel in-board tool arkPilot at the front and rear reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit ¹⁰⁾ uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera ¹⁰⁾ ear view camera ¹⁰ early include "ECE" for radio leap lighting front cone chip protection for the front underbody lorage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
igh roof, exterior painted in car colour ill Start Assist inges for rear wing doors with enlarged opening angle iminated glass windscreen in heat insulating glazing ght and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and lanual "Coming home" function, intermittent windscreen wiper control with light and rain sensor 10) smore" 6.5 J x 17 alloy wheels 10) ultifunction leather steering wheel in-board tool arkPilot at the front and rear reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 10) eigoin code " ECE " for radio eigoin code " ECE " for radio eigoin protection for the front underbody torage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
Ill Start Assist inges for rear wing doors with enlarged opening angle iminated glass windscreen in heat insulating glazing ght and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and ianual "Coming home" function, intermittent windscreen wiper control with light and rain sensor 10) smore? 6.5 J x 17 alloy wheels 10) ultifunction leather steering wheel in-board tool arckPilot at the front and rear reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 10) egion code " ECE" for radio ep lighting front one chip protection for the front underbody torage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
Inges for rear wing doors with enlarged opening angle Imminated glass windscreen in heat insulating glazing Ight and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and lanual "Coming home" function, intermittent windscreen wiper control with light and rain sensor 10) Smore" 6.5 J x 17 alloy wheels 10) Ultifunction leather steering wheel In-board tool I	
infinited glass windscreen in heat insulating glazing ght and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and lanual "Coming home" function, intermittent windscreen wiper control with light and rain sensor 10) smore" 6.5 J x 17 alloy wheels 10 ultifunction leather steering wheel n-board tool arkPilot at the front and rear reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 10) egion code " ECE " for radio tep lighting front tone chip protection for the front underbody torage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
ght and Visibility Package: "Light Assist" high beam control, daytime running lights with driving light control (automatic), "leaving home" function and anual "Coming home" function, intermittent windscreen wiper control with light and rain sensor 10) smore" 6.5 J x 17 alloy wheels 10) ultifunction leather steering wheel n-board tool arkPilot at the front and rear reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 10) region code " ECE " for radio ep lighting front one chip protection for the front underbody orage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant replication of "ECE" for radio replication for the front underbody replication for the front underbody reparation for the front underbody reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant reparation for trailer device (in	
sultifunction leather steering wheel n-board tool arkPilot at the front and rear reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 10) region code " ECE " for radio rep lighting front rone chip protection for the front underbody rorage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	nual "Coming home" function, intermittent windscreen wiper control with light and rain sensor ¹⁰⁾
n-board tool arkPilot at the front and rear reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 10) region code " ECE " for radio rep lighting front tone chip protection for the front underbody rorage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
arkPilot at the front and rear reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 10) egion code " ECE " for radio teep lighting front tone chip protection for the front underbody torage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
reparation for "We Connect" and "We Connect Plus reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 10) egion code " ECE " for radio tep lighting front tone chip protection for the front underbody torage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
reparation for trailer device (incl. trailer stabilization) with cable set and control unit 10) uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera 10) egion code " ECE " for radio seep lighting front cone chip protection for the front underbody corage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
uncture kit - Tire Mobility Set: 12-volt compressor and tyre sealant adiator grille unpainted ear view camera ¹⁰⁾ egion code " ECE " for radio eep lighting front one chip protection for the front underbody orage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
adiator grille unpainted ear view camera ¹⁰⁾ egion code " ECE " for radio tep lighting front tone chip protection for the front underbody torage Package 2 ummer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
ear view camera 10) egion code " ECE " for radio ep lighting front one chip protection for the front underbody orage Package 2 unmer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
egion code " ECE " for radio ep lighting front one chip protection for the front underbody orage Package 2 Immer tyres on visors, two folding and side-swivelling, on the passenger side with wide-angle mirror orage package and stabilisation, reinforced	
rep lighting front cone chip protection for the front underbody corage Package 2 ummer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
cone chip protection for the front underbody corage Package 2 ummer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
orage Package 2 Immer tyres In visors, two folding and side-swivelling, on the passenger side with wide-angle mirror Ispension/damping, reinforced and stabilisation, reinforced	
ummer tyres un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	
un visors, two folding and side-swivelling, on the passenger side with wide-angle mirror uspension/damping, reinforced and stabilisation, reinforced	age Package 2
uspension/damping, reinforced and stabilisation, reinforced	·
wivel seat left, with two armrests	
	vel seat left, with two armrests

Variably extendable work surface Wall / and roof covering in felt look

Standard equipment

Wood décor Amberes Oak	•
Heating	
Hot air heating 4 kW with hot water boiler	•
Air Conditioning	
Preparation air conditioning in the living room	•
Water supply	
Waste water tank insulated and heated	•
Water tank 100l, waste water tank 90l	•
Gas supply	
Gas shut-off valves easily accessible and centrally located	•
Storage space for gas cylinders with 11 kg filling weight each: 2 pcs.	•
Electrical installation	
4x 230V sockets, 3x double USB sockets, 1x 12V socket	•
Additional dimming function for the standard ambient lighting	•
CEE exterior socket for 230 V with circuit breaker	•
Electric charger for body and vehicle battery 12 V / 18 A (trickle charge)	•
Indirect lighting	•
Installation duct at floor level	•
Light switch optimally placed in the vehicle, e.g. directly at the entrance	•
Platform of the seating group with indirect lighting with automatic door opening system	•
Powerful, maintenance-free battery (95 Ah)	•
Pre-wiring solar system	•
Rear storage compartment lighting	•
SCU (System Control Unit)	•
TV preparation 12V and TV socket, SAT connection	•
Touch spots under the overhead lockers	•
Worktop lighting in the kitchen	•

PACKAGES GLOBETRAIL PERFORMANCE (VW)

Winter Package (14247)

Laminated glass front window in heat protection glazing, heatable

Seat heating, left and right, separately adjustable

Heated front windshield washer nozzles and washer fluid level indicator

Additional weight (kg)* 0.35

△ Not known at the time of publication



INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for

optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

Optional equipment*	Additional weight (kg)*	Code	600 DR
Basic vehicle equipment VW			
"Air Care Climatronic" cab air conditioning system	0.77	14825	0
LED main headlights with LED daytime running lights	4.73	13977	0
Steering wheel heating	0	15661	0
Trailer hitch, detachable (incl. trailer stabilisation)	38.99	13991	0
Interior design / living area			
Guest bed across the living area	14	1944	0
Heating			
Combi 6DE diesel electric heater incl. Truma CP Plus control panel ¹¹⁾	5	330+1617	0
Combi 6E gas-electric heater incl. Truma CP Plus control panel	3	995+330	0
Air Conditioning			
Air conditioning in the living room ¹²⁾	18	609	0
Gas supply			
Automatic gas cylinder switchover incl. crash sensor, EisEx and gas filter	1	1577	0
Electrical installation			
Second habitation battery 168 Ah (lithium-ion 6 cells)	25	13391	0
Packages			
Winter Package	0.35	14247	0
Miscellaneous			
Registration documents (CoC papers)	0	15152	*

O Optional equipment ─ Not possible ● Standard equipment ◆ Mandatory △ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Dethleffs uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and

explanations on the subject of weight can be found in the Legal information section. An increase of load capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

TECHNICAL INFORMATION / FOOTNOTES

If you order your vehicle with additional equipment, you should check whether it makes sense or is necessary to increase the vehicle's weight! The optional equipment partially replaces the standard equipment.

FOOTNOTES

- 1) When selecting a Maxi chassis, the towing capacity changes to 3,000 kg. When selecting a chassis with a gross vehicle weight of 4.25 t, the towing capacity changes to 2,250 kg.
- 2) If maxi chassis or automatic transmission is selected, black matt wheels are replaced by bicolor wheels.
- 3) Two-tone rims only available in combination with maxi chassis or automatic transmission
- 4) Full LED headlights (individual option) only available in combination with the 95 Years package
- 5) Front with panoramic window (6432) and pop-up roof (10306) cannot be combined
- 6) Scandi upholstery (13167) only available in combination with wood décor Amberes Oak (11827)
- 7) CP-Plus (6622) is already included in an option with electric heating.
- 8) For 5.40-metre campervans: Not in combination with pop-up roof (10306)
- 9) 95 years package not possible in combination with other packages.
- 10) Already included in the market launch edition of Performance
- 11) Diesel heater and parking heater cannot be combined
- 12) If the roof air conditioning system is ordered, the standard roof bonnet in the rear is omitted

LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for **motorhomes** are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this **regulation** for you below. Our **dealers** and the Dethleffs configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the **standard equipment**, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications;) and an aluminium gas cylinder filled to
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the **mass in running order** can be found for each model in our sales documents. It is important to note that the value for **mass in running order** given in the sales documents is a default value determined in the **type-approval procedure** and verified by the authorities. It is legally permissible and possible for the **mass in running order** of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible **tolerance** is \pm 5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the **mass in running order** occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of **mass in running order**: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Dethleffs makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. **Deviations** at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even

with all optimisations. The real weight of the vehicle and compliance with the permissible **tolerance** is therefore checked by Dethleffs by weighing each vehicle at the **end of the line**.

3. Mass of the passengers

The **mass of the passengers** is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The **mass of the driver** is already included in the **mass in running order** (see no. 2 above) and is therefore not included again. In the case of a **motorhome** with four **permitted seats**, the **mass of the passengers** is therefore 3 * 75 kg = 225 kg.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the **standard equipment** which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the **optional equipment** that can be ordered can be found in our sales documents. **Optional equipment** in this sense does not include other **accessories** that are retrofitted by the **dealer** or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of $\pm~5~\%$ (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg ≥ 10 * (n + L)

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg * (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass

- 2,850 kg mass in running order
 - 3*75 kg mass of the passengers
 - 100 kg minimum pay-mass

= 43 kg

= 325 kg maximum permissible mass of **optional equipment**

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

3.500 kg
 - 2.907 kg
 real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg)
 - 3*75 kg
 mass of the passengers
 - 325 kg
 optional equipment (maximum permissible value)

actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Dethleffs further reduces the maximum permissible weight of the total **optional equipment** that can be ordered on a model-specific basis. The limitation of **optional equipment** is intended to ensure that the **minimum pay-mass**, i.e. the legally prescribed free mass for **baggage** and retrofitted **accessories**, is actually available for the **vehicle load capacity** of the vehicles delivered by Dethleffs. Since the weight of a specific vehicle can only be determined when it is weighed at the **end of the line**, in very rare cases a situation may arise in which the **minimum pay-mass** at the **end of the line** is not guaranteed, despite this limitation of **optional equipment**. In order to guarantee the **minimum pay-mass** even in these cases, Dethleffs will check together with your **trade partner** and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or **optional equipment** is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running or-

der of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the **load capacity** is reduced from 275 kg to 218 kg:

3.500 kg technically permissible maximum laden mass

2.907 kg $\,$ real weighed mass in running order (+ 2 % compared to the

stated value of 2,850 kg) 3*75 kg mass of the passengers

150 kg **optional equipment** ordered for the specific vehicle

= 218 kg sactual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle. We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

General Information

The information on the scope of delivery, appearance, performance, dimensions and weights of the vehicles corresponds to the knowledge available at the time of going to press and to the European homologation regulations.

Technical changes in design and equipment as well as errors excepted. These Technical Information is valid from September 22th, 2025. Vehicle illustrations in this document may contain optional equipment subject to an extra charge. We expressly reserve the right to make changes. With the publication of these Technical Information, all previous technical documents lose their validity. Throughout Europe, different Euro prices may arise. This is due to different country-specific standard equipment and different VAT or luxury tax rates.

Dethleffs GmbH & Co.KG Arist-Dethleffs-Straße 12 • 88316 Isny im Allgäu www.dethleffs.de • info@dethleffs.com

Art.: 10302 / gültig ab 22.09.2025

